STAS minirail sleek and strong



STAS minirail is characterised by its extremely slim, narrow design and innovative mounting method.

The rail itself is just 16 mm in height, yet it can carry up to 25 kg per linear metre. Thanks to an innovative screw, the STAS clipscrew, the rail can easily be fixed to the wall.

STAS minimial is perfect for creating an elegant, unobtrusive hanging system for light to mediumweight objects.

Features

Dimensions Length Colour Material Installation Weight capacity Warranty

9 x 16 mm 150, 200 or 300 cm white or alu (more colours on request) aluminium wall mountable, not adjoining to ceiling 25 kg/m¹ 5 years



For matching hooks and cords, see next page.

Parts



STAS minirail white RM10150 150 cm RM10120 200 cm RM10130 300 cm



STAS minirail clipscrew torx SR10200 (metal, 3 per m¹)



STAS minirail alu RM30150 150 cm RM30120 200 cm RM30130 300 cm

STAS plug

SR50700



STAS minirail rail connector RD10200



STAS minirail combi cap white RY10200 (2 x end cap / 1 x corner cap)



STAS minirail combi cap alu RY30200 (2 x end cap / 1 x corner cap)

STAS hooks and cords



After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

Cords



STAS cobra with perion cord CP10110 100 cm CP10115 150 cm CP10120 200 cm CP10125 250 cm CP10130 300 cm CP10140 400 cm T

STAS cobra with steel cable SC10110 100 cm SC10115 150 cm SC10120 200 cm SC10125 250 cm SC10130 300 cm SC10140 400 cm



STAS cobra with steel cable white SC10220 200 cm

STAS cobra with steel cable black SC20220 200 cm



Hooks



STAS smartspring



STAS zipper HA30501



STAS zipper pro HA30530

Possible combinations



perlon cord + smartspring



perlon cord + zipper or zipper pro



steel cable + zipper or zipper pro



steel cable white or black + zipper or zipper pro

STAS products TÜV certified

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



Important note regarding warranty and liability

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at www.stasgroup.com. It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.



STAS picture hanging systems Esp 245 | 5633 AD Eindhoven | P0 box 1049 | 5602 BA Eindhoven | The Netherlands T +31 (0)40 292 48 48 | info@stasgroup.com | www.stasgroup.com