

# STAS. Transform your room

## Product catalogue



**STAS**  
picture hanging systems



# Index

<b>Rail systems</b>	<b>6</b>
<b>Rail systems with lighting</b>	<b>21</b>
<b>Hooks and cords for rail systems</b>	<b>29</b>
<b>Magnetic hanging solutions</b>	<b>37</b>
<b>Other hanging solutions</b>	<b>39</b>
<b>Complementary products</b>	<b>60</b>
<b>Profile drawings</b>	<b>63</b>
<b>Product index</b>	<b>67</b>

# NEW

<b>STAS plastrail - renewed design</b>	<b>11</b>	<b>STAS Wi-Fi smart plug</b>	<b>26</b>
Invisibly integrated into a new wall to be plastered.		Smart plug to remotely operate electrical devices.	
<b>STAS plasterboard rail</b>	<b>18</b>	<b>STAS grip-up</b>	<b>41/45</b>
Built-in picture hanging system for rooms to be built or renovated with plasterboard ceilings.		Create a shelf on top of the STAS papergrip or mount it directly on the wall.	
<b>STAS drop ceiling rail</b>	<b>19</b>	<b>STAS signtrack</b>	<b>46</b>
All-in solution for rooms with a drop ceiling.		A perfect presentation for route indication or advertising.	

## STAS picture hanging systems

**What makes a room comfortable?**  
You'd be surprised how much influence the items hanging on walls and from the ceiling have on the feeling of comfort of a room. Wall decorations, advertisements, wayfinding signs... all of these affect people's behaviour. At STAS, we provide flexible picture hanging systems and accessories that are aimed to improve rooms. And we believe that these solutions should serve the purpose of the room itself.

**We make sure to provide a total solution for your room, so that...**

- ... kids in the classroom can focus without any distractions from a cluttered classroom wall
- ... art lovers can enjoy an art collection that hangs neatly and secured
- ... restaurant patrons opt for a cup of coffee after dessert
- ... meetings in the office become more efficient
- ... residents of nursing homes get inspired and relive beautiful memories
- ... and you can change your home interior whenever you want, to your taste.

With STAS you'll never have to drill unnecessary holes in your walls again and you can change or move your wall decor whenever you want. From light to dark and from functional to decorative.

So ... how are you going to change your interior?


**STAS. Transform your room.**

# About STAS

At STAS we develop, manufacture and distribute safe and flexible hanging solutions for a wide range of wall objects. These can include both decorative objects (paintings, drawings) and practical items (whiteboards, coat hooks, mirrors). Our solutions are aimed to improve rooms. Serving the purpose of the room is therefore key in our approach.


Our ever growing team of qualified experts is passionately committed to providing high-quality products, personal service, and to share with you the freedom to transform your room, however you like. Whether this would be functional, decorative... or mix it up all together!

STAS was founded by the brothers Stas in 1995. With their hands on experience in building and carpentry, and an innate business instinct, they took the market by storm. Since then, STAS has grown into an award-winning and internationally operating cooperation that delivers to home owners, businesses and renowned galleries all over the world. All of our STAS products feature quality components, competitive pricing, and innovative (patented) designs for fast, easy, and professional hanging of wall decoration.




**André Stas**  
CEO/owner

**Rien Stas**  
CEO/owner




# Meet our sales team


There is a good chance that, at some point, you've been in contact with one of our sales employees. They will gladly give you a quotation or provide you with excellent advice about our products.



**Paul**  
export manager

**Eline**  
sales executive export





**Maaïke**  
sales executive Italy

Rail systems

Index



Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS minirail	25 kg/m	wall	no	7
STAS cliprail	20 kg/m	wall	no	8
STAS cliprail max	25 kg/m	wall	yes	9
STAS cliprail pro	45 kg/m	wall	no	10
STAS plastrail	15 kg/m	wall	n/a	11
STAS j-rail	25 kg/m	wall	no	12
STAS j-rail max	100 kg/m	wall	no	13
STAS u-rail	20 kg/m	ceiling	n/a	14
STAS windsor	20 kg/m	wall	no	15
STAS riva	20 kg/m	wall	yes	15
STAS evoluon	20 kg/m	wall	no	16
STAS drywallXpress	30 kg/m	wall	no	17
STAS plasterboard rail	25 kg/m	wall	yes	18
STAS drop ceiling rail	25 kg/m	wall	yes	19
STAS prorail flat	45 kg/m	ceiling	yes	20

STAS minirail  
sleek and strong



STAS minirail is characterised by its extremely slim, narrow design and innovative mounting method.

The rail itself is just 16 mm in height, yet it can carry up to 25 kg per linear metre. Thanks to an innovative screw, the STAS clipscrew, the rail can easily be fixed to the wall.

STAS minirail is perfect for creating an elegant, unobtrusive hanging system for light to medium-weight objects.




Features

Dimensions	9 x 16 mm
Length	150, 200 or 300 cm
Colour	white, alu or black
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	25 kg/m <sup>1</sup>
Warranty	5 years

For matching hooks and cords, see page 30.



Parts



STAS minirail white  
RM10150 150 cm  
RM10120 200 cm  
RM10130 300 cm



STAS minirail alu  
RM30150 150 cm  
RM30120 200 cm  
RM30130 300 cm



STAS minirail black  
RM20150 150 cm  
RM20120 200 cm  
RM20130 300 cm



STAS minirail  
rail connector  
RD10200



STAS minirail  
combi cap white  
RY10200  
(2 x end cap / 1 x corner cap)



STAS minirail  
combi cap alu  
RY30200  
(2 x end cap / 1 x corner cap)



STAS minirail  
combi cap black  
RY20200  
(2 x end cap / 1 x corner cap)



STAS minirail  
clipscrew torx  
SR10200  
(metal, 3 per m<sup>2</sup>)



STAS plug  
SR50700

# STAS cliprail

## the perfect basis



STAS cliprail is a high-quality picture hanging system without bells and wistles. It is easy to install and feels right at home in every interior.

The cliprail owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.




### Features

Dimensions	8.2 x 25 mm
Length	150, 200 or 300 cm
Colour	white, alu or black
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	20 kg/m <sup>1</sup>
Warranty	5 years

For matching hooks and cords, see page 30.

### Parts



**STAS cliprail white**  
RC10315 150 cm  
RC10320 200 cm  
RC10330 300 cm



**STAS cliprail alu**  
RC30115 150 cm  
RC30120 200 cm  
RC30130 300 cm



**STAS cliprail black**  
RC20115 150 cm  
RC20120 200 cm  
RC20130 300 cm



**STAS cliprail end cap white**  
RD10300



**STAS cliprail end cap alu**  
RD30300



**STAS cliprail end cap black**  
RD20300



**STAS cliprail corner cap white**  
RD10400



**STAS cliprail corner cap alu**  
RD30400



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)




**STAS rail connector**  
RD40200  
(metal)



**STAS screw torx**  
SR30600



**STAS plug**  
SR50700



**STAS cliprail max white**  
RC10215 150 cm  
RC10220 200 cm  
RC10230 300 cm



**STAS cliprail max alu**  
RC30215 150 cm  
RC30220 200 cm  
RC30230 300 cm



**STAS cliprail max black**  
RC20215 150 cm  
RC20220 200 cm  
RC20230 300 cm



**STAS cliprail max combi cap white**  
RY10100  
(2 x end cap / 1 x corner cap)



**STAS cliprail max combi cap alu**  
RY30100  
(2 x end cap / 1 x corner cap)



**STAS cliprail max combi cap black**  
RY20300  
(2 x end cap / 1 x corner cap)



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS screw torx**  
SR30600



**STAS plug**  
SR50700

# STAS cliprail max

## perfect gap-free ceiling connection



STAS cliprail max is a hanging system for the perfectionist. An extra rim ensures the rail connects beautifully with the ceiling. With this system, your ceiling, wall and picture hanging system unite as one.

The rail is most attractive when fixed to flat ceilings. STAS cliprail max owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.

For the best result, you can neatly finish the transition between the STAS cliprail max and the ceiling by adding an (acrylic) sealant.

### Features

Dimensions	8.3 x 31.6 mm
Length	150, 200 or 300 cm
Colour	white, alu or black
Material	aluminium
Installation	wall mountable, adjoining to ceiling
Weight capacity	25 kg/m <sup>1</sup>
Warranty	5 years

For matching hooks and cords, see page 30.

### Parts



# STAS cliprail pro

## elegant powerhouse



STAS cliprail pro is ideal for hanging heavier objects on walls thanks to its thick-walled profile. This rail can carry an amazing 45 kg per linear metre.

Despite its large weight-bearing capacity, the STAS cliprail pro is an elegant, unobtrusive rail that can be used in professional environments as well as in the home.

STAS cliprail pro owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.




## Features

Dimensions	11.3 x 28 mm
Length	150, 200 or 300 cm
Colour	white or alu
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	45 kg/m <sup>1</sup>
Warranty	5 years

For matching hooks and cords, see page 30.

## Parts



**STAS cliprail pro white**  
VC10150 150 cm  
VC10200 200 cm  
VC10300 300 cm



**STAS cliprail pro alu**  
VC30150 150 cm  
VC30200 200 cm  
VC30300 300 cm



**STAS cliprail pro end cap white**  
VE10200



**STAS cliprail pro end cap alu**  
VE30200



**STAS cliprail pro corner cap white**  
VD10400



**STAS cliprail pro corner cap alu**  
VD30400



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>1</sup>)



**STAS rail connector**  
RD40200  
(metal)




**STAS screw torx**  
SR30600



**STAS plug**  
SR50700

## RENEWED DESIGN



PATENT PENDING

# STAS plasterrail

## for the forward thinker

STAS has renewed the design of the STAS plasterrail! The STAS plasterrail is now even better in quality with its renewed design. You attach the aluminium rail to a bare wall with nails and after the rail and the rest of the wall have been plastered, a very narrow opening remains visible in the stucco. As a result, this picture hanging system can be fully integrated into a new wall to be plastered and is therefore virtually invisible.

The renewed design ensures flawless installation, requires only a thin plaster layer of +/- 6 mm and the supplied safety strip ensures that the picture hanging system remains free of stucco. An ideal picture hanging system for renovations and new construction projects!

## Features

Dimensions	6,4 x 40 mm
Layer thickness stucco	6 mm
Length	200 cm
Material	aluminium
Installation	wall mountable, to be integrated into stucco
Weight capacity	15 kg/m
Warranty	5 years

For matching hooks and cords, see page 33.

## Parts



**STAS plasterrail**  
PR30200 200 cm  
including safety strip



# STAS j-rail

## professional versatility



The design of STAS j-rail was based on the shape of the letter J. This shape allows the rail to be combined in all kinds of different ways using hooks, cords and even rods.

For example, by using a rod instead of a cord or steel cable, moving or alternating works of art on high ceilings becomes a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

STAS j-rail has a somewhat industrial look and is applied regularly in art galleries and in business premises.




### Features

Dimensions	7 x 20 mm
Length	150, 200 or 300 cm
Colour	white or alu
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	25 kg/m <sup>1</sup>
Warranty	5 years

For matching hooks, cords and rods see page 31.

### Parts



**STAS j-rail white**  
RJ10115 150 cm  
RJ10120 200 cm  
RJ10130 300 cm  
(4 holes per m<sup>2</sup>)



**STAS j-rail alu**  
RJ30115 150 cm  
RJ30120 200 cm  
RJ30130 300 cm  
(4 holes per m<sup>2</sup>)



**STAS j-rail screw flush head white**  
SJ10100




**STAS j-rail screw flush head alu**  
SJ30100



**STAS plug**  
SR50700

### Parts



**STAS j-rail max white**  
RJ10215 150 cm  
RJ10220 200 cm  
RJ10230 300 cm  
(4 holes per m<sup>2</sup>)



**STAS j-rail max alu**  
RJ30215 150 cm  
RJ30220 200 cm  
RJ30230 300 cm  
(4 holes per m<sup>2</sup>)



**STAS j-rail max screw sunk head white**  
SJ10200



**STAS j-rail max screw sunk head alu**  
SJ30200



**STAS plug**  
SR50700



STAS j-rail max is designed for the heavy objects. The thick-walled aluminium profile is capable of supporting loads of up to 100 kg per linear metre.

What's more, STAS j-rail max is combined with rods instead of cords, which makes alternating and moving heavy works of art on high ceilings a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

The STAS j-rail max system is also available with theft-delaying security hooks and is often used in art galleries and museums.



# STAS u-rail

## suspended ceiling becomes hanging system



STAS u-rail is specially designed for suspended ceilings. The rail is easily and almost invisibly attached to the supporting edge trim of the suspended ceiling.

STAS u-rail is also ideally suited for hanging whiteboards, art or large maps. So now, with just a small modification, your suspended ceiling becomes a versatile picture hanging system, ideal for use in offices, schools and healthcare facilities.




### Features

Dimensions	14 x 6.5 mm
Length	150, 200 or 300 cm
Colour	white, black or alu (to match the edge trim)
Material	aluminium
Installation	ceiling mountable
Weight capacity	20 kg/m <sup>1</sup>
Warranty	5 years

For matching hooks and cords, see page 30.

### Parts



**STAS u-rail white**  
 RP10115 150 cm  
 RP10120 200 cm  
 RP10130 300 cm  
 (8 holes per m<sup>2</sup>)



**STAS u-rail alu**  
 RP30115 150 cm  
 RP30120 200 cm  
 RP30130 300 cm  
 (8 holes per m<sup>2</sup>)



**STAS u-rail black**  
 RP20115 150 cm  
 RP20120 200 cm  
 RP20130 300 cm  
 (8 holes per m<sup>2</sup>)



**STAS u-rail screw white**  
 SP10100



**STAS u-rail screw alu**  
 SP30100



**STAS u-rail screw black**  
 SP20100

# STAS windsor & riva

## bring a piece of nature into your home



In addition to aluminum rails, STAS also offers wooden rails in 2 different models. The STAS windsor is elegant and warm where the STAS riva has a more robust look and feel. Two distinctive models, suitable for any interior! Both models are easy to use and each has a different profile for which fitting hooks are available.

Our wooden rails are made out of Ayous wood and are FSC and PEFC certificated. Ayous wood differs from other wood since it does not deform or splinter, and is perfectly suitable to repaint because of its smooth texture. Perfect wood for your picture hanging system! Can be mounted screwed, nailed and glued\*.



\* The weight capacity of a glued rails is highly dependent on the surface, so care must be taken here. More information on how to best glue our wooden rails can be found on our website [www.stasgroup.com](http://www.stasgroup.com)

### Features STAS windsor

Dimensions	18 x 45 mm
Length	± 120, 240 cm
Material	Ayous wood
Installation	wall mountable, not adjoining to ceiling
Weight capacity	20 kg/m
Warranty	5 years

For matching hooks and cords, see page 34.



### Features STAS riva

Dimensions	17 x 45 mm
Length	± 120, 240 cm
Material	Ayous wood
Installation	wall mountable, adjoining to ceiling
Weight capacity	20 kg/m
Warranty	5 years



**STAS windsor**  
 RP50220 120 cm  
 RP50224 240 cm



**STAS riva**  
 RP50120 120 cm  
 RP50124 240 cm

# STAS evoluon

## bends along with you



From now on, curved walls can also be used optimally with the STAS evoluon! The STAS evoluon has been specially developed for curved walls, but this rail is just as easy to mount on straight walls or (slightly) undulating walls.

The rail is bendable and can be bent perfectly proportional along the contours of a wall by means of a supplied auxiliary tool. In this way, the STAS evoluon provides hanging possibilities for difficult and walls otherwise unusable for picture rails.



### Features

Dimensions	20 x 3 mm
Length	200 cm
Colour	alu
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	20 kg/m
Warranty	5 years

For matching hooks and cords, see page 35.

### Parts



**STAS evoluon**  
TCS30020 200 cm  
(4 holes per m1)



**STAS bending mold evoluon**  
TCS9020 30 cm



**STAS distance holder evoluon**  
TCS9012



**STAS screw evoluon**  
SJ30300




**STAS plug**  
SR50700



**STAS evoluon hook**  
TCS9016

# STAS drywallXpress

## no stress with the STAS drywallXpress



With the STAS drywallXpress you can mount a picture hanging system on a plaster wall in no time. No need to pick up that drill because you don't have to drill to assemble this system. The STAS drywallXpress is a complete picture hanging system that consists of clips, cliprail and an auxiliary tool. With the help of the enclosed tool and a hit with a hammer you can easily push the metal clips into your plaster wall. Click the rail onto the clips and combine this picture hanging system with the STAS cords with cobra.

STAS drywallXpress: the easiest picture hanging system in the world!

PATENT PENDING


### Features

Dimensions	rail: 8.2 x 25 mm clip: 23 x 35 x 18 mm
Colour	rail: white, alu   clip: RVS
Material	rail: aluminium   clip: RVS
Installation	wall mounting, not adjoining to ceiling
Weight capacity	20 kg/m
Warranty	5 years

For matching hooks and cords, see page 30.



### Parts



**STAS cliprail white**  
RC10315 150 cm  
RC10320 200 cm  
RC10330 300 cm



**STAS cliprail alu**  
RC30115 150 cm  
RC30120 200 cm  
RC30130 300 cm



**STAS cliprail black**  
RC20115 150 cm  
RC20120 200 cm  
RC20130 300 cm



**STAS cliprail end cap white**  
RD10300



**STAS cliprail end cap alu**  
RD30300



**STAS cliprail end cap black**  
RD20300



**STAS cliprail corner cap white**  
RD10400



**STAS cliprail corner cap alu**  
RD30400



**STAS drywall clip**  
RD40400



**STAS drywall tool**  
RD40501



**STAS drywallXpress connector**  
RT40200

# STAS plasterboard rail

## integrated ceiling rail

NEW

NEW



The STAS plasterboard rail is a built-in picture hanging system for rooms to be built or renovated with plaster, timber or concrete walls and plasterboard ceilings. The picture hanging system together with the wooden framework, is mounted under the beam layer on the wall.

Thanks to the 2 different profiles (9.5 mm / 12.5 mm), plasterboards with a thickness of 9 mm or 12 mm can be slid into the profiles of the STAS plasterboard rail. The result is a tightly finished room with an almost invisible picture hanging system that disappears into the shadow line of the plasterboards.

The STAS plasterboard rail can be used with the STAS cords with cobra.



### Features

Dimensions	9,5 mm rail: 31 x 36 mm 12,5 mm rail: 34 x 36 mm
Length	200, 300 cm
Colour	white (RAL 9016)
Material	aluminium
Installation	wall mountable
Weight capacity	25 kg/m <sup>1</sup>
Warranty	5 years

For matching hooks and cords, see page 30.

### Parts



**STAS plasterboard rail 9,5 mm**  
PC10120 200 cm  
PC10130 300 cm



**STAS plasterboard rail inner corner profile 9,5 mm (with corner connector)**  
PC10170



**STAS plasterboard rail outside corner profile 9,5 mm (with corner connector)**  
PC10180



**STAS rail connector**  
RD20400



**STAS corner connector**  
RD20500



**STAS plasterboard rail 12,5 mm**  
PC10020 200 cm  
PC10030 300 cm



**STAS plasterboard rail inner corner profile 12,5 mm (with corner connector)**  
PC10070



**STAS plasterboard rail outside corner profile 12,5 mm (with corner connector)**  
PC10080



**STAS hammer fixing plug (5 per m<sup>2</sup>)**  
SR10400

### Features

Dimensions	31 x 35 mm
Length	200, 300 cm
Colour	white (RAL 9016)
Material	aluminium
Installation	wall mountable
Weight capacity	25 kg/m
Warranty	5 years

For matching hooks and cords, see page 30.



# STAS drop ceiling rail

## all-in solution for drop ceilings

The STAS drop ceiling rail is an all-in solution for rooms with a drop ceiling. The STAS drop ceiling rail replaces the wooden ceiling tile support strips and the corner profile of drop ceilings, and is equipped with a picture hanging system as well.

Thanks to the innovative profile of the STAS drop ceiling rail, the picture hanging system can be mounted directly on the wall. Corner profile and picture hanging system become one. The suspended ceiling plates can be placed in the profile of the STAS drop ceiling rail. The result is an almost invisible picture hanging system that disappears in the shadow line of the drop ceiling.

The STAS drop ceiling rail can be used with the STAS cords with cobra.



### Parts



**STAS drop ceiling rail**  
GC10020 200 cm  
GC10030 300 cm



**STAS drop ceiling rail inner corner profile (with corner connector)**  
GC10070



**STAS drop ceiling rail outside corner profile (with corner connector)**  
GC10080



**STAS rail connector**  
RD20400



**STAS corner connector**  
RD20500



**STAS hammer fixing plug (5 per m<sup>2</sup>)**  
SR10400

# STAS prorail flat

## almost invisible



The STAS prorail flat is a picture hanging system that can be concealed in plasterwork, flat decorative framework or molding. You will enjoy the convenience of a picture hanging system, but not the look of a visible rail on your wall.

This rail system is suitable for newly built and renovations in existing properties. The STAS prorail flat can be mounted on the ceiling and can be used with the STAS cables with cobra.




### Features

Dimensions	31.3 x 18 mm
Length	200 or 300 cm
Colour	white
Material	aluminium
Installation	ceiling mountable
Weight capacity	45 kg/m <sup>1</sup>
Warranty	5 years

For matching hooks and cords, see page 30.

### Parts



**STAS prorail flat white**  
RH10515 150 cm  
RH10520 200 cm  
RH10530 300 cm  
(4 holes per m<sup>1</sup>)



**STAS prorail flat rail connector**  
RD20400



**STAS prorail flat corner connector**  
RD20500



**STAS prorail flat screw**  
SJ10200



**STAS plug**  
SR50700

## Rail systems with lighting

## Index

Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS multirail	45 kg/m <sup>1</sup>	wall	no	22
STAS multirail max	45 kg/m <sup>1</sup>	wall	yes	23
STAS multirail crown	45 kg/m <sup>1</sup>	wall	n/a	24
STAS multirail flat	45 kg/m <sup>1</sup>	ceiling	n/a	25
STAS spotlights	n/a	n/a	n/a	26
STAS Wi-Fi smart plug	n/a	n/a	n/a	26
STAS fixtures	n/a	n/a	n/a	27
STAS adapters	n/a	n/a	n/a	28

# STAS multirail

hanging and lighting rolled into one



A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, accentuating your wall decorations. In combination with LED lighting, the STAS multirail is very energy efficient.



## Features

Dimensions	11.3 x 28 mm
Length	150, 200 or 300 cm
Colour	white or alu
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	45 kg/m <sup>1</sup>
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see page 30.  
For matching accessories, see page 26 to 28.

## Parts



**STAS multirail white**  
VH10150 150 cm  
VH10200 200 cm  
VH10300 300 cm



**STAS multirail alu**  
VH30150 150 cm  
VH30200 200 cm  
VH30300 300 cm



**STAS multirail end cap white**  
VE10200



**STAS multirail end cap alu**  
VE30200



**STAS multirail corner cap white**  
VD10400



**STAS multirail corner cap alu**  
VD30400



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS screw torx**  
SR30600



**STAS plug**  
SR50700



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail conductor 12 V corner**  
VF50100

# STAS multirail max

perfect gap-free ceiling connection



A STAS multirail system is a picture hanging system and artwork lighting rolled into one. Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

The STAS multirail max distinguishes itself thanks to the extra rim that ensures a tight fit against flat ceiling surfaces. With this system, your ceiling, wall and picture hanging system unite as one. Cables can be hidden behind the rim.

For the best result, you can neatly finish the transition between the STAS multirail max and the ceiling by applying an (acrylic) sealant.



## Features

Dimensions	11.3 x 38.3 mm
Length	200 or 300 cm
Colour	white or alu
Material	aluminium
Installation	wall mountable, adjoining to ceiling
Weight capacity	45 kg/m <sup>1</sup>
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see page 30.  
For matching accessories, see page 26 to 28.


## Parts



**STAS multirail max white**  
VC10420 200 cm  
VC10430 300 cm



**STAS multirail max alu**  
VC30420 200 cm  
VC30430 300 cm



**STAS prorail max white**  
RM10415 150 cm  
RM10420 200 cm  
RM10430 300 cm  
rail without 12 V power supply insert



**STAS multirail max end cap white**  
VE10400



**STAS multirail max end cap alu**  
VE30400



**STAS multirail max corner cap white**  
VD20500



**STAS multirail max corner cap alu**  
VD30500



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS screw torx**  
SR30100



**STAS plug**  
SR50700



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail conductor 12 V corner**  
VF50100

# STAS multirail crown moulding in the spotlights



A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail crown is a picture hanging system that is mounted virtually invisibly on the wall and can be combined with a moulding of your choice.




## Features

Dimensions	12.7 x 37.5 mm
Length	200 or 300 cm
Colour	white
Material	aluminium
Installation	wall mountable
Weight capacity	45 kg/m <sup>1</sup>
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see page 30.  
For matching accessories, see page 26 to 28.

## Parts



**STAS multirail crown white**  
RC10420 200 cm  
RC10430 300 cm




**STAS multirail crown rail connector**  
RD20400



**STAS multirail crown corner connector**  
RD20500



**STAS multirail crown screw**  
SJ10200



**STAS prorail crown white**  
RH10415 150 cm  
RH10420 200 cm  
RH10430 300 cm  
rail without 12 V power supply insert



**STAS plug**  
SR50700



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail conductor 12 V corner**  
VF50100

# STAS multirail flat concealed class



A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail flat is a ceiling-mounted picture hanging system that can be virtually invisibly integrated with stucco work or with a single or double flat moulding. It is even possible to glue the rail to a plaster, timber or foam moulding or to a timber ceiling.




## Features

Dimensions	31.3 x 18 mm
Length	200 or 300 cm
Colour	white
Material	aluminium
Installation	ceiling mountable
Weight capacity	45 kg/m <sup>1</sup>
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see page 30.  
For matching accessories, see page 26 to 28.

## Parts



**STAS multirail flat white**  
RC10520 200 cm  
RC10530 300 cm  
(4 holes per m<sup>2</sup>)



**STAS multirail flat rail connector**  
RD20400



**STAS multirail flat corner connector**  
RD20500



**STAS multirail flat screw**  
SJ10200



**STAS plug**  
SR50700



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail conductor 12 V corner**  
VF50100

# STAS multirail accessories

## spotlights

STAS offers 3 different LED spotlights. Your choice depends on your personal preference in terms of energy efficiency, light colour, warmth radiation and the shape and intensity of the light beam. All spotlights fit on all light fixtures. 1 year warranty applies to all multirail accessories.

STAS LED spot 3.5 W / 27°



Emits a narrow beam of light suitable for small paintings.

	VL10200
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	27°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

STAS LED spot 3.5 W / 95°



Emits a wide beam of light suitable for large artworks.

	VL10900
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	95°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

STAS powerLED 4 W matt



The closed housing avoids light spill at the back.

	VL10700
Power	< 4 W
Output equivalent	20 W
Max. consumption	3.4 W
Light intensity	170 lm
Infrared radiation	none
Light colour	neutral white
Colour temperature	3000 K
Light beam	standard - diffuse
Beam angle	30°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	20.000
Energy class	A+

## STAS Wi-Fi smart plug

You really don't have to be a technical miracle to remotely control or automate your connected equipment. All you need is our smart plug called the STAS Wi-Fi smart plug and your Wi-Fi router. Connected to the STAS Wi-Fi smart plug, you can remotely operate the STAS multirail or other electronic devices. With the free app and connected to your Wi-Fi network, you can easily switch the STAS multirail on and off. This way you are always in control of lighting the art on your wall.

The STAS Wi-Fi smart plug has a handy timer function so that the STAS multirail switches on automatically when, for example, you come home from work or when you are on holiday. In addition, the STAS Wi-Fi smart plug also supports voice support in combination with Amazon Alexa or Google Home.



STAS Wi-Fi smart plug  
VT30700

NEW

# STAS multirail accessories

## fixtures

STAS offers a choice of 4 different light fixtures in various lengths. Your choice depends on your personal preference and on the size of the artwork you wish to illuminate. Every light fixture fits on all multirail systems.

### Tips

The bigger the distance between light source and wall, the bigger the artwork that can be illuminated. In other words: choose a large fixture for lighting a large work of art.

### Adjusting

All fixtures have a flexible or hinged part with which small adjustments to the beam angle can be made.

1 year warranty applies to all multirail accessories.



STAS multirail fixture classic white  
VA10500 50 cm  
VA10700 70 cm



STAS multirail fixture classic chrome  
VA30500 50 cm  
VA30700 70 cm



STAS multirail fixture sirius chrome  
VA30365 40 cm  
VA30465 50 cm  
VA30665 65 cm



STAS multirail fixture signo chrome  
VA30770 70 cm

# STAS multirail accessories

## adapters

The choice of an adapter depends on 3 things:

- 1. the type of spotlight you'd like to use
- 2. the number of spotlights you'd like to install
- 3. the number of metres of rail you'd like to install

View the tables below for the best choice.

STAS adapters				
	VT20500 STAS multirail adapter 8W	VT20036 STAS multirail adapter 36W	VT20084 STAS multirail adapter 84W	VT20300 STAS multirail adapter 96W
Input voltage	AC100-240V ~ 50/60Hz 0.7A	100-240VAC 50/60Hz	100-240VAC 50/60Hz	AC100-240V ~ 50/60Hz 2A
Output voltage	DC 12V == 1.5A	12V DC 3A	12V DC 7A	DC 12V == 8A
Ampère	1.5A	3A	7A	8A
Dimensions (l x h x b)	75 x 86 x 36 mm	105 x 45 x 28.5mm	155 x 60 x 37mm	149 x 38 x 65 mm
Weight	180 gram	220gr	490gr	600 gram
Connection	input plug (EU) output cable 3 meter	input plug (EU) (US) output cable 3 meter	input plug (EU) (US) output cable 3 meter	input cable (EU) output cable 3 meter
Quality label	CE   GS TÜV   WEEE	UL   CE   EMC   RoHS   REACH	UL   CE   EMC   RoHS   REACH	UL CE   GS TÜV   WEEE

### Number of spotlights

		Led 3,5 W	Led 4 W	Led 5 W	Halogeen
VT20500	Adapter 18 W	4	3	-	-
VT20036	Adapter 36 W	8	7	6	-
VT20084	Adapter 84 W	20	17	14	3
VT20300	Adapter 96 W	25	20	4	4
Maximum number of meters of rail per adapter		16	16	8	8



STAS multirail adapter 18 W  
VT20500



STAS multirail adapter 36 W  
VT20036



STAS multirail adapter 84 W  
VT20084



STAS multirail adapter 96 W  
VT20300

# Hooks and cords for rail systems

## Index

### Using multiple adapters

In case you would like to use more than the below mentioned number of metres or spots, you will have to use multiple adapters.

#### CAUTION:

Create independent circuits when using more than one adapter! Adapters must never be connected, neither directly nor indirectly. In short: NEVER connect two rail segments that are each connected to a different adapter! Exclusively connect rail segments that share one adapter.

#### Dimming of light

The current STAS adapters are not yet dimmable. We strongly advise against connecting your own switch or dimmer to the system. Be aware that if you do this anyway, all system warranty expires.

STAS hooks and cords	30
STAS j-rail hooks, cords and rods	31
STAS j-rail max hooks and rods	32
STAS plasterrail hooks and cords	33
STAS windsor & riva hooks and cords	34
STAS evoluon & qubic hooks and cords	35
Summary table hooks and cords	36

# STAS hooks and cords



After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.



## Cords



**STAS cobra with perlon cord**  
CP10110 100 cm  
CP10115 150 cm  
CP10120 200 cm  
CP10125 250 cm  
CP10130 300 cm  
CP10140 400 cm



**STAS cobra with steel cable**  
SC10110 100 cm  
SC10115 150 cm  
SC10120 200 cm  
SC10125 250 cm  
SC10130 300 cm  
SC10140 400 cm



**STAS cobra with steel cable white**  
SC10220 200 cm

**STAS cobra with steel cable black**  
SC20220 200 cm

## Hooks



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530

## Possible combinations



perlon cord +  
smartspring



perlon cord +  
zipper or zipper pro



steel cable +  
zipper or zipper pro



steel cable white or black +  
zipper or zipper pro

# STAS j-rail hooks, cords and rods

STAS j-rail has its own set of hooks, cords and rods with which to complete the system.

## Cords, rods and rail hooks



**STAS perlon cord with loop**  
PL10110 100 cm  
PL10115 150 cm  
PL10120 200 cm  
PL10125 250 cm  
PL10130 300 cm



**STAS steel cable with loop**  
SL10110 100 cm  
SL10115 150 cm  
SL10120 200 cm  
SL10125 250 cm  
SL10130 300 cm



**STAS j-rail s-hook white**  
HR10400

**STAS j-rail s-hook chrome**  
HR30400



**STAS cylinder hook white**  
HR10600



**STAS cylinder hook alu**  
HR30600



**STAS j-rail rod 3 mm white**  
S010110 100 cm  
S010115 150 cm  
S010120 200 cm  
S010130 300 cm

**STAS j-rail rod 3 mm alu**  
S030110 100 cm  
S030115 150 cm  
S030120 200 cm  
S030130 300 cm



## Hooks



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530



**STAS j-rail spring hook**  
HA30700

## Possible combinations



j-rail s-hook + perlon  
cord with loop +  
smartspring, zipper  
or zipper pro



j-rail s-hook +  
steel cable with  
loop + zipper or  
zipper pro



cylinder hook  
+ perlon cord  
with glider +  
smartspring



cylinder hook + perlon  
cord with glider +  
zipper or zipper pro



cylinder hook + steel  
cable with glider +  
zipper or zipper pro






j-rail rod +  
spring hook

# STAS j-rail max hooks and rods

STAS j-rail max works only with rods and matching hooks.

## Rods




		
<b>STAS j-rail max rod 4x4 white</b>	<b>STAS j-rail max rod 4x4 alu</b>	<b>STAS j-rail max rod 4x10 white</b>
SM10110 100 cm	SM30110 100 cm	SM10210 100 cm
SM10115 150 cm	SM30115 150 cm	SM10215 150 cm
SM10120 200 cm	SM30120 200 cm	SM10220 200 cm
SM10125 250 cm	SM30125 250 cm	SM10225 250 cm



# STAS plastrail hooks and cords

STAS plastrail has its own cords that are specially designed for the specific rail opening.

## Cords and rail hooks

		<b>STAS perlon cord with glider</b>		<b>STAS steel cable with glider</b>
<b>STAS plastrail hook</b> PR90001		PH10110 100 cm		SH10110 100 cm
		PH10115 150 cm		SH10115 150 cm
		PH10120 200 cm		SH10120 200 cm
		PH10125 250 cm		SH10125 250 cm
		PH10130 300 cm		SH10130 300 cm
		PH10145 450 cm		SH10145 450 cm



## Hooks

			
<b>STAS j-rail max hook for rod 4x4</b> HA40600	<b>STAS j-rail max security hook 4x4</b> HA40700	<b>STAS j-rail max security set, collar + cap</b> BK10200	<b>STAS j-rail max hook for rod 4x10</b> HA40500



## Hooks

		
<b>STAS smartspring</b> HA30900	<b>STAS zipper</b> HA30501	<b>STAS zipper pro</b> HA30530

## Possible combinations

		
<b>j-rail max rod 4x4 + j-rail max (security) hook</b>	<b>j-rail max rod 4x4 + j-rail max (security) hook + security set</b>	<b>j-rail max rod 4x10 + j-rail max hook for rod 4x10</b>
max. 40 kg	max. 40 kg	max. 100 kg

## Possible combinations

		
<b>plastrail hook + perlon cord with glider + smartspring</b>	<b>plastrail hook + perlon cord with glider + zipper or zipper pro</b>	<b>plastrail hook + steel cable with glider + zipper or zipper pro</b>
max. 4 kg	max. 15 kg	max. 15 kg

# STAS windsor & riva hooks and cords

STAS windsor & riva have their own collection of hooks, which can be combined with the existing hooks and cords from STAS.

## Cords and rail hooks



**STAS perlon cord with loop**  
PL10110 100 cm  
PL10115 150 cm  
PL10120 200 cm  
PL10125 250 cm  
PL10130 300 cm



**STAS steel cable with loop**  
SL10110 100 cm  
SL10115 150 cm  
SL10120 200 cm  
SL10125 250 cm  
SL10130 300 cm



**STAS hook windsor**  
HW10200 white



**STAS hook windsor**  
HW30200 alu



**STAS hook windsor**  
HW60200 gold



**STAS hook riva**  
HW50700



# STAS evoluon & qubic (pro) hooks and cords

The STAS evoluon and the STAS qubic (pro) can be used with our special hooks and cords.

## Cords



**STAS perlon cord with glider**  
PH10110 100 cm  
PH10115 150 cm  
PH10120 200 cm  
PH10125 250 cm  
PH10130 300 cm  
PH10145 450 cm



**STAS steelcable with glider**  
SH10110 100 cm  
SH10115 150 cm  
SH10120 200 cm  
SH10125 250 cm  
SH10130 300 cm  
SH10145 450 cm



## Hooks



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530

## Hooks



**STAS smartspring**  
HA30900




**STAS zipper**  
HA30501




**STAS zipper pro**  
HA30530

## Possible combinations




max. 4 kg

**perlon cord with loop + smartspring**



max. 15 kg

**perlon cord with loop + zipper or zipper pro**




max. 20 kg

**steelcable with loop + zipper or zipper pro**

## Possible combinations


### STAS evoluon

For more information about the STAS evoluon, see page 16.




max. 4 kg

**STAS evoluon hook + perlon cord with glider + smartspring**



max. 15 kg

**STAS evoluon hook + perlon cord with glider + zipper**




max. 15 kg

**STAS evoluon hook + steel cable with glider + zipper**


### STAS qubic (pro)

For more information about the STAS qubic (pro), see page 50.




max. 4 kg

**STAS qubic + perlon cord with glider + smartspring**



max. 15 kg

**STAS qubic + perlon cord with glider + zipper**



max. 20 kg


**STAS qubic + steel cable with glider + zipper**

# Summary table hooks and cords

Hooks	smartspring	zipper / zipper pro	spring hook	j-rail max hook for rod 4x4	j-rail max security hook 4x4	j-rail max hook for rod 4x10
<b>Cords</b>						
<b>all STAS rails</b> (excl. STAS j-rail, STAS j-rail max, STAS plastrail, STAS windsor, STAS riva and STAS evoluon)						
perlon cord with cobra	4 kg	15 kg	-	-	-	-
steel cable with cobra	-	20 kg	-	-	-	-
steel cable black or white with cobra	-	10 kg	-	-	-	-
<b>STAS j-rail</b>						
cylinderhook and perlon cord with glider	4 kg	15 kg	-	-	-	-
s-hook and perlon cord with loop	4 kg	15 kg	-	-	-	-
s-hook and steel cable with loop	-	20 kg	-	-	-	-
rod 3 mm	-	-	15 kg	-	-	-
<b>STAS j-rail max</b>						
rod 4x4 white or alu	-	-	-	40 kg	40 kg	-
rod 4x10 white	-	-	-	-	-	100 kg
<b>STAS plastrail</b>						
plastrail hook with perlon cord with glider	4 kg	15 kg	-	-	-	-
plastrail hook with steel cabel with glider	-	15 kg	-	-	-	-
<b>STAS windsor &amp; riva</b>						
hook with perlon cord with loop	4 kg	15 kg	-	-	-	-
hook with steel cable with loop	-	20 kg	-	-	-	-
<b>STAS evoluon &amp; qubic (pro)</b>						
perlon cord with glider	4 kg	15 kg	-	-	-	-
steel cable with glider	-	20 kg	-	-	-	-
<b>Additional</b> (e.g. panel hooks)						
perlon cord with loop	4 kg	15 kg	-	-	-	-
steel cable with loop	-	20 kg	-	-	-	-

## Magnetic hanging solutions

### Index



# STAS magnet sets

## cards on a cable



A STAS magnet set consists of a steel cable with cobra and five or ten magnets. Hook the steel cable into your STAS rail. Using the magnets, you can then hang photos, cards and memos on the cable. It's ideal for Christmas cards, birthday cards, to-do notes or temporary displays.

STAS offers a choice of three magnet sets: white, coloured or 2-in-1.

The white and coloured variants of the STAS magnet set cannot be combined with STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail. The 2-in-1 variant can be combined with all STAS rails except for STAS j-rail max, and STAS evoluon.

### STAS magnet set

The standard STAS magnet set consists of a steel cable with cobra and ten white tripod magnets.

### STAS coloured magnet set

The STAS coloured magnet set consists of a steel cable and ten cone-shaped magnets in five different colours.

### STAS magnet set 2-in-1

The STAS magnet set 2-in-1 can be used in two different ways. Hook the cable into your STAS rail with the cobra or hang it with a loop onto an edge panel hook or any other hook. This set comes with five cone-shaped magnets in five different colours.



## Produits



**STAS magnet set**  
BM20360  
steel cable 150 cm  
with cobra, 10 white  
neodymium magnets



**STAS white magnets**  
MB10050  
10 separate, white  
neodymium magnets



**STAS coloured magnet set**  
BM20370  
steel cable, 150 cm  
with cobra, 10 coloured  
neodymium magnets



**STAS coloured magnets**  
MB10040  
10 separate, coloured  
neodymium magnets



**STAS magnet set 2-in-1**  
BM20380  
steel cable, 150 cm  
with cobra and loop, 5  
coloured neodymium  
magnets

## Other hanging solutions

## Index

STAS papergrip	40	STAS suspended ceiling hooks	49
STAS grip-up (on papergrip)	41	STAS dibond hangers	49
STAS papergrip hanger	42	STAS qubic & qubic pro	50
STAS name tag	43	STAS v-tense & h-tense	52
STAS panel hooks	44	STAS accessories and possibilities	54
STAS grip-up (on the wall)	45	STAS paperrail	58
STAS signtrack	46	STAS picture hits	59
STAS poster strips and poster snaps	48		

# STAS papergrip

## twice as handy



STAS papergrip is one rail with two applications. Thanks to a handy internal strip, papers can be easily clipped into the rail or removed. In addition, cards (etc.) can be placed in the special ledge on top of the rail.

STAS papergrip is suitable for thick and thin paper and it can even grab hold of thin magazines and laminated paper. Separate rail pieces can be connected to create a hanging system spanning the entire wall.

Optional: click specially designed STAS papergrip hooks onto the rail to hang up additional small items, like keys, or for example a STAS magnet set 2-in-1. A STAS papergrip hook has a weight capacity of 3 kg.

NEW

# STAS grip-up (on papergrip)

## extra handy



The STAS grip-up is a product that can be mounted in two ways. You can click the STAS grip-up over the STAS papergrip or mount it directly on the wall. In combination with the STAS papergrip, the pleasantness of a wall shelf is combined with the handy clamping mechanism of the STAS papergrip. Place photo frames, books or other decorations on the shelf section and hang notes, drawings and posters from the bottom. This gives you plenty of room for decoration and important papers.

In addition to being used in combination with the STAS papergrip, this product can also be mounted directly on the wall using the STAS grip-up wall clips (see page 45).

**Tip from STAS:** It is also possible to purchase a length of the STAS grip-up that is shorter than the length of your STAS papergrip, so that only a small part can be used as a wall shelf.



## Features

Dimensions	13.3 mm x 45 mm
Length	50, 100, 150 or 200 cm
Colour	white, white textured, black textured or alu textured
Material	rail: aluminium with powder coating inside strip: polyurethane foam core and polyethylene coating layer
Installation	standard with railclips (3 per metre) optional with magnetic tape or double-sided tape
Warranty	5 years

## Features

Dimensions	45,3 x 60 mm
Length	50, 100, 150, 200 cm
Colour	white, alu textured
Material	aluminium
Installation	papergrip mounting, wall mounting
Weight capacity	on papergrip: 2 kg/m
Warranty	5 years



## Parts



**STAS papergrip white**  
PG10105 50 cm  
PG10110 100 cm  
PG10115 150 cm  
PG10120 200 cm



**STAS papergrip white textured**  
PG15005 50 cm  
PG15010 100 cm  
PG15015 150 cm  
PG15020 200 cm



**STAS papergrip alu textured**  
PG30105 50 cm  
PG30110 100 cm  
PG30115 150 cm  
PG30120 200 cm



**STAS papergrip black textured**  
PG20105 50 cm  
PG20110 100 cm  
PG20115 150 cm  
PG20120 200 cm



**STAS papergrip end cap**  
PG90001 white  
PG90003 alu  
PG90002 black



**STAS papergrip hook**  
HA40410 white  
HA40412 alu  
HA40411 black



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS screw torx**  
SR30600



**STAS plug**  
SR50700


## Parts



**STAS grip-up white**  
SPG10105 50 cm  
SPG10110 100 cm  
SPG10115 150 cm  
SPG10120 200 cm



**STAS grip-up alu textured**  
SPG30105 50 cm  
SPG30110 100 cm  
SPG30115 150 cm  
SPG30120 200 cm



**STAS grip-up endcap set l+r white**  
SPG90011



**STAS grip-up endcap set l+r alu**  
SPG90015

# STAS papergrip hanger

## secure hanging



The STAS papergrip hanger has been specially developed for hanging a whiteboard (with a max. size of 90x120 cm) on the STAS papergrip (mounted with screws), by means of 2 STAS papergrip hangers. The hangers are attached to the whiteboard with screws and then placed on the STAS papergrip, after which the whiteboard is easy to install and move. In addition, the hanger is equipped with a safety lock, so that it cannot be pushed out of the rail when force is exerted on the whiteboard. By mounting stabilizing caps the whiteboard remains stable. This makes the STAS papergrip hanger very suitable for the safe hanging of a whiteboard in educational institutions.

In addition to the whiteboard, other objects can also be hung on the STAS papergrip hanger. For suspending light items such as a small clock, the hanger can be attached with double-sided tape.

**NEW**

# STAS name tag

## a place for every name



The STAS name tag is a clip that can be clicked on the STAS papergrip. Paper can be placed inside this clip. With the STAS name tag, the names of the children can be displayed in the classroom or in your home\*.

\* Templates for printing out the name cards are available on request. Please contact our sales department for more information.



## Features



Dimensions	3.5 x 9.5 cm
Colour	white
Material	steel with powder coating
Installation	to the product to be hung
Weight capacity	per hanger per meter: 20 kg (when papergrip is mounted with screws) papergrip hanger set: whiteboard of max. 90 x 120 cm
Warranty	5 years

## Features

Dimensions	8,7 x 3,7 x 6 mm
Colour	black
Material	plastic
Installation	to attach on the papergrip



## Parts



STAS papergrip hanger  
HA40110



STAS papergrip hanger stabilisation set  
PG40110



STAS name tag  
PG20007

# STAS panel hooks

## the classic hanging solution

Panel hooks offer a practical solution when you need to hang objects from wall panels, partition walls, doors, cornices, etc.

They are very easy to combine with STAS cords with a loop and a STAS zipper or STAS smartspring. This way, you can create a complete hanging system in an instant, but without the aluminium rail.



# STAS grip-up (on the wall)

## extra handy

In addition to being used in combination with the STAS papergrip, the STAS grip-up can also be mounted on the wall to create a wall shelf. The wall shelf allows for an easy presentation of decoration, frames or books.

The STAS grip-up is mounted directly on the wall using the STAS wall clips.



# Products

STAS offers many different types of panel hooks:

**STAS panel hook white 11 mm**  
HW10300

**STAS panel hook white 16 mm**  
HW10400

**STAS panel hook white 18 mm**  
HW10600

**STAS panel hook white 21 mm**  
HW10500

**STAS panel hook white 26 mm**  
HW10700

**STAS panel hook white 31 mm**  
HW10800

**STAS panel hook alu intersect**  
HW30700

**STAS panel hook alu lux window frame**  
HW30800

**STAS panel hook transparent alcoa**  
HW50100

**STAS panel hook alu vervol type 1**  
HW30300\*

**STAS panel hook alu vervol type 2**  
HW30400

**STAS panel hook alu sepa normal**  
HW30500

**STAS panel hook askon chrome**  
HW50400

**STAS panel hook PE transparent**  
HW50500

**STAS panel hook maars**  
HW50600

**STAS moulding hook white**  
HW10200

**STAS moulding hook alu**  
HW30200

**STAS moulding hook gold**  
HW60200



# Features

Dimensions	45,3 x 60 mm
Length	50, 100, 150, 200 cm
Colour	white, alu textured
Material	aluminium
Installation	mounting on wall
Weight capacity	on wall: 4 kg/m
Warranty	5 years



# Parts

**STAS grip-up white**  
SPG10105 50 cm  
SPG10110 100 cm  
SPG10115 150 cm  
SPG10120 200 cm

**STAS grip-up alu**  
SPG30105 50 cm  
SPG30110 100 cm  
SPG30115 150 cm  
SPG30120 200 cm

**STAS grip-up end cap set (l/r) white**  
SPG90011

**STAS grip-up end cap set (l/r) alu**  
SPG90015

**STAS wall clip**  
for wall mounting  
SPG90010  
(4 clips per m²)

\* Only available in combination with STAS perlon cord with loop and zipper.

# STAS signtrack

a presentation that sticks

NEW



With the STAS signtrack you can easily hang advertising, posters and signage (from 0.2mm to 1mm thick). The STAS signtrack is easy to use, due to the sliding mechanism at the top and bottom. Inserted material remains undamaged and a professional presentation is guaranteed. An indispensable addition for shops, offices, catering, conventions and institutions.

The STAS signtrack can be used with the STAS qubics or with the STAS suspended ceiling hooks (in combination with matching cords) to hang from the ceiling. The STAS signtrack can also be used with our many rail systems in combination with the cords with cobra hook for a wall mounting.



## Features

Dimensions	12 x 21 mm
Length	42, 60, 100 or 200 cm
Colour	alu
Material	aluminium
Installation	ceiling- or wallmounting
Paper thickness	0,2 mm till 1 mm
Warranty	5 years

## Combination set



**STAS signtrack set 42 and 60 cm**  
PS10042 42 cm  
PS10060 60 cm

STAS signtrack top rail 1x  
STAS signtrack bottom rail 1x  
STAS signtrack end cap 4x  
STAS signtrack clamp 6x  
STAS signtrack hook 2x

**STAS signtrack set 100 cm**  
PS10100 100 cm

STAS signtrack top rail 1x  
STAS signtrack bottom rail 1x  
STAS signtrack end cap 4x  
STAS signtrack clamp 10x  
STAS signtrack hook 2x

**STAS signtrack set 200 cm**  
PS10200 200 cm

STAS signtrack top rail 1x  
STAS signtrack bottom rail 1x  
STAS signtrack end cap 4x  
STAS signtrack clamp 18x  
STAS signtrack hook 4x

## Parts



**STAS signtrack rail**  
PS29942 42 cm  
PS29960 60 cm  
PS29100 100 cm  
PS29200 200 cm



**STAS signtrack hook**  
HA50200



**STAS signtrack clamp**  
HA30660



**STAS signtrack end cap**  
RD20600

# STAS signtrack

hanging options

The STAS signtrack can be used with the STAS qubics or with the STAS suspended ceiling hooks (in combination with matching cords) to hang from the ceiling. The STAS sign track can also be used with our many rail systems in combination with the cords with cobra hook for a wall mounting.

### For a stone or concrete ceiling


STAS qubic or qubic pro with perlon cord or steel cable with glider.




**STAS qubic**  
TCS1000



**STAS qubic pro**  
TCS1010



**STAS perlon cord with glider**



**STAS steelcable with glider**


See the separate product sheet for more information about the STAS qubic.

### For a drop ceiling

STAS drop ceiling hook for loop with perlon cord or steel cable with loop.



**STAS drop ceiling hook for loop**  
HA10200 max 5 kg



**STAS perlon cord with loop**



**STAS steelcable with loop**

See the separate product sheet for more information about the STAS drop ceiling hook.

### For a STAS rail system

STAS rail system in combination with perlon cord or steel cable to match the rail.



**STAS cobra with perlon cord**



**STAS cobra with steelcable**

See the separate product sheets for more information about the STAS rails.

# STAS poster strips and poster snaps

## hanging without framing



**STAS poster strip**  
The STAS poster strip is a classic poster strip in transparent plastic and is designed to lock posters into position so as to hang them neatly, simply and stylishly. The poster can be slid into the strip from the side.

**STAS poster snap**  
The STAS poster snap is a more luxurious variant to the plastic poster strip, made from high-grade aluminium. This makes the system ideally suited for presenting canvases, fabrics and heavy posters without taking anything away from the style.

The poster does not have to be inserted from the side: simply click the STAS poster snap open and shut at the top and the bottom.




## Features STAS poster strip

Dimensions	6 x 13 mm
Length	30, 42, 50, 60, 70, 84 or 100 cm
Colour	transparent
Material	plastic
Weight capacity	suitable for paper and cardboard
Warranty	5 years

## Features STAS poster snap

Dimensions	16 x 27 mm
Length	50, 70 or 100 cm
Colour	alu
Material	aluminium
Weight capacity	suitable for heavier posters, canvas and fabrics
Warranty	5 years



**STAS poster strip set transparent**  
PS50030 30 cm  
PS50042 42 cm  
PS50050 50 cm  
PS50060 60 cm  
PS50070 70 cm  
PS50084 84 cm  
PS50110 100 cm



**STAS poster snap set alu**  
PS30050 50 cm  
PS30070 70 cm  
PS30100 100 cm

# STAS suspended ceiling hooks

No more messing around with bending paper clips or tying strings. With the white STAS suspended ceiling hooks, you can hang up children's crafts, festive decorations or lesson material to the suspended ceiling in an instant. All you need to do is slide the hook over the runners of the suspended ceiling.

STAS suspended ceiling hooks are available with an eyelet and with a hook.

**STAS double hanger**  
The STAS double hanger is a very easy way to hang signing from a drop ceiling in combination with, for example, the STAS drop ceiling hooks.



**STAS suspended ceiling hook white**  
HA10100 max 5 kg



**STAS suspended ceiling hook for cords with loop**  
HA10200 max 5 kg



**NEW**



**STAS double hanger**  
DH10010 double hanger 10 cm alu  
DH10025 double hanger 25 cm alu  
DH10040 double hanger 40 cm alu  
DH10060 double hanger 60 cm alu  
DH10080 double hanger 80 cm alu

## RENEWED DESIGN MADE IN HOLLAND



# STAS dibond hanger

The STAS dibond hanger is a self-adhesive aluminum plate with a hook, which can be attached to the back of flat panels. We offer the STAS dibond hanger in various sizes, each with its own carrying capacity. The tape, which is on the back of the STAS dibond hanger, comes from the brand tesa® and is of high quality. With the STAS dibond hanger we supply a special cleaning cloth that should be used to remove grease and dust from the surface.


The STAS dibond hanger is suitable to attach on the back of flat panels such as mirrors and art/photos on acrylic, glass, dibond, plexiglass or aluminum. Rough, porous or fibrous surfaces such as wood, MDF, plasterboard or plaster blocks are not suitable for tape-attaching the STAS dibond hanger.

The STAS dibond hanger can also be attached (or to reinforce the tape attachment) by mounting screws in the existing screw holes at the back of a frame, on wood or MDF.

**ATTENTION!** It is very important that you remove grease and dust from the surface with the supplied cleaning cloth. Let the cleaner dry thoroughly. Then press the STAS dibond hanger firmly for 10 seconds and let it dry for 24 hours. On page 71 you will find the disclaimer for this product.



**STAS dibond hanger + installation set**  
3 kg / 70 x 70 mm  
BS30900



**STAS dibond hanger + installation set**  
6 kg / 100 x 100 mm  
BS30800



**STAS dibond hanger + installation set**  
5 kg / 70 x 140 mm  
BS30500



**STAS dibond hanger + installation set**  
10 kg / 100 x 200 mm  
BS30700



**STAS dibond hanger + installation set**  
3,5 kg / ø 90 mm  
BS30400



**STAS self-adhesive distance caps round**  
13 mm (per 4 pieces)  
MB10080


# STAS qubic & qubic pro

## flexible in all directions

The STAS qubic is a compact and square hanging system, suitable for hard walls such as stone or concrete. Do not underestimate the STAS qubic by its size, because that is exactly what's so convenient about this hanging system.

The STAS qubic is suitable for one hanging point and can be easily installed in the more difficult places. Think of a stairwell, a slanted ceiling or a pillar. The STAS qubic can be mounted in many different ways and therefore the cords can also be hooked in many possible ways.

The versatility of the STAS qubic makes it an indispensable hanging system for difficult places with hard walls.



wall mounting STAS qubic

wall mounting STAS qubic pro

The STAS qubic pro works the same as the STAS qubic, but is suitable for soft walls such as plaster and sand-lime brick. The mounting plate can be installed with 2 screws which provides extra reinforcement of the STAS qubic pro in the soft wall.

Just like the STAS qubic, the STAS qubic pro can be used in the more difficult places. The versatility of the STAS qubic pro makes it an indispensable hanging system for difficult places with soft walls.



ceiling mounting STAS qubic

ceiling mounting STAS qubic pro



### Features qubic

Dimensions	22 x 22 x 24 mm
Colour	alu textured
Material	aluminium
Installation	ceiling- and wall mounting
Weight capacity	15 kg
Warranty	5 years

For matching hooks and cords, see page 35.  
See page 56 to combine the STAS qubic (pro) with the STAS v-tense & h-tense

### Features qubic pro

Dimensions	50 x 50 x 28 mm
Colour	alu textured
Material	aluminium
Installation	ceiling- and wall mounting
Weight capacity	20 kg
Warranty	5 years

For matching hooks and cords, see page 35.  
See page 56 to combine the STAS qubic (pro) with the STAS v-tense & h-tense



### Parts



STAS qubic  
TCS1000



STAS qubic  
endcap black  
TCS9002



STAS screw qubic  
SJ30200



STAS plug  
SR50700



STAS qubic pro  
TCS1010



STAS screw  
qubic pro  
SJ30100



STAS qubic  
endcap black  
TCS9002



STAS plug  
SR50700

# STAS v-tense & h-tense combine endlessly

The tensioned cable system can be used flexibly and mounted on walls or ceiling. Horizontally, vertically and diagonally! The possibilities in combination with the STAS qubic, the STAS evoluon and the other STAS rail systems are therefore endless. Consider, for example, applications for the creation of shop windows, the presentation of houses in the real estate sector, displaying menus in restaurants or hanging material in schools or in the office.

### STAS v-tense (vertical)


The STAS v-tense is, together with the STAS h-tense, part of the tensioned cable system assortment. The STAS v-tense can be used vertically and is equipped with a glider on both sides. The cables are easy to tighten. In addition, an extra spring has been added to the STAS v-tense so that the wire still offers enough elasticity to hook into a rail with a hook. The STAS v-tense can be combined with various STAS rail systems, the STAS qubic and the STAS evoluon to easily create a wall presentation.

\* Also available in a version with a glider on one side and a STAS cobra on the other for hanging options with a STAS rail.



### STAS h-tense (horizontal)

The STAS h-tense is, together with the STAS v-tense, part of the tensioned cable system assortment. The STAS h-tense can be used horizontally and is equipped with a glider on both sides. The wire is easy to tighten. The STAS h-tense can be combined with the STAS qubic to easily create a wall presentation.



## Features v-tense

Dimensions	26 x 3 mm
Length	150 , 300, 450 cm
Colour	alu structure
Material	aluminium
Installation	wall- and ceiling mounting (in combination with the STAS rail, STAS evoluon and STAS qubic)
Warranty	5 years

## Features h-tense

Dimensions	26 x 3 mm
Length	150 , 300, 450 cm
Colour	alu structure
Material	aluminium
Installation	wall- and ceiling mounting (in combination with the STAS qubic)
Warranty	5 years



## Content

**STAS v-tense**  
TSBV150 150 cm  
TSBV300 300 cm  
TSBV450 450 cm



Consult the separate product sheet for combinations and options.

## Content

**STAS h-tense**  
TSBH150 150 cm  
TSBH300 300 cm  
TSBH450 450 cm



Consult the separate product sheet for combinations and options.

# STAS v-tense & h-tense

## accessories & possibilities

### STAS accessories



**STAS frame clamp  
(4.5 mm)**  
TCS30001

#### STAS frame clamp (4.5 mm)

The STAS frame clamp can be screwed onto a tensioned wire. When 2 tensioned wires are mounted next to each other with both a STAS frame clamp, a frame or other material (minimal 1 mm and maximal 4.5 mm thick) can be clamped between them.



**STAS frame connector  
(4.5 mm)**  
TCS30002

#### STAS frame connector (4.5 mm)

The STAS frame connector can be screwed onto a tensioned wire. The double opening allows several frames or other material (minimal 1 mm and maximal 4.5 mm thick) to be placed next to each other.



**STAS tense-frame**  
TCS30010

#### STAS tense-frame

The A4 size frame comes with 4 STAS frame clamps (4.5 mm). When 2 tensioned wires are mounted next to each other, the STAS tense frame can be placed between these wires. The frame can be opened at the top so that material can be placed inside. Think, for example, of applications for advertisements or the presentation of houses in real estate. The frame can be closed magnetically.



**STAS frame clamp  
(8.5 mm)**  
TCS30003

#### STAS frame clamp (8.5 mm)

The STAS frame clamp can be screwed onto a tensioned wire. When 2 tensioned wires are mounted next to each other with both a STAS frame clamp, a frame or other material (minimal 4 mm and maximal 8.5 mm thick) can be clamped between them.



**STAS frame connector  
(8.5 mm)**  
TCS30004

#### STAS frame connector (8.5 mm)

The STAS frame connector can be screwed onto a tensioned wire. The double opening allows several frames (minimal 4 mm and maximal 8.5 mm thick) to be placed next to each other.



**STAS shelf clamp  
(8.5 mm)**  
TCS30005

#### STAS shelf clamp (8.5 mm)

The STAS shelf clamp can be screwed on the STAS steel cable with glider (p.35). When 4 sets of STAS steel cables with glider are mounted with 4 STAS shelf clamps, a STAS shelf can be placed in between to create shelves.



**STAS shelf connector  
(8.5 mm)**  
TCS30006

#### STAS shelf connector (8.5 mm)

The STAS shelf connector can be screwed onto the STAS steel cable with glider (p.35). Thanks to the double opening, several STAS shelves can be placed next to each other in order to create shelves.

#### STAS shelf

The STAS shelf is a plexiglass shelf of 20 x 30 cm. With the help of 4 STAS shelf clamps, this shelf can be attached to 4 sets of STAS steel cable with glider (p.35) in order to create shelves. (other dimensions available upon request)



**STAS shelf 20 x 30 cm**  
TCS30025



**STAS security hook**  
HA30600

#### STAS security hook

The STAS security hook is a hook that can be used with the STAS v-tense. The STAS security hook can be placed before as well as after mounting the tensioned wire by means of a rotary wheel behind the hook.



**STAS signage clip**  
TCS30007

#### STAS signage clip

The STAS signage clip can be screwed onto a STAS steel cable with glider and then placed in the STAS qubic. Signs with a minimum thickness of 2 mm and a maximum of 7 mm can be clamped in the STAS signage clip.

\* Can also be used with STAS steel cable with loop and STAS drop ceiling hook.



**STAS metal clothespin**  
MC10100

#### STAS metal clips

These metal clips are suitable for hanging various materials on the STAS h-tense. Think of hanging alphabet letter tiles, posters, drawings, decorations, all kinds of papers and light objects.



**STAS distance clamp**  
TCS30009

#### STAS distance clamp

The STAS distance clamp can be screwed onto a tensioned wire. The front part can be loosened, after which this part can be pushed through the drill holes of a frame, plate or other object. The 2 pieces can be tightened again. Due to the extended back, the STAS distance clamp ensures that the wall object hangs stable and with a same distance from the wall.



**STAS tense led-frame**  
TCS30015


#### STAS tense LED frame

The A4 size LED frame comes with 4 attached clamps. When 2 tensioned wires are mounted next to each other, the STAS tense LED frame can be placed between the wires. Material can be placed in the frame by removing and replacing a transparent magnetic plate.

#### STAS tense 12V power (60W)

The STAS tense 12V power is an adapter that can be used to power the STAS tense LED frame with 60W power. A maximum of 12 LED frames\* can be connected to this adapter.

\* max. 12 LED frames connected on 2 tensioned wires. If you want to use more than 12 LED frames and / or more than 2 tensioned wires, it is necessary to use multiple adapters.



**STAS tense 12V power**  
VT30600

### Applications



**STAS frame clamp  
(4.5 mm)**



**STAS frame connector  
(4.5 mm)**



**STAS frame clamp  
(8.5 mm)**



**STAS frame connector  
(8.5 mm)**



**STAS shelf clamp  
(8.5 mm)**



**STAS shelf connector  
(8.5 mm)**




**STAS signage clip**



**STAS distance clamp**

# STAS v-tense & h-tense accessories & possibilities

## Options STAS v-tense



STAS qubic, STAS v-tense, STAS tense frame & STAS frame clamps

STAS qubic, STAS v-tense, STAS tense frame & STAS frame clamps

STAS qubic, STAS v-tense, STAS evoluon, STAS tense frame & STAS frame clamps

STAS evoluon, STAS v-tense, STAS security hook & STAS kliq frame

STAS cliprail, STAS qubic, STAS v-tense STAS security hook & decorative photo frames

STAS j-rail, STAS v-tense, STAS frame clamps & presentation board

STAS qubic, STAS v-tense & STAS tense LED frame

STAS qubic ceiling mounting, STAS shelf clamp & STAS shelves

## Options STAS signage clip



STAS signage clip & steelcable with loop.  
(to be used with the STAS suspended ceiling hook with loop)

STAS signage clip, steelcable with glider & STAS qubic.



## Options STAS h-tense



STAS h-tense, STAS qubic, STAS metal clips, alphabet letter tiles

STAS h-tense, STAS qubic, STAS tense frame & STAS frame clamps

# STAS paperrail

## marbles put to good use



STAS paperrail is an aluminium rail used to hang loose papers. The rail contains glass marbles, which press against the paper, creating a handy clamping mechanism.

You can slide drawings, announcements and photos into the rail with a single move and remove them again without any damage to the paper. Papers can also be placed on top of the rail.

Ideal for use in classrooms, offices, restaurants and even at home above the kitchen table.

The STAS paperrail is mounted directly onto the wall.



## Features

Dimensions	21 x 48.5 mm
Length	50, 100 or 200 cm
Colour	white or alu
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	suitable for paper and cardboard
Warranty	5 years

## Features

Colour	transparent
Material	plastic
Installation	to a STAS rail*
Weight capacity	suitable for paper and thin cardboard
Warranty	5 years

\* with the exception of STAS j-rail (max), STAS wooden rail, STAS plasterrail and STAS evoluon



# STAS picture hits

## invisible connection

STAS picture hits are transparent plastic clips that allow you to easily connect photos, cards and other lightweight decorative items to each other and to your STAS rail.

The first clip is screwed into your STAS rail. Then you can slide a photo, card or other decoration into the clip. By sliding a new STAS picture hit on the bottom or side, you can attach another decoration. Step by step, you can create your own unique collage.

STAS picture hits are ideal for temporary or changing decorations, for instance photos, Christmas cards, birthday cards, vacation snaps, streamers and other party or seasonal attributes.

Tip: place the transparent distance strips between the rail and your decoration to hang it a little lower, for example at eye level.



## Parts



**STAS paperrail white**  
KN10005 50 cm  
KN10010 100 cm  
KN10020 200 cm



**STAS paperrail alu**  
KN30005 50 cm  
KN30010 100 cm  
KN30020 200 cm



**STAS plug**  
SR50700



**STAS screw torx**  
SR30600



**STAS paperrail connector set**  
KN30100



**STAS picture hits**  
BM20350

**Contents per set**  
20 STAS picture hits (clips)  
2 STAS pet strips 50 cm (transparent distance strips)




# Complementary products

## Index

STAS clocktica	61
STAS tunica	62

# STAS clocktica

## timeless design



The STAS clocktica is a silent design clock that can be hooked into almost any STAS picture rail system.\* The clock works on batteries and is made of sturdy steel. The STAS clocktica is suitable for educational institutions, for in the office or for your own home. Complete your interior with this flexible design clock!

\* With the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.


## Features

Dimensions	25 cm wide
Length	43 cm, 95 cm
Colour	white textured, black textured
Material	steel, powdercoated steel
Warranty	5 years



STAS clocktica white textured  
KH40430W 43 cm  
KH40950W 95 cm

STAS clocktica black textured  
KH40430Z 43 cm  
KH40950Z 95 cm



# STAS tunica

## turn your wall into storage space



STAS tunica is a stylish coat hook system that easily fits into almost all STAS rails\*. Now your wall not only has a decorative purpose, but a practical one as well. The coat hook is sturdy, but also easily and endlessly moveable.

The STAS tunica has a neutral design and features two coat hooks.

\* With the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

**STAS tunica white**  
KH40095W 95 cm










**STAS tunica black**  
KH40095Z 95 cm














### Features

Dimensions	15 cm wide x 5,2 cm depth
Length	mounting strip: 5 cm wide
Colour	95 cm
Material	white, black
Weight capacity	powdercoated steel with 2 hooks
Warranty	10 kg per hook
	5 years







## Profile drawings





STAS product index



article code	product description	page nr.
<b>Rail systems</b>		
<b>STAS minirail</b>		
RM10150	minirail white 150 cm	7
RM10120	minirail white 200 cm	7
RM10130	minirail white 300 cm	7
RM30150	minirail alu 150 cm	7
RM30120	minirail alu 200 cm	7
RM30130	minirail alu 300 cm	7
RM20150	minirail black 150 cm	7
RM20120	minirail black 200 cm	7
RM20130	minirail black 300 cm	7
RD10200	minirail rail connector	7
RY10200	minirail combi cap** white	7
RY30200	minirail combi cap** alu	7
RY20200	minirail combi cap** black	7
SR10200	minirail clipscrew torx	7
SR50700	plug 6 x 30 mm hard / soft wall	7

<b>STAS cliprail</b>		
RC10315	cliprail white 150 cm	8
RC10320	cliprail white 200 cm	8
RC10330	cliprail white 300 cm	8
RC30115	cliprail alu 150 cm	8
RC30120	cliprail alu 200 cm	8
RC30130	cliprail alu 300 cm	8
RC20115	cliprail black 150 cm	8
RC20120	cliprail black 200 cm	8
RC20130	cliprail black 300 cm	8
RD10300	cliprail end cap white	8
RD30300	cliprail end cap alu	8
RD20300	cliprail end cap black	8
RD10400	cliprail corner cap white	8
RD30400	cliprail corner cap alu	8
RD40100	railclip (metal, 3 per m²)	8
RD40200	rail connector (metal)	8
SR30600	screw torx	8
SR50700	plug 6 x 30 mm hard / soft wall	8

<b>STAS cliprail max</b>		
RC10215	cliprail max white 150 cm	9
RC10220	cliprail max white 200 cm	9
RC10230	cliprail max white 300 cm	9
RC30215	cliprail max alu 150 cm	9
RC30220	cliprail max alu 200 cm	9
RC30230	cliprail max alu 300 cm	9
RC20215	cliprail max black 150 cm	9
RC20220	cliprail max black 200 cm	9
RC20230	cliprail max black 300 cm	9
RY10100	cliprail max combi cap** white	9
RY30100	cliprail max combi cap** alu	9

article code	product description	page nr.
RY20300	cliprail max combi cap** black	9
RD40100	railclip (metal, 3 per m²)	9
RD40200	rail connector (metal)	9
SR30600	screw torx	9
SR50700	plug 6 x 30 mm hard / soft wall	9
<b>STAS cliprail pro</b>		
VC10150	cliprail pro white 150 cm	10
VC10200	cliprail pro white 200 cm	10
VC10300	cliprail pro white 300 cm	10
VC30150	cliprail pro alu 150 cm	10
VC30200	cliprail pro alu 200 cm	10
VC30300	cliprail pro alu 300 cm	10
VE10200	cliprail pro end cap white	10
VE30200	cliprail pro end cap alu	10
VD10400	cliprail pro corner cap white	10
VD30400	cliprail pro corner cap alu	10
RD40100	railclip (metal, 3 per m²)	10
RD40200	rail connector (metal)	10
SR30600	screw torx	10
SR50700	plug 6 x 30 mm hard / soft wall	10

<b>STAS plasterrail</b>		
PR30200	plasterrail 200 cm (including safety strip)	11
<b>STAS j-rail</b>		
RJ10115	j-rail white 150 cm (4 holes per m²)	12
RJ10120	j-rail white 200 cm (4 holes per m²)	12
RJ10130	j-rail white 300 cm (4 holes per m²)	12
RJ30115	j-rail alu 150 cm (4 holes per m²)	12
RJ30120	j-rail alu 200 cm (4 holes per m²)	12
RJ30130	j-rail alu 300 cm (4 holes per m²)	12
SJ10100	j-rail screw flush head white	12
SJ30100	j-rail screw flush head alu	12
SR50700	plug 6 x 30 mm hard / soft wall	12

<b>STAS j-rail max</b>		
RJ10215	j-rail max white 150 cm (4 holes per m²)	13
RJ10220	j-rail max white 200 cm (4 holes per m²)	13
RJ10230	j-rail max white 300 cm (4 holes per m²)	13
RJ30215	j-rail max alu 150 cm (4 holes per m²)	13
RJ30220	j-rail max alu 200 cm (4 holes per m²)	13
RJ30230	j-rail max alu 300 cm (4 holes per m²)	13
SJ10200	j-rail max screw sunk head white	13
SJ30200	j-rail max screw sunk head alu	13
SR50700	plug 6 x 30 mm hard / soft wall	13

<b>STAS u-rail</b>		
RP10115	u-rail white 150 cm (8 holes per m²)	14
RP10120	u-rail white 200 cm (8 holes per m²)	14

article code	product description	page nr.
RP10130	u-rail white 300 cm (8 holes per m²)	14
RP20115	u-rail black 150 cm (8 holes per m²)	14
RP20120	u-rail black 200 cm (8 holes per m²)	14
RP20130	u-rail black 300 cm (8 holes per m²)	14
RP30115	u-rail alu 150 cm (8 holes per m²)	14
RP30120	u-rail alu 200 cm (8 holes per m²)	14
RP30130	u-rail alu 300 cm (8 holes per m²)	14
SP10100	u-rail screw white	14
SP20100	u-rail screw black	14
SP30100	u-rail screw alu	14

<b>STAS windsor &amp; riva</b>		
RP50220	windsor 120 cm	15
RP50224	windsor 240 cm	15
RP50120	riva 120 cm	15
RP50124	riva 240 cm	15

<b>STAS evoluon</b>		
TCS30020	STAS evoluon 200 cm (4 holes per m²)	16
TCS9012	distance holder evoluon	16
TCS9016	STAS evoluon hook	16
TCS9020	bending mold evoluon	16
SJ30300	evoluon screw	16
SR50700	plug 6 x 30 mm hard / soft wall	16

<b>STAS drywallXpress</b>		
RD40400	STAS drywallXpress clip	17
RD40501	STAS drywallXpress tool	17
RD40600	STAS drywallXpress set (100 x) + 1 x tool	17
RT40200	STAS drywallXpress railconnector	17

<b>STAS separate rail parts</b>		
PS50105	rail installation kit 2 m² (6 x clip/screw/plug)	
RD10100	railclip plastic	

<b>STAS plasterboard rail</b>		
PC10120	plasterboard rail 9,5 mm - 200 cm	18
PC10130	plasterboard rail 9,5 mm - 300 cm	18
PC10020	plasterboard rail 12,5 mm - 200 cm	18
PC10030	plasterboard rail 12,5 mm - 300 cm	18
PC10170	inside corner profile 9,5 mm (with corner connector)	18
PC10070	inside corner profile 12,5 mm (with corner connector)	18
PC10180	outside corner profile 9,5 mm (with corner connector)	18
PC10080	outside corner profile12,5 mm (with corner connector)	18
RD20400	rail connector	18
RD20500	corner connector	18
SR10400	hammer fixing plug (5 per m²)	18

<b>STAS drop ceiling rail</b>		
GC10020	drop ceiling rail 200 cm	19

\*\* combi cap: 2 x end cap/1 x corner cap

article code	product description	page nr.
GC10030	drop ceiling rail 300 cm	19
GC10070	inside corner profile (with corner connector)	19
GC10080	outside corner profile (with corner connector)	19
RD20400	rail connector	19
RD20500	corner connector	19
SR10400	hammer fixing plug (5 per m²)	19

STAS prorail flat		20
RH10515	prorail flat white 150 cm (4 holes per m²) *	20
RH10520	prorail flat white 200 cm (4 holes per m²) *	20
RH10530	prorail flat white 300 cm (4 holes per m²) *	20
RD20500	prorail flat corner connector white	20
RD20400	prorail flat rail connector	20
SJ10200	multirail flat screw	20
SR50700	plug 6 x 30 mm hard / soft wall	20

<b>Rail systems with lighting</b>	21	
<b>STAS multirail</b>	22	
VH10150	multirail white 150 cm	22
VH10200	multirail white 200 cm	22
VH10300	multirail white 300 cm	22
VH30150	multirail alu 150 cm	22
VH30200	multirail alu 200 cm	22
VH30300	multirail alu 300 cm	22
VE10200	multirail end cap white	22
VE30200	multirail end cap alu	22
VD10400	multirail corner cap white	22
VD30400	multirail corner cap alu	22
VF50200	multirail conductor 12 V straight	22
VF50100	multirail conductor 12 V corner	22
RD40100	railclip (metal, 3 per m²)	22
RD40200	rail connector (metal)	22
SR30600	screw torx	22
SR50700	plug 6 x 30 mm hard / soft wall	22

STAS multirail max		23
VC10420	multirail max white 200 cm	23
VC10430	multirail max white 300 cm	23
VC30420	multirail max alu 200 cm	23
VC30430	multirail max alu 300 cm	23
RM10420	prorail max white 200 cm*	23
RM10430	prorail max white 300 cm*	23
VE10400	multirail max end cap white	23
VE30400	multirail max end cap alu	23
VD20500	multirail max corner cap white	23
VD30500	multirail max corner cap alu	23
VF50200	multirail conductor 12 V straight	23
VF50100	multirail conductor 12 V corner	23
RD40100	railclip (metal, 3 per m²)	23
RD40200	rail connector (metal)	23

article code	product description	page nr.
SR30600	screw torx	23
SR50700	plug 6 x 30 mm hard / soft wall	23

STAS multirail crown		24
RC10420	multirail crown white 200 cm (4 holes per m²)	24
RC10430	multirail crown white 300 cm (4 holes per m²)	24
RH10415	prorail crown white 150 cm* (4 holes per m²)	24
RH10420	prorail crown white 200 cm* (4 holes per m²)	24
RH10430	prorail crown white 300 cm* (4 holes per m²)	24
RD20500	multirail crown corner connector white	24
RD20400	multirail crown rail connector	24
VF50200	multirail conductor 12 V straight	24
VF50100	multirail conductor 12 V corner	24
SJ10200	multirail crown screw	24
SR50700	plug 6 x 30 mm hard / soft wall	24

STAS multirail flat		25
RC10520	multirail flat white 200 cm (4 holes per m²)	25
RC10530	multirail flat white 300 cm (4 holes per m²)	25
RD20500	multirail flat corner connector white	25
RD20400	multirail flat rail connector	25
VF50200	multirail conductor 12 V straight	25
VF50100	multirail conductor 12 V corner	25
SJ10200	multirail flat screw	25
SR50700	plug 6 x 30 mm hard / soft wall	25

STAS multirail accessories		26
VL10200	multirail LED spot 3,5 W 27°	26
VL10700	multirail powered 4 W	26
VL10900	multirail LED spot 3,5 W 95°	26
VT30700	Wi-Fi smart plug	26
VA10500	multirail fixture classic white 50 cm	27
VA10700	multirail fixture classic white 70 cm	27
VA30500	multirail fixture classic chrome 50 cm	27
VA30700	multirail fixture classic chrome 70 cm	27
VA30365	multirail fixture sirius chrome 40 cm	27
VA30465	multirail fixture sirius chrome 50 cm	27
VA30665	multirail fixture sirius chrome 65 cm	27
VA30770	multirail fixture signo chrome 70 cm	27
VT20500	multirail adapter 18 W	28
VT20400	multirail adapter 60 W	28
VT20300	multirail adapter 96 W	28

<b>Hooks and cords for rail systems</b>		29
<b>STAS hooks and cords</b>		30
HA30900	smartspring (4 kg perlon)	30
HA30501	zipper (15 kg perlon + 20 kg steel)	30
HA30530	zipper pro (15 kg perlon + 20 kg steel)	30
CP10110	cobra + perlon cord 100 cm	30
CP10115	cobra + perlon cord 150 cm	30

article code	product description	page nr.
CP10120	cobra + perlon cord 200 cm	30
CP10125	cobra + perlon cord 250 cm	30
CP10130	cobra + perlon cord 300 cm	30
CP10140	cobra + perlon cord 400 cm	30
SC10110	cobra + steelcable 100 cm	30
SC10115	cobra + steelcable 150 cm	30
SC10120	cobra + steelcable 200 cm	30
SC10125	cobra + steelcable 250 cm	30
SC10130	cobra + steelcable 300 cm	30
SC10140	cobra + steelcable 400 cm	30
SC10220	cobra + steelcable white 200 cm (10 kg zipper)	30
SC20220	cobra + steelcable black 200 cm (10 kg zipper)	30
BM20330	blister 2 x smartspring	
BM20340	blister 2 x zipper	
BM20310	blister 2 x cobra + perlon cord 150 cm	
BM20320	blister 2 x cobra + steelcable 150 cm	
BM10280	blister cobra+perlon cord 150 cm+smartspring	
BM10230	blister cobra+perlon cord 150 cm+zipper	
BM10290	blister cobra+steelcable 150 cm+zipper	
PK10100	perlon cord on roll 100 m¹	

STAS j-rail hooks, cords and rods		31
HA30900	smartspring (4 kg perlon)	31
HA30501	zipper (15 kg perlon + 20 kg steel)	31
HA30530	zipper pro (15 kg perlon + 20 kg steel)	31
PH10110	perlon cord with glider 100 cm	31
PH10115	perlon cord with glider 150 cm	31
PH10120	perlon cord with glider 200 cm	31
PH10125	perlon cord with glider 250 cm	31
PH10130	perlon cord with glider 300 cm	31
PH10145	perlon cord with glider 450 cm	31
SH10110	steel cable with glider 100 cm	31
SH10115	steel cable with glider 150 cm	31
SH10120	steel cable with glider 200 cm	31
SH10125	steel cable with glider 250 cm	31
SH10130	steel cable with glider 300 cm	31
SH10145	steel cable with glider 450 cm	31
HR10600	j-rail cylinder hook white	31
HR30600	j-rail cylinder hook alu	31
SO10110	j-rail rod 3 mm white 100 cm	31
SO10115	j-rail rod 3 mm white 150 cm	31
SO10120	j-rail rod 3 mm white 200 cm	31
SO10130	j-rail rod 3 mm white 300 cm	31
SO30110	j-rail rod 3 mm alu 100 cm	31
SO30115	j-rail rod 3 mm alu 150 cm	31
SO30120	j-rail rod 3 mm alu 200 cm	31
SO30130	j-rail rod 3 mm alu 300 cm	31
HA30700	j-rail spring hook for rod 3 mm (15 kg)	31
HR10400	j-rail S-hook white (for cord with loop)	31
HR30400	j-rail S-hook chrome (for cord with loop)	31

article code	product description	page nr.
<b>STAS j-rail max hooks en rods</b>		32
SM10110	j-rail max rod 4x4 white 100 cm	32
SM10115	j-rail max rod 4x4 white 150 cm	32
SM10120	j-rail max rod 4x4 white 200 cm	32
SM10125	j-rail max rod 4x4 white 250 cm	32
SM30110	j-rail max rod 4x4 alu 100 cm	32
SM30115	j-rail max rod 4x4 alu 150 cm	32
SM30120	j-rail max rod 4x4 alu 200 cm	32
SM30125	j-rail max rod 4x4 alu 250 cm	32
SM10210	j-rail max rod 4x10 white 100 cm	32
SM10215	j-rail max rod 4x10 white 150 cm	32
SM10220	j-rail max rod 4x10 white 200 cm	32
SM10225	j-rail max rod 4x10 white 250 cm	32
HA40600	j-rail max hook for rod 4x4 (40 kg)	32
HA40500	j-rail max hook for rod 4x10 (100 kg)	32
BK10200	4x4 security set, collar + cap	32
HA40700	j-rail max security hook (40 kg)	32

STAS plasterrail hooks and cords		33
HA30900	smartspring (4 kg perlon)	33
HA30501	zipper (15 kg perlon + 20 kg steel)	33
HA30530	zipper pro (15 kg perlon + 20 kg steel)	33
PR90001	plasterrail hook	33
PH10110	perlon cord with glider 100 cm	33
PH10115	perlon cord with glider 150 cm	33
PH10120	perlon cord with glider 200 cm	33
PH10125	perlon cord with glider 250 cm	33
PH10130	perlon cord with glider 300 cm	33
PH10145	perlon cord with glider 450 cm	33
SH10110	steelcable with glider 100 cm	33
SH10115	steelcable with glider 150 cm	33
SH10120	steelcable with glider 200 cm	33
SH10125	staalkabel met glijder 250 cm	33
SH10130	staalkabel met glijder 300 cm	33
SH10145	staalkabel met glijder 450 cm	33

STAS windsor & riva hooks and cords		34
HA30900	smartspring (4 kg perlon)	34
HA30501	zipper (15 kg perlon + 20 kg steel)	34
HA30530	zipper pro (15 kg perlon + 20 kg steel)	34
PL10110	perlon cord with loop 100 cm	34
PL10115	perlon cord with loop 150 cm	34
PL10120	perlon cord with loop 200 cm	34
PL10125	perlon cord with loop 250 cm	34
PL10130	perlon cord with loop 300 cm	34
SL10110	steelcable with loop 100 cm	34
SL10115	steelcable with loop 150 cm	34
SL10120	steelcable with loop 200 cm	34
SL10125	steelcable with loop 250 cm	34
SL10130	steelcable with loop 300 cm	34

article code	product description	page nr.
HW10200	hook windsor white	34
HW30200	hook windsor alu	34
HW60200	hook windsor gold	34
HW50700	hook riva	34

STAS evoluon & qubic hooks and cords		35
HA30900	smartspring (4 kg perlon)	35
HA30501	zipper (15 kg perlon + 20 kg steel)	35
HA30530	zipper pro (15 kg perlon + 20 kg steel)	35
PH10110	perlon cord with glider 100 cm	35
PH10115	perlon cord with glider 150 cm	35
PH10120	perlon cord with glider 200 cm	35
PH10125	perlon cord with glider 250 cm	35
PH10130	perlon cord with glider 300 cm	35
SH10110	steelcable with glider 100 cm	35
SH10115	steelcable with glider 150 cm	35
SH10120	steelcable with glider 200 cm	35
SH10125	steelcable with glider 250 cm	35
SH10130	steelcable with glider 300 cm	35
SH10145	steelcable with glider 450 cm	35
TCS9016	STAS evoluon hook	16

Magnetic hanging solutions		37
BM20360	magnet set	38
MB10050	white magnets (10 pieces)	38
BM20370	coloured magnet set	38
MB10040	coloured magnets (10 pieces)	38
BM20380	magnet set 2-in-1 ( <i>cobra + loop</i> )	38

Other hanging solutions		39
STAS papergrip		40
PG10105	papergrip white 50 cm	40
PG10110	papergrip white 100 cm	40
PG10115	papergrip white 150 cm	40
PG10120	papergrip white 200 cm	40
PG15005	papergrip white textured 50 cm	40
PG15010	papergrip white textured 100 cm	40
PG15015	papergrip white textured 150 cm	40
PG15020	papergrip white textured 200 cm	40
PG20105	papergrip black textured 50 cm	40
PG20110	papergrip black textured 100 cm	40
PG20115	papergrip black textured 150 cm	40
PG20120	papergrip black textured 200 cm	40
PG30105	papergrip alu textured 50 cm	40
PG30110	papergrip alu textured 100 cm	40
PG30115	papergrip alu textured 150 cm	40
PG10120	papergrip alu textured 200 cm	40
PG90001	papergrip end cap white	40
PG90002	papergrip end cap black	40
PG90003	papergrip end cap alu	40

article code	product description	page nr.
HA40410	papergrip hook white	40
HA40412	papergrip hook alu	40
HA40411	papergrip hook black	40
RD40100	railclip (metal, 3 per m²)	40
RD40200	rail connector (metal)	40
SR30600	screw torx	40
SR50700	plug 6 x 30 mm hard / soft wall	40

STAS grip-up		41
SPG10105	grip-up white 50 cm	41
SPG10110	grip-up white 100 cm	41
SPG10115	grip-up white 150 cm	41
SPG10120	grip-up white 200 cm	41
SPG30105	grip-up alu 50 cm	41
SPG30110	grip-up alu 100 cm	41
SPG30115	grip-up alu 150 cm	41
SPG30120	grip-up alu 200 cm	41
SPG90011	grip-up end cap set l+r white	41
SPG90015	grip-up end cap set l+r alu	41
SPG90010	grip-up wall clip for wall mounting (4 clips per m²)	45

<b>STAS papergrip hanger</b>		42
HA40110	papergrip hanger	42
PG40110	papergrip hanger stabilisation set	42

<b>STAS name tag</b>		43
PG20007	name tag	43

STAS panel hooks		44
HW10300	panel hook white 11 mm	44
HW10400	panel hook white 16 mm	44
HW10600	panel hook white 18 mm	44
HW10500	panel hook white 21 mm	44
HW10700	panel hook white 26 mm	44
HW10800	panel hook white 31 mm	44
HW30700	panel hook alu interselect	44
HW30800	panel hook alu lux window frame	44
HW50100	panel hook transparant alcoa	44
HW30300	panel hook alu verwol type 1*	44
HW30400	panel hook alu verwol type 2	44
HW30500	panel hook alu sepa normal	44
HW10200	molding hook white	44
HW30200	molding hook alu	44
HW60200	molding hook gold	44
HW50400	panel hook askon chrome	44
HW50500	panel hook PE transparant	44
HW50600	panel hook maars	44

<b>STAS signtrack</b>		46
PS10042	signtrack set 42 cm	46

article code	product description	page nr.
PS10060	signtrack set 60 cm	46
PS10100	signtrack set 100 cm	46
PS10200	signtrack set 200 cm	46
PS29942	signtrack rail 42 cm	46
PS29960	signtrack rail 60 cm	46
PS29100	signtrack rail 100 cm	46
PS29200	signtrack rail 200 cm	46
HA50200	signtrack hook	46
HA30660	signtrack clamp	46
RD20600	signtrack end cap	46

<b>STAS poster strips en snaps</b>	48
PS50030 poster strip set transparant 30 cm	48
PS50042 poster strip set transparant 42 cm	48
PS50050 poster strip set transparant 50 cm	48
PS50060 poster strip set transparant 60 cm	48
PS50070 poster strip set transparant 70 cm	48
PS50084 poster strip set transparant 84 cm	48
PS50110 poster strip set transparant 100 cm	48
PS30050 poster snap set alu 50 cm	48
PS30070 poster snap set alu 70 cm	48
PS30100 poster snap set alu 100 cm	48

<b>STAS suspended ceiling hooks</b>	49
HA10100 suspended ceiling hook white	49
HA10200 suspended ceiling hook for cords with loop	49

<b>STAS double hanger</b>	49
DH10010 double hanger 10 cm alu	49
DH10025 double hanger 25 cm alu	49
DH10040 double hanger 40 cm alu	49
DH10060 double hanger 60 cm alu	49
DH10080 double hanger 80 cm alu	49

<b>STAS dibond hangers</b>	49
BS30900 dibond hanger set 70 x 70 mm, 3 kg	49
BS30800 dibond hanger set 100 x 100 mm, 6 kg	49
BS30500 dibond hanger set 70 x 140 mm, 6 kg	49
BS30700 dibond hanger set 100 x 200 mm, 12 kg	49
BS50400 dibond hanger set ø 90, 3,5 kg	49
MB10080 selfadhesive distance caps round 13 mm (per 4 pieces)	49

<b>STAS qubic</b>	50
TCS1002 qubic hanger	50
TCS9002 qubic end cap black	50
SJ30200 screw qubic	50
SR50700 plug	50

article code	product description	page nr.
<b>STAS qubic pro</b>		51
TCS1010	qubic pro hanger	51
TCS9002	qubic endcap black	51
SJ30100	screw qubic pro	51
SR50700	plug	51

<b>STAS v-tense &amp; h-tense</b>	52
TSBV150 v-tense 150 cm	52
TSBV300 v-tense 300 cm	52
TSBV450 v-tense 450 cm	52
TSBH150 h-tense 150 cm	52
TSBH300 h-tense 300 cm	52
TSBH450 h-tense 450 cm	52

<b>STAS v-tense &amp; h-tense accessories</b>	54
TCS30001 frame clamp (4,5 mm)	54
TCS30002 frame connector (4,5 mm)	54
TCS30003 frame clamp (8,5 mm)	54
TCS30004 frame connector (8,5 mm)	54
TCS30010 tense-frame	54
TCS30005 shelf clamp (8,5 mm)	54
TCS30006 shelf connector (8,5 mm)	54
TCS30025 shelf 20 x 30 cm	54
TCS30007 signage clip	55
MC10100 metal clips	55
HA30600 security hook	55
TCS30009 distance clamp	55
TCS30015 tense LED fame	55
VT30600 tense 12V power	55

<b>STAS paperrail</b>	58
KN10005 paperrail white 50 cm	58
KN30005 paperrail alu 50 cm	58
KN10010 paperrail white 100 cm	58
KN30010 paperrail alu 100 cm	58
KN10020 paperrail white 200 cm	58
KN30020 paperrail alu 200 cm	58
KN30100 paperrail connector set	58
SR10000 clipscrew	58
SR50700 plug 6 x 30 mm hard / soft wall	58

<b>STAS picture hits</b>	59
BM20350 picture hits	59

article code	product description	page nr.
<b>Complementary products</b>		60
<b>STAS clocktica</b>		61
KH40430W	clocktica white 43 cm	61
KH40950W	clocktica white 95 cm	61
KH40430Z	clocktica black 43 cm	61
KH40950Z	clocktica black 95 cm	61

<b>STAS tunica</b>	62
KH40095W tunica white 95 cm	62
KH40095Z tunica black 95 cm	62

### Torx T20 screws

We supply a large part of our products with Torx T20 screws for a better grip. These can be easily mounted with a special screwdriver bit or with the STAS screwdriver bit Torx T20.

### Disclaimer STAS dibond hanger

It is the user's responsibility to carry out the mounting of the STAS dibond hanger in strict accordance with the supplied mounting instructions. All technical information and data are provided on the basis of quality tests and our many years of practical experience. These are considered an average value and are not suitable for specification. For this reason, STAS picture hanging systems cannot provide any guarantee, either explicitly or implicitly, with regard to the suitability of the STAS dibond hanger for what the user wants to hang. The user is therefore responsible for determining whether the STAS dibond hanger is suitable for the situation in question. In case of doubt, our employees will be happy to advise you.



### STAS products TÜV certified

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



### **STAS picture hanging systems**

Esp 245 | 5633 AD Eindhoven | PO Box 1049 | 5602 BA Eindhoven | The Netherlands

T +31 (0)40 292 48 48 | [info@stasgroup.com](mailto:info@stasgroup.com)

[www.stasgroup.com](http://www.stasgroup.com)

#### **Important note regarding warranty and liability**

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at [www.stasgroup.com](http://www.stasgroup.com). It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.