


STAS.

Transform your room.

Product catalogue



A flexible wall and ceiling decor without wall damage

Clear communication and route indication

Hanging art safely and professionally

A tidy work and living environment



STAS
picture hanging systems



Index

Rail systems	5
Rail systems with lighting	22
Hooks and cords for rail systems	31
Magnetic hanging solutions	39
Other hanging solutions	41
Complementary products	71
Profile drawings	74
Product index	78

STAS picture hanging systems

What makes a room comfortable?
You'd be surprised how much influence the items hanging on walls and from the ceiling have on the feeling of comfort of a room. Wall decorations, advertisements, wayfinding signs... all of these affect people's behaviour. At STAS, we provide flexible picture hanging systems and accessories that are aimed to improve rooms. And we believe that these solutions should serve the purpose of the room itself.

- We make sure to provide a total solution for your room, so that...**
- ... kids in the classroom can focus without any distractions from a cluttered classroom wall
 - ... art lovers can enjoy an art collection that hangs neatly and secured
 - ... restaurant patrons opt for a cup of coffee after dessert
 - ... meetings in the office become more efficient
 - ... residents of nursing homes get inspired and relive beautiful memories
 - ... and you can change your home interior whenever you want, to your taste

With STAS you'll never have to drill unnecessary holes in your walls again and you can change or move your wall decor whenever you want. From light to dark and from functional to decorative.

So ... how are you going to change your interior?

STAS. Transform your room.

NEW


STAS poster hangers teak	47	STAS picture frame hangers	56
A stylish alternative to the picture frame		Mount them on the back of your frame and be ensured that your picture hangs well.	
STAS frame stabilizer	54	STAS stable art systems	56
By hooking the hanging cord behind the clip, your picture will hang straight against the wall.		Sturdy products for hanging pictures.	

Meet our sales team

There is a good chance that, at some point, you've been in contact with one of our sales employees. They will gladly give you a quotation or provide you with excellent advice about our products.


Paul
sales manager


STAS picture hanging systems are worldwide available.



Eline
sales manager export

You can contact me with all of your questions.





Maaïke
sales executive Italy

Ciao! I am happy to advise all our Italian customers.



Index

Rail systems

Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS minirail	25 kg/m	wall	no	6
STAS cliprail	20 kg/m	wall	no	7
STAS cliprail max	25 kg/m	wall	yes	8
STAS cliprail pro	45 kg/m	wall	no	9
STAS plasterrail	15 kg/m	wall	n/a	10
STAS j-rail	25 kg/m	wall	no	11
STAS j-rail max	100 kg/m	wall	no	12
STAS u-rail	20 kg/m	ceiling	n/a	13
STAS windsor	20 kg/m	wall	no	14
STAS riva	20 kg/m	wall	yes	14
STAS evoluon	20 kg/m	wall	no	15
STAS drywallXpress	30 kg/m	wall	no	16
STAS plasterboard rail	25 kg/m	wall	yes	17
STAS drop ceiling rail	25 kg/m	wall	yes	18
STAS prorail flat	45 kg/m	ceiling	yes	19
STAS prorail max	45 kg/m	wall	yes	20
STAS prorail crown	45 kg/m	wall	n/a	21



STAS minirail

sleek and strong

STAS minirail is characterised by its extremely slim, narrow design and innovative mounting method.

The rail itself is just 16 mm in height, yet it can carry up to 25 kg per linear metre. Thanks to an innovative screw, the STAS clipscrew, the rail can easily be fixed to the wall.

STAS minirail is perfect for creating an elegant, unobtrusive hanging system for light to mediumweight objects.



STAS cliprail

the perfect basis

STAS cliprail is a high-quality picture hanging system without bells and whistles. It is easy to install and feels right at home in every interior.

The cliprail owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.



- dimensions 9 x 16 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty



- dimensions 8.2 x 25 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



Parts

STAS minirail
RM10150 150 cm white
RM10120 200 cm white
RM10130 300 cm white

RM30150 150 cm alu
RM30120 200 cm alu
RM30130 300 cm alu

RM20150 150 cm black
RM20120 200 cm black
RM20130 300 cm black



STAS minirail combicap
RY10200 white
RY30200 alu
RY20200 black
(2 x end cap / 1 x corner cap)



STAS minirail rail connector
RD10200

STAS plug
SR50700



STAS minirail clipscrew torx
SR10200
(metal, 3 per m²)

Parts

STAS cliprail
RC10315 150 cm white
RC10320 200 cm white
RC10330 300 cm white

RC30115 150 cm alu
RC30120 200 cm alu
RC30130 300 cm alu

RC20115 150 cm black
RC20120 200 cm black
RC20130 300 cm black



STAS cliprail end cap
RD10300 white
RD30300 alu
RD20300 black

STAS cliprail corner cap
RD10400 white
RD30400 alu
RD20700 black



STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)



STAS plug
SR50700



STAS screw torx
SR30600



STAS cliprail max


perfect gap-free ceiling connection

STAS cliprail max is a hanging system for the perfectionist. An extra rim ensures the rail connects beautifully with the ceiling. With this system, your ceiling, wall and picture hanging system unite as one.

The rail is most attractive when fixed to flat ceilings.

STAS cliprail max owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.

For the best result, you can neatly finish the transition between the STAS cliprail max and the ceiling by adding an (acrylic) sealant.



STAS cliprail pro

elegant powerhouse

STAS cliprail pro is ideal for hanging heavier objects on walls thanks to its thick-walled profile. This rail can carry an amazing 45 kg per linear metre.

Despite its large weight-bearing capacity, the STAS cliprail pro is an elegant, unobtrusive rail that can be used in professional environments as well as in the home.

STAS cliprail pro owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.



- dimensions 8,3 x 31,6 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty



- dimensions 11,3 x 28 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 45 kg/m
- 5 years warranty



Parts

STAS cliprail max
RC10215 150 cm white
RC10220 200 cm white
RC10230 300 cm white

RC30215 150 cm alu
RC30220 200 cm alu
RC30230 300 cm alu

RC20215 150 cm black
RC20220 200 cm black
RC20230 300 cm black



STAS cliprail max combicap
RY10100 white
RY30100 alu
RY20300 black
(2 x end cap / 1 x corner cap)



STAS railclip
RD40100
(metal, 3 per m²)

STAS rail connector
RD40200
(metal)



STAS plug
SR50700



STAS screw torx
SR30600

Parts

STAS cliprail pro
VC10150 150 cm white
VC10200 200 cm white
VC10300 300 cm white

VC30150 150 cm alu
VC30200 200 cm alu
VC30300 300 cm alu

VC20150 150 cm black
VC20200 200 cm black
VC20300 300 cm black



STAS cliprail pro end cap
VE10200 white
VE30200 alu
VE20200 black

STAS cliprail pro corner cap
VD10400 white
VD30400 alu
VD20400 black



STAS railclip
RD40100
(metal, 3 per m²)


STAS rail connector
RD40200
(metal)



STAS plug
SR50700



STAS screw torx
SR30600




STAS plasterrail

for the forward thinker

STAS has renewed the design of the STAS plasterrail! The STAS plasterrail is now even better in quality with its renewed design. You attach the aluminium rail to a bare wall with nails and after the rail and the rest of the wall have been plastered, a very narrow opening remains visible in the stucco. As a result, this picture hanging system can be fully integrated into a new wall to be plastered and is therefore virtually invisible.

The renewed design ensures flawless installation, requires only a thin plaster layer of +/- 6 mm and the supplied safety strip ensures that the picture hanging system remains free of stucco. An ideal picture hanging system for renovations and new construction projects!

- dimensions 6,4 x 40 mm
- length 200 cm
- aluminium
- layer thickness stucco 6 mm
- wall mountable, to be integrated into stucco
- weight capacity 15 kg/m
- 5 years warranty



Parts

STAS plasterrail
PR30200 200 cm
including safety strip




Parts

STAS j-rail
RJ10115 150 cm white
RJ10120 200 cm white
RJ10130 300 cm white

RJ30115 150 cm alu
RJ30120 200 cm alu
RJ30130 300 cm alu

(4 holes per m²)



STAS j-rail
screw flush head
SJ10100 white
SJ30100 alu

STAS plug
SR50700





STAS j-rail max


heavyweight champion

STAS j-rail max is designed for the heavy objects. The thick-walled aluminium profile is capable of supporting loads of up to 100 kg per linear metre.

What's more, STAS j-rail max is combined with rods instead of cords, which makes alternating and moving heavy works of art on high ceilings a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

The STAS j-rail max system is also available with theft-delaying security hooks and is often used in art galleries and museums.

- dimensions 9 x 21 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 100 kg/m
- 5 years warranty



Parts

STAS j-rail max

RJ10215 150 cm white
RJ10220 200 cm white
RJ10230 300 cm white

RJ30215 150 cm alu
RJ30220 200 cm alu
RJ30230 300 cm alu

(4 holes per m²)



STAS j-rail max screw
sunk head
SJ10200 white
SJ30200 alu

STAS plug
SR50700

STAS u-rail

suspended ceiling becomes

hanging system

STAS u-rail is specially designed for suspended ceilings. The rail is easily and almost invisibly attached to the supporting edge trim of the suspended ceiling.

STAS u-rail is also ideally suited for hanging whiteboards, art or large maps. So now, with just a small modification, your suspended ceiling becomes a versatile picture hanging system, ideal for use in offices, schools and healthcare facilities.

- dimensions 14 x 6,5 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- ceiling mountable
- weight capacity 20 kg/m
- 5 years warranty



Parts


STAS u-rail

RP10115 150 cm white
RP10120 200 cm white
RP10130 300 cm white

RP30115 150 cm alu
RP30120 200 cm alu
RP30130 300 cm alu

RP20115 150 cm black
RP20120 200 cm black
RP20130 300 cm black

(8 holes per m²)



STAS u-rail screw
SP10100 white
SP30100 alu
SP20100 black



STAS windsor & riva



bring a piece of nature into your home

In addition to aluminum rails, STAS also offers wooden rails in 2 different models. The STAS windsor is elegant and warm where the STAS riva has a more robust look and feel. Two distinctive models, suitable for any interior! Both models are easy to use and each has a different profile for which fitting hooks are available.

Our wooden rails are made out of Ayous wood and are FSC and PEFC certificated. Ayous wood differs from other wood since it does not deform or splinter, and is perfectly suitable to repaint because of its smooth texture. Perfect wood for your picture hanging system! Can be mounted screwed, nailed and glued*.

* The weight capacity of a glued rails is highly dependent on the surface, so care must be taken here. More information on how to best glue our wooden rails can be found on our website www.stasgroup.com



STAS evoluon



bends along with you

From now on, curved walls can also be used optimally with the STAS evoluon! The STAS evoluon has been specially developed for curved walls, but this rail is just as easy to mount on straight walls or (slightly) undulating walls.

The rail is bendable and can be bent perfectly proportional along the contours of a wall by means of a supplied auxiliary tool. In this way, the STAS evoluon provides hanging possibilities for difficult places and walls otherwise unusable for picture rails.



STAS windsor

- dimensions 18 x 45 mm
- length 120 or 240 cm
- Ayous wood
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty

STAS riva

- dimensions 17 x 45 mm
- length 120 or 240 cm
- Ayous wood
- wall mountable, adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



- dimensions 20 x 3 mm
- length 200 cm
- aluminium
- alu
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



Parts

STAS windsor
RP50220 120 cm
RP50224 240 cm

STAS riva
RP50120 120 cm
RP50124 240 cm



Parts

STAS evoluon
TCS30020 200 cm
(4 holes per m²)



STAS bending mold evoluon
TCS9020 30 cm



STAS plug
SR50700



STAS distance holder evoluon
TCS9012



STAS evoluon hook
TCS9016



STAS screw evoluon
SJ30300

For matching hooks and cords, see page 37.

For matching hooks and cords, see page 36.



STAS drywallXpress

PATENT PENDING

no stress with the drywallXpress

With the STAS drywallXpress you can mount a picture hanging system on a plaster wall in no time. No need to pick up that drill because you don't have to drill to assemble this system.

The STAS drywallXpress is a complete picture hanging system that consists of clips, STAS cliprail and an auxiliary tool. With the help of the enclosed tool and a hit with a hammer you can easily push the metal clips into your plaster wall. Click the rail onto the clips and combine this picture hanging system with the STAS cords with cobra.


STAS drywallXpress: the easiest picture hanging system in the world!

STAS drywall clip

- dimensions 23 x 35 x 18 mm
- RVS
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty

STAS cliprail

- dimensions 8,2 x 25 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



Parts

STAS cliprail

RC10315 150 cm white
RC10320 200 cm white
RC10330 300 cm white

RC30115 150 cm alu
RC30120 200 cm alu
RC30130 300 cm alu

RC20115 150 cm black
RC20120 200 cm black
RC20130 300 cm black



STAS cliprail end cap

RD10300 white
RD30300 alu
RD20300 black



STAS cliprail corner cap

RD10400 white
RD30400 alu
RD20700 black



STAS drywall clip

RD40400



STAS drywallXpress connector

RT40200



STAS drywall tool

RD40501

Parts

STAS plasterboard rail

PC10120 200 cm 9,5 mm
PC10130 300 cm 9,5 mm

PC10020 200 cm 12,5 mm
PC10030 300 cm 12,5 mm



STAS plasterboard rail inner corner profile

PC10170 9,5 mm
PC10070 12,5 mm
(with corner connector)



STAS plasterboard rail outside corner profile

PC10180 9,5 mm
PC10080 12,5 mm
(with corner connector)



STAS rail connector

RD20400



STAS corner connector

RD20500




STAS hammer fixing plug

(5 per m²)
SR10400



- dimensions 9,5 mm rail 31 x 36 mm
dimensions 12,5 mm rail: 34 x 36 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty



STAS drop ceiling rail

all-in solution for drop ceilings

The STAS drop ceiling rail is an all-in solution for rooms with a drop ceiling. The STAS drop ceiling rail replaces the wooden ceiling tile support strips and the corner profile for installing drop ceilings, and is equipped with a picture hanging system as well.

Thanks to the innovative profile of the STAS drop ceiling rail, the picture hanging system can be mounted directly on the wall. Corner profile and picture hanging system become one. The suspended ceiling plates can be placed in the profile of the STAS drop ceiling rail. The result is an almost invisible picture hanging system that disappears in the shadow line of the drop ceiling.

The STAS drop ceiling rail can be used with the STAS cords with cobra.

- dimensions 31 x 35 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty



STAS prorail flat

almost invisible

The STAS prorail flat is a picture hanging system that can be concealed in plasterwork, flat decorative framework or molding. You will enjoy the convenience of a picture hanging system, but not the look of a visible rail on your wall.

This rail system is suitable for newly built and renovations in existing properties. The STAS prorail flat can be mounted on the ceiling and can be used with the STAS cables with cobra.

- dimensions 31,3 x 18 mm
- length 100, 150, 200 or 300 cm
- aluminium
- white
- ceiling mountable
- weight capacity 45 kg/m
- 5 years warranty



Parts

STAS drop ceiling rail
GC10020 200 cm
GC10030 300 cm



STAS drop ceiling rail inner corner profile
GC10070
(with corner connector)



STAS drop ceiling rail outside corner profile
GC10080
(with corner connector)



STAS rail connector
RD20400



STAS corner connector
RD20500



STAS hammer fixing plug
(5 per m²)
SR10400

Parts

STAS prorail flat
RH10510 100 cm white
RH10515 150 cm white
RH10520 200 cm white
RH10530 300 cm white



STAS multirail flat rail connector
RD20400



STAS multirail flat corner connector
RD20500



STAS multirail flat screw
SJ10200
(4 holes per m²)



STAS plug
SR50700



STAS prorail max

perfectly fitting to the ceiling

The STAS prorail max is a picture hanging system for the perfectionist. The top rim ensures that the rail fits tightly against the ceiling. With this picture hanging system, ceiling, wall and picture rail unite as one. It is also possible to hide cables behind the top rim. Neatly finish the transition between the STAS prorail max and the ceiling with an (acrylate) kit for an optimal result.

- dimensions 11,3 x 38,3 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, adjoining to ceiling
- weight capacity 45 kg/m
- 5 years warranty



Parts

STAS prorail max
RM10415 150 cm white
RM10420 200 cm white
RM10430 300 cm white

RM30415 150 cm alu
RM30420 200 cm alu
RM30430 300 cm alu



STAS multirail max end cap
VE10400 white
VE30400 alu



STAS multirail max corner cap
VD20500 white
VD30500 alu



STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)



STAS plug
SR50700



STAS screw torx
SR30600

STAS prorail crown

decorative frame takes the lead

STAS prorail crown is a picture hanging system for wall mounting and can be concealed with a decorative frame of your choice.

- dimensions 12,7 x 37,5 mm
- length 150, 200 or 300 cm
- aluminium
- white
- wall mountable
- weight capacity 45 kg/m
- 5 years warranty



Parts

STAS prorail crown white
RH10415 150 cm white
RH10420 200 cm white
RH10430 300 cm white



STAS multirail crown rail connector
RD20400



STAS multirail crown corner connector
RD20500



STAS multirail crown screw
RD20500
(4 holes per m²)



STAS plug
SR50700



Index

Rail systems with lighting



STAS multirail

hanging and lighting rolled into one



A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, accentuating your wall decorations. In combination with LED lighting, the STAS multirail is very energy efficient.



- dimensions 11,3 x 28 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W
- 5 years warranty on rails, 1 years on accessories

SCAN FOR MANUAL



Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS multirail	45 kg/m ¹	wall	no	23
STAS multirail max	45 kg/m ¹	wall	yes	24
STAS multirail crown	45 kg/m ¹	wall	n/a	25
STAS multirail flat	45 kg/m ¹	ceiling	n/a	26
STAS Wi-Fi smart LED	n/a	n/a	n/a	27
STAS Wi-Fi smart plug	n/a	n/a	n/a	28
STAS spotlights	n/a	n/a	n/a	29
STAS fixtures	n/a	n/a	n/a	29
STAS adapters	n/a	n/a	n/a	30


Parts

STAS multirail

VH10150 150 cm white
VH10200 200 cm white
VH10300 300 cm white

VH30150 150 cm alu
VH30200 200 cm alu
VH30300 300 cm alu

VH20150 150 cm black
VH20200 200 cm black
VH20300 300 cm black



STAS multirail end cap

VE10200 white
VE30200 alu
VE20200 black

STAS multirail corner cap

VD10400 white
VD30400 alu
VD20400 black

STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)



STAS plug
SR50700



STAS screw torx
SR30600



STAS multirail conductor 12 V straight
VF50200



STAS multirail conductor 12 V corner
VF50100

For matching hooks and cords, see page 32. For matching accessories, see page 27.



STAS multirail max

perfect gap-free ceiling connection

A STAS multirail system is a picture hanging system and artwork lighting rolled into one. Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

The STAS multirail max distinguishes itself thanks to the extra rim that ensures a tight fit against flat ceiling surfaces. With this system, your ceiling, wall and picture hanging system unite as one. Cables can be hidden behind the rim.

For the best result, you can neatly finish the transition between the STAS multirail max and the ceiling by applying an (acrylic) sealant.

- dimensions 11,3 x 38,3 mm
- length 200 or 300 cm
- aluminium
- white or alu
- wall mountable, adjoining to ceiling
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W
- 5 years warranty on rails, 1 year on accessories



Parts

STAS multirail max
VC10420 200 cm white
VC10430 300 cm white

VC30420 200 cm alu
VC30430 300 cm alu



STAS multirail max end cap
VE10400 white
VE30400 alu



STAS multirail max corner cap
VD20500 white
VD30500 alu



STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)



STAS plug
SR50700



STAS screw
torx
SR30600



STAS multirail conductor 12 V straight
VF50200



STAS multirail conductor 12 V corner
VF50100

For matching hooks and cords, see page 32. For matching accessories, see page 27.

STAS multirail crown


moulding in the spotlights

A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail crown is a picture hanging system that is mounted virtually invisibly on the wall and can be combined with a moulding of your choice.

- dimensions 12,7 x 37,5 mm
- length 200 or 300 cm
- aluminium
- white
- wall mountable
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W
- 5 years warranty on rails, 1 year on accessories



Parts

STAS multirail crown
RC10420 200 cm white
RC10430 300 cm white



STAS multirail crown rail connector
RD20400



STAS multirail crown corner connector
RD20500



STAS multirail crown screw
SJ10200
(4 holes per m²)



STAS plug
SR50700



STAS multirail conductor 12 V straight
VF50200



STAS multirail conductor 12 V corner
VF50100

For matching hooks and cords, see page 32. For matching accessories, see page 27.



STAS multirail flat

concealed class

A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail flat is a ceiling-mounted picture hanging system that can be virtually invisibly integrated with stucco work or with a single or double flat moulding.

- dimensions 31,3 x 18 mm
- length 200 or 300 cm
- aluminium
- white
- ceiling mounting
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W
- 5 years warranty on rails, 1 year on accessories



STAS multirail accessories

smart lighting



Works with WiFi



Warm/cool white & RGB



Timer



Remote control



Group control



Energy saving

STAS Wi-Fi smart LED

The STAS Wi-Fi smart LED is a smart LED lamp that can be used with a specific range of STAS fixtures. You don't have to be a technician to install this smart LED lamp, a good Wi-fi signal is simply enough. With the accompanying free app and connected to your Wi-Fi network, you can easily switch the STAS Wi-Fi smart LED lamps on and off. It is even possible to illuminate each painting individually with the desired light color and light intensity (2700K warm light > 6500K daylight). From a crisp light in the morning to a warm and cozy light in the evening. With the STAS Wi-Fi smart LED, the colors in your wall decoration come into their own even more beautifully.

The STAS Wi-Fi smart LED lamps are 100% continuously dimmable and that without the intervention of an external Hub. It is also possible to create groups for certain rooms and the lamps have a timer setting so that your lighting can be switched on and off automatically. As icing on the cake, the STAS Wi-Fi smart LED also supports voice control in combination with Amazon Alexa, Siri and Google Home.



Parts

STAS multirail flat
RC10520 200 cm white
RC10530 300 cm white



STAS multirail crown rail connector
RD20400



STAS multirail flat screw
SJ10200
(4 holes per m²)



STAS multirail conductor 12 V straight
VF50200



STAS multirail crown corner connector
RD20500



STAS plug
SR50700





STAS multirail conductor 12 V corner
VF50100

	VL20300
Power	5 W
Output equivalent	30 W
Max. consumption	5 W
Light intensity	300 lm
Infrared radiation	none
Colour temperature cool	6500 K + RGB
Colour temperature warm	2700 K
Light beam	standard - diffuse
Beam angle	100°
Socket	MR16-GU5.3
Vibrational impact	low
Lifespan	15000
Energy class	A+



STAS remote control for STAS Wi-Fi smart-led
VT40800

Download the Smart life app:




System requirements
· The Tuya smart app requires system iOS 9 or higher, Android 4.4 or higher.
· Provide a properly functioning wireless network and internet connection.

1 year warranty applies to all multirail accessories.




STAS fixtures for STAS Wi-Fi smart LED

These 3 different fixtures have been specially developed for the STAS Wi-Fi smart LED and the STAS multirail systems. The STAS Wi-Fi smart LED lamp can be easily mounted on a fixture with the supplied Allen key. You can easily click a fixture on a desired spot in the STAS multirail. The Classic fixture can only be adjusted in height and the lamp base can be turned. The Sirius fixture has a flexible part that allows you to make small adjustments in the direction of the light beam.



**STAS multirail fixture
GU5.3 classic white incl.
STAS Wi-Fi smart LED**
VA15516 50 cm
VA15716 70 cm



**STAS multirail fixture GU5.3
classic chrome incl.
STAS Wi-Fi smart LED**
VA35516 50 cm
VA35716 70 cm



**STAS multirail fixture
sirius chrome incl.
STAS Wi-Fi smart LED**
VA35416 40 cm
VA35616 50 cm




STAS Wi-Fi smart plug

You really don't have to be a technical miracle to remotely control or automate your connected equipment. All you need is our smart plug called the STAS Wi-Fi smart plug and your Wi-Fi router. Connected to the STAS Wi-Fi smart plug, you can remotely operate the STAS multirail or other electronic devices. With the free app and connected to your Wi-Fi network, you can easily switch the STAS multirail on and off. This way you are always in control of lighting the art on your wall.




STAS Wi-Fi smart plug
VT30700


The STAS Wi-Fi smart plug has a handy timer function so that the STAS multirail switches on automatically when, for example, you come home from work or when you are on holiday. In addition, the STAS Wi-Fi smart plug also supports voice support in combination with Amazon Alexa or Google Home.



STAS multirail fixture classic
VA10500 50 cm white
VA10700 70 cm white
VA30500 50 cm chrom
VA30700 70 cm chrom



**STAS multirail fixture
sirius chrom**
VA30365 40 cm
VA30465 50 cm
VA30665 65 cm



**STAS multirail fixture
signo chrom**
VA30770 70 cm

STAS multirail accessories

Spotlights

STAS offers 2 different LED spotlights. Your choice depends on your personal preference in terms of energy efficiency, light colour, warmth radiation and the shape and intensity of the light beam. All spotlights fit on all light fixtures. 1 year warranty applies to all multirail accessories.

STAS ledspot 3,5 W / 27°

Emits a narrow beam of light suitable for small paintings.

	VL10200
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	27°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

STAS ledspot 3,5 W / 95°

Emits a wide beam of light suitable for large artworks.

	VL10900
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	95°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

Fixtures

STAS offers a choice of 3 different light fixtures in various lengths. Your choice depends on your personal preference and on the size of the artwork you wish to illuminate. Every light fixture fits on all multirail systems.

Tips

The bigger the distance between light source and wall, the bigger the artwork that can be illuminated. In other words: choose a large fixture for lighting a large work of art.

Adjusting

All fixtures have a flexible or hinged part with which small adjustments to the beam angle can be made.

1 year warranty applies to all multirail accessories.





Adapters

The choice of an adapter depends on 3 things:

1. the type of spotlight you'd like to use
2. the number of spotlights you'd like to install

View the tables below for the best choice.

STAS adapters			
	VT20500 STAS multirail adapter 18W	VT20036 STAS multirail adapter 36W	VT20084 STAS multirail adapter 84W
Input voltage	AC100-240V ~ 50/60Hz 0.7A	100-240VAC 50/60Hz	100-240VAC 50/60Hz
Output voltage	DC 12V == 1.5A	12V DC 3A	12V DC 7A
Ampère	1.5A	3A	7A
Dimensions (l x h x b)	75 x 86 x 36 mm	105 x 45 x 28.5mm	155 x 60 x 37mm
Weight	180 gr	220 gr	490 gr
Connection	input plug (EU) output cable 3 m	input plug (EU) (US) 1.8 m output cable 3 m	input plug (EU) (US) 1.8 m output cable 3 m
Quality label	CE GS TÜV WEEE	UL CE EMC RoHS REACH	UL CE EMC RoHS REACH

Number of spotlights

		Led 3,5 W	Led 4 W	Led 5 W
VT20500	Adapter 18 W	4	3	2
VT20036	Adapter 36 W	8	7	6
VT20084	Adapter 84 W	20	17	14
Maximum number of meters of rail per adapter		16	16	16

Using multiple adapters

In case you would like to use more than the below mentioned number of metres or spots, you will have to use multiple adapters.

CAUTION:

Create independent circuits when using more than one adapter! Adapters must never be connected, neither directly nor indirectly. In short: NEVER connect two rail segments that are each connected to a different adapter! Exclusively connect rail segments that share one adapter.

Dimming of light

The current STAS adapters are not yet dimmable. We strongly advise against connecting your own switch or dimmer to the system. Be aware that if you do this anyway, all system warranty expires. Use the STAS Wi-Fi smart-led and matching fixtures if you'd like to have dimmable picture lighting.

SCAN FOR GUIDE



STAS multirail adapter 18 W
VT20500



STAS multirail adapter 36 W
VT20036



STAS multirail adapter 84 W
VT20084

Index

Hooks and cords

for rail systems

STAS hooks and cords	32
STAS j-rail hooks, cords and rods	33
STAS j-rail max hooks and rods	34
STAS plasterrail hooks and cords	35
STAS windsor & riva hooks and cords	36
STAS evoluon & qubic hooks and cords	37
Summary table hooks and cords	38



STAS j-rail

hooks, cords and rods

STAS j-rail has its own set of hooks, cords and rods with which to complete the system.

STAS hooks and cords

After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

Cords



STAS cobra with perlon cord
CP10110 100 cm
CP10115 150 cm
CP10120 200 cm
CP10125 250 cm
CP10130 300 cm
CP10140 400 cm



STAS cobra with steel cable
SC10110 100 cm
SC10115 150 cm
SC10120 200 cm
SC10125 250 cm
SC10130 300 cm
SC10140 400 cm



STAS cobra with steel cable white
SC10220 200 cm white
SC20220 200 cm black

Hooks



STAS smartspring
HA30900



STAS zipper
HA30501



STAS zipper pro
HA30530



Cords, rods and rail hooks



STAS cylinder hook
HR10600 white
HR30600 alu



STAS steel cable with glider
SH10110 100 cm
SH10115 150 cm
SH10120 200 cm
SH10125 250 cm
SH10130 300 cm
SH10145 450 cm



STAS j-rail rod 3 mm
SO10110 100 cm white
SO10115 150 cm white
SO10120 200 cm white
SO10130 300 cm white



STAS perlon cord with loop
PL10110 100 cm
PL10115 150 cm
PL10120 200 cm
PL10125 250 cm
PL10130 300 cm



STAS j-rail s-hook
HR10400 white
HR30400 chrom

SO30110 100 cm alu
SO30115 150 cm alu
SO30120 200 cm alu
SO30130 300 cm alu

STAS steel cable with loop
SL10110 100 cm
SL10115 150 cm
SL10120 200 cm
SL10125 250 cm
SL10130 300 cm

Hooks



STAS smartspring
HA30900



STAS zipper
HA30501



STAS zipper pro
HA30530



STAS j-rail spring hook
HA30700

Possible combinations



perlon cord +
smartspring



perlon cord +
zipper or zipper pro



steel cable +
zipper or zipper pro



steel cable white or black +
zipper or zipper pro



j-rail s-hook + perlon
cord with loop +
smartspring, zipper
or zipper pro



j-rail s-hook + steel
cable with loop +
zipper or zipper pro



cylinder hook +
perlon cord with
glider + smartspring



cylinder hook + perlon
cord with glider +
zipper or zipper pro



cylinder hook + steel
cable with glider +
zipper or zipper pro



j-rail rod +
spring hook



STAS j-rail max

hooks and rods

STAS j-rail max works only with rods and matching hooks.



STAS plastrail

hooks and cords

STAS plastrail has its own cords that are specially designed for the specific rail opening.

Rods



STAS j-rail max rod 4x4 white
SM10110 100 cm
SM10115 150 cm
SM10120 200 cm
SM10125 250 cm



STAS j-rail max rod 4x4 alu
SM30110 100 cm
SM30115 150 cm
SM30120 200 cm
SM30125 250 cm



STAS j-rail max rod 4x10 white
SM10210 100 cm
SM10215 150 cm
SM10220 200 cm
SM10225 250 cm

Hooks



STAS j-rail max hook for rod 4x4
HA40600



STAS j-rail max security hook 4x4
HA40700



STAS j-rail max security set, collar + cap
BK10200



STAS j-rail max hook for rod 4x10
HA40500



Cords and rail hooks



STAS perlon cord with glider
PH10110 100 cm
PH10115 150 cm
PH10120 200 cm
PH10125 250 cm
PH10130 300 cm
PH10145 450 cm



STAS steel cable with glider
SH10110 100 cm
SH10115 150 cm
SH10120 200 cm
SH10125 250 cm
SH10130 300 cm
SH10145 450 cm



STAS plastrail hook
PR90001



STAS smartspring
HA30900



STAS zipper
HA30501



STAS zipper pro
HA30530

Possible combinations



j-rail max rod 4x4 + j-rail max (security) hook



j-rail max rod 4x4 + j-rail max (security) hook + security set



j-rail max rod 4x10 + j-rail max hook for rod 4x10

Possible combinations



Plastrail hook + perlon cord with glider + smartspring



Plastrail hook + perlon cord with glider + zipper or zipper pro



Plastrail hook + steel cable with glider + zipper or zipper pro



STAS windsor & riva

hooks and cords

STAS windsor & riva have their own collection of hooks, which can be combined with the existing hooks and cords from STAS.




STAS evoluon & qubic (pro)

hooks and cords

The STAS evoluon and the STAS qubic (pro) can be used with our special hooks and cords.

Cords and rail hooks



STAS perlon cord with loop
PL10110 100 cm
PL10115 150 cm
PL10120 200 cm
PL10125 250 cm
PL10130 300 cm



STAS steel cable with loop
SL10110 100 cm
SL10115 150 cm
SL10120 200 cm
SL10125 250 cm
SL10130 300 cm



STAS hook windsor
HW10200 white



STAS hook windsor
HW30200 alu



STAS hook windsor
HW60200 gold



STAS hook riva
HW50700



Hooks



STAS smartspring
HA30900



STAS zipper
HA30501



STAS zipper pro
HA30530

Cords



STAS perlon cord with glider
PH10110 100 cm
PH10115 150 cm
PH10120 200 cm
PH10125 250 cm
PH10130 300 cm
PH10145 450 cm



STAS steel cable with glider
SH10110 100 cm
SH10115 150 cm
SH10120 200 cm
SH10125 250 cm
SH10130 300 cm
SH10145 450 cm

Hooks



STAS smartspring
HA30900



STAS zipper
HA30501



STAS zipper pro
HA30530



Possible combinations



Perlon cord with loop + smartspring
max. 4 kg



Perlon cord with loop + zipper or zipper pro
max. 15 kg



Steel cable with loop + zipper or zipper pro
max. 20 kg



STAS evoluon hook + perlon cord with glider + smartspring
max. 4 kg



STAS evoluon hook + perlon cord with glider + zipper
max. 15 kg



STAS evoluon hook + steel cable with glider + zipper
max. 15 kg



STAS qubic + perlon cord with glider + smartspring
max. 4 kg



STAS qubic + perlon cord with glider + zipper
max. 15 kg



STAS qubic + steel cable with glider + zipper
max. 20 kg

Summary table

hooks and cords

Hooks	smartspring	zipper / zipper pro	spring hook	j-rail max hook for rod 4x4	j-rail max security hook 4x4	j-rail max hook for rod 4x10
Cords						
all STAS rails (excl. STAS j-rail, STAS j-rail max, STAS plastrail, STAS windsor, STAS riva and STAS evoluon)						
perlon cord with cobra	4 kg	15 kg	-	-	-	-
steel cable with cobra	-	20 kg	-	-	-	-
steel cable black or white with cobra	-	10 kg	-	-	-	-
STAS j-rail						
cylinderhook and perlon cord with glider	4 kg	15 kg	-	-	-	-
s-hook and perlon cord with loop	4 kg	15 kg	-	-	-	-
s-hook and steel cable with loop	-	20 kg	-	-	-	-
rod 3 mm	-	-	15 kg	-	-	-
STAS j-rail max						
rod 4x4 white or alu	-	-	-	40 kg	40 kg	-
rod 4x10 white	-	-	-	-	-	100 kg
STAS plastrail						
plastrail hook with perlon cord with glider	4 kg	15 kg	-	-	-	-
plastrail hook with steel cabel with glider	-	15 kg	-	-	-	-
STAS windsor & riva						
hook with perlon cord with loop	4 kg	15 kg	-	-	-	-
hook with steel cable with loop	-	20 kg	-	-	-	-
STAS evoluon & qubic (pro)						
perlon cord with glider	4 kg	15 kg	-	-	-	-
steel cable with glider	-	20 kg	-	-	-	-
Additional (e.g. panel hooks)						
perlon cord with loop	4 kg	15 kg	-	-	-	-
steel cable with loop	-	20 kg	-	-	-	-



Index

Magnetic hanging solutions



STAS magnet sets



STAS magnet sets

cards on a cable

A STAS magnet set consists of a steel cable with cobra and five or ten magnets. Hook the steel cable into your STAS rail. Using the magnets, you can then hang photos, cards and memos on the cable. It's ideal for Christmas cards, birthday cards, to-do notes or temporary displays.

The white and coloured variants of the STAS magnet set cannot be combined with STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail. The 2-in-1 variant can be combined with all STAS rails except for STAS j-rail max, and STAS evoluon.



STAS magnet set

The standard STAS magnet set consists of a steel cable with cobra and ten white tripod magnets.

STAS coloured magnet set

The STAS coloured magnet set consists of a steel cable and ten cone-shaped magnets in five different colours.

STAS magnet set 2-in-1

The STAS magnet set 2-in-1 can be used in two different ways. Hook the cable into your STAS rail with the cobra or hang it with a loop onto an edge panel hook or any other hook. This set comes with five cone-shaped magnets in five different colours.

Products



STAS magnet set
BM20360
steel cable 150 cm with cobra, 10 white neodymium magnets



STAS coloured magnet set
BM20370
steel cable 150 cm with cobra, 10 coloured neodymium magnets



STAS magnet set 2-in-1
BM20380
steel cable 150 cm with cobra and loop, 5 coloured neodymium magnets



STAS white magnets
MB10050
10 separate, white neodymium magnets



STAS coloured magnets
MB10040
10 separate, coloured neodymium magnets



Index

Other hanging solutions

STAS papergrip	42
STAS grip-up (on papergrip)	43
STAS papergrip hanger	44
STAS name tag	45
STAS grip-up (on the wall)	46
STAS poster hanger teak	47
STAS suspended ceiling hooks	48
STAS signtrack	49
STAS poster strips and poster snaps	51
STAS picture hits	52
STAS panel hooks	53
STAS picture hooks and hangers	54
STAS suspension sets	58
STAS v-tense & h-tense	62
STAS qubic & qubic pro	68
STAS paperrail	70



STAS papergrip

twice as handy

STAS papergrip is one rail with two applications. Thanks to a handy internal strip, papers can be easily clipped into the rail or removed. In addition, cards (etc.) can be placed in the special ledge on top of the rail.

STAS papergrip is suitable for thick and thin paper and it can even grab hold of thin magazines and laminated paper. Separate rail pieces can be connected to create a hanging system spanning the entire wall.

Optional: click specially designed STAS papergrip hooks onto the rail to hang up additional small items, like keys, or for example a STAS magnet set 2-in-1.

A STAS papergrip hook has a weight capacity of 3 kg.

- dimensions 13,3 x 45 mm
- length 50, 100, 150 or 200 cm
- rail: aluminium with powder coating, inside strip: polyurethane foam core and polyethylene coating layer
- white, white textured, black textured, alu textured, alu
- standard with railclips (3 per metre) optional with magnetic tape or double-sided tape
- 5 years warranty



Parts

STAS papergrip

PG15005 50 cm white textured
PG15010 100 cm white textured
PG15015 150 cm white textured
PG15020 200 cm white textured

PG30105 50 cm alu textured
PG30110 100 cm alu textured
PG30115 150 cm alu textured
PG30120 200 cm alu textured

PG20105 50 cm black textured
PG20110 100 cm black textured
PG20115 150 cm black textured
PG20120 200 cm black textured

PG10105 50 cm white
PG10110 100 cm white
PG10115 150 cm white
PG10120 200 cm white

PG30310 100 cm alu
PG30320 200 cm alu



STAS papergrip end cap

PG90001 white
PG90003 alu
PG90002 black

STAS papergrip hook

HA40410 white
HA40412 alu
HA40411 black

STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)

STAS plug
SR50700

STAS screw
torx
SR30600



STAS grip-up (on papergrip)

extra handy

The STAS grip-up is a product that can be mounted in two ways. You can click the STAS grip-up over the STAS papergrip or mount it directly on the wall. In combination with the STAS papergrip, the pleasantness of a wall shelf is combined with the handy clamping mechanism of the STAS papergrip. Place photo frames, books or other decorations on the shelf section and hang notes, drawings and posters from the bottom. This gives you plenty of room for decoration and important papers.

In addition to being used in combination with the STAS papergrip, this product can also be mounted directly on the wall using the STAS grip-up wall clips.

Tip from STAS: It is also possible to purchase a length of the STAS grip-up that is shorter than the length of your STAS papergrip, so that only a small part can be used as a wall shelf.

- dimensions 45,3 x 60 mm
- length 50, 100, 150, 200 cm
- aluminium
- white, alu textured or black
- papergrip mounting, wall mounting
- on papergrip: 2 kg/m
- 5 years warranty



Parts

STAS grip-up


SPG10105 50 cm white
SPG10110 100 cm white
SPG10115 150 cm white
SPG10120 200 cm white

SPG30105 50 cm alu
SPG30110 100 cm alu
SPG30115 150 cm alu
SPG30120 200 cm alu

SPG20105 50 cm black
SPG20110 100 cm black
SPG20115 150 cm black
SPG20120 200 cm black



STAS grip-up end cap set (l/r)
white
SPG90011



STAS grip-up end cap set (l/r)
alu
SPG90015



STAS grip-up end cap set (l/r)
black
SPG90013




STAS papergrip hanger

secure hanging

The STAS papergrip hanger has been specially developed for hanging a whiteboard (with a max. size of 90x120 cm) on the STAS papergrip (mounted with screws), by means of 2 STAS papergrip hangers. The hangers are attached to the whiteboard with screws and then placed on the STAS papergrip, after which the whiteboard is easy to install and move. In addition, the hanger is equipped with a safety lock, so that it cannot be pushed out of the rail when force is exerted on the whiteboard. By mounting stabilizing caps the whiteboard remains stable. This makes the STAS papergrip hanger very suitable for the safe hanging of a whiteboard in educational institutions.

In addition to the whiteboard, other objects can also be hung on the STAS papergrip hanger. For suspending light items such as a small clock, the hanger can be attached with double-sided tape.

- dimensions 3,5 x 9,5 mm
- steel with powder coating
- white
- to the product to be hung
- weight capacity per hanger per meter 20 kg/m
- papergrip hanger set: whiteboard of max. 90 x 120 cm
- 5 years warranty



Parts



STAS papergrip hanger
HA40110



STAS papergrip hanger stabilisation set
PG40110



STAS name tag

a place for every name


The STAS name tag is a clip that can be clicked on the STAS papergrip. Paper can be placed inside this clip. With the STAS name tag, the names of the children can be displayed in the classroom or in your home.

* Templates for printing out the name cards are available on request. Please contact our sales department for more information.

- dimensions 8,7 x 3,7 x 6 mm
- plastic
- black
- to attach on the papergrip



STAS name tag
PG20007



STAS grip-up (on the wall)

extra handy

In addition to being used in combination with the STAS papergrip, the STAS grip-up can also be mounted on the wall to create a wall shelf. The wall shelf allows for an easy presentation of decoration, frames or books.

The STAS grip-up is mounted directly on the wall using the STAS wall clips.

- dimensions 45,3 x 60 mm
- length 50, 100, 150, 200 cm
- aluminium
- white, alu textured or black textured
- wall mountable
- mounting on wall: 4 kg/m
- 5 years warranty



- dimensions profile 14 x 18 mm
- length 21, 30, 42, 50, 60, 70, 84 or 100 cm
- FSC certificated teak wood
- paper thickness 1 mm
- 5 years warranty

Parts


STAS grip-up
SPG10105 50 cm white
SPG10110 100 cm white
SPG10115 150 cm white
SPG10120 200 cm white

SPG30105 50 cm alu
SPG30110 100 cm alu
SPG30115 150 cm alu
SPG30120 200 cm alu

SPG20105 50 cm black
SPG20110 100 cm black
SPG20115 150 cm black
SPG20120 200 cm black



STAS grip-up end cap set (l/r)
white
SPG90011



STAS grip-up end cap set (l/r)
alu
SPG90015



STAS grip-up end cap set (l/r)
black
SPG90013




STAS wall clip for wall mounting
SPG90010
(4 clips per m²)

Set

STAS poster hanger teak
PS20021 21 cm
PS20030 30 cm
PS20042 42 cm
PS20050 50 cm
PS20060 60 cm
PS20070 70 cm
PS20084 84 cm
PS20100 100 cm





STAS suspended ceiling hooks

and double hanger

No more messing around with bending paper clips or tying strings. With the white STAS suspended ceiling hooks, you can hang up children's crafts, festive decorations or lesson material to the suspended ceiling in an instant. All you need to do is slide the hook over the runners of the suspended ceiling.

STAS suspended ceiling hooks are available with an eyelet and with a hook.

The STAS double hanger is a very easy way to hang signing from a drop ceiling in combination with, for example, the STAS drop ceiling hooks.



STAS signtrack

a presentation that sticks

With the STAS signtrack you can easily hang advertising, posters and signage (from 0.2mm to 1mm thick). The STAS signtrack is easy to use, due to the sliding mechanism at the top and bottom. Inserted material remains undamaged and a professional presentation is guaranteed. An indispensable addition for shops, offices, catering, conventions and institutions.

The STAS signtrack can be used with the STAS qubics or with the STAS suspended ceiling hooks (in combination with matching cords) to hang from the ceiling. The STAS sign track can also be used with our many rail systems in combination with the cords with cobra hook for a wall mounting.

- dimensions 12 x 21 mm
- length 42, 60, 80, 100, 120 or 200 cm
- aluminium
- alu
- ceiling- or wall mounting
- paper thickness 0,2 mm till 1 mm
- 5 years warranty



Products



STAS suspended ceiling hook
HA10100 white max 5 kg

STAS suspended ceiling hook for loop
HA10200 white max 5 kg



STAS double hanger

DH10010 double hanger 10 cm alu
DH10025 double hanger 25 cm alu
DH10040 double hanger 40 cm alu
DH10060 double hanger 60 cm alu
DH10080 double hanger 80 cm alu

Set

STAS signtrack set
PS10042 42 cm
PS10060 60 cm
PS10080 80 cm
PS10100 100 cm
PS10120 120 cm
PS10200 200 cm

Parts



STAS signtrack rail



STAS signtrack hook



STAS signtrack end cap



STAS signtrack clamp


STAS signtrack

hanging options

The STAS signtrack can be used with the STAS qubics or with the STAS suspended ceiling hooks (in combination with matching cords) to hang from the ceiling. The STAS sign track can also be used with our many rail systems in combination with the cords with cobra hook for a wall mounting.

For a stone or concrete ceiling

STAS qubic or qubic pro with perlon cord or steel cable with glider.



STAS qubic
TCS1000



STAS qubic pro
TCS1010



STAS perlon
cord with
glider



STAS steel cable
with glider

For more information of the STAS qubic, see page 68.

For a drop ceiling

STAS drop ceiling hook for loop with perlon cord or steel cable with loop.



STAS drop ceiling hook for loop
HA10200 max 5 kg



STAS perlon cord
with loop



STAS steel cable
with loop

For more information of the STAS suspended ceiling hook, see page 48.

For a STAS rail system

STAS rail system in combination with perlon cord or steel cable to match the rail.



STAS cobra
with perlon
cord



STAS cobra
with
steel cable

For more information of the STAS rail systems, see page 6 t/m 21.

STAS poster strips

and poster snaps

hanging without framing




STAS poster strip

The STAS poster strip is a classic poster strip in transparent plastic and is designed to lock posters into position so as to hang them neatly, simply and stylishly. The poster can be slid into the strip from the side.

STAS poster snap

The STAS poster snap is a more luxurious variant to the plastic poster strip, made from high-grade aluminium. This makes the system ideally suited for presenting canvases, fabrics and heavy posters without taking anything away from the style.



The poster does not have to be inserted from the side: simply click the STAS poster snap open and shut at the top and the bottom.

STAS poster strip

- dimensions 6 x 13 mm
- length 30, 42, 50, 60, 70, 84, or 100 cm
- plastic
- transparant
- suitable for paper and cardboard
- 5 years warranty

STAS poster snap

- dimensions 16 x 27 mm
- length 50, 70 or 100 cm
- aluminium
- plastic
- suitable for heavier posters, canvas and fabrics
- 5 years warranty

Products



STAS poster strip
set transparent
PS50030 30 cm
PS50042 42 cm
PS50050 50 cm
PS50060 60 cm

PS50070 70 cm
PS50084 84 cm
PS50110 100 cm



STAS poster snap set alu
PS30050 50 cm
PS30070 70 cm
PS30100 100 cm



STAS picture hits

invisible connection

STAS picture hits are transparent plastic clips that allow you to easily connect photos, cards and other lightweight decorative items to each other and to your STAS rail.

The first clip is screwed into your STAS rail. Then you can slide a photo, card or other decoration into the clip. By sliding a new STAS picture hit on the bottom or side, you can attach another decoration. Step by step, you can create your own unique collage.

STAS picture hits are ideal for temporary or changing decorations, for instance photos, Christmas cards, birthday cards, vacation snaps, streamers and other party or seasonal attributes.

Tip: place the transparent distance strips between the rail and your decoration to hang it a little lower, for example at eye level.

- plastic
- transparant
- to be attached to a STAS rail*
- suitable for paper and thin cardboard
- 5 years warranty



* with the exception of STAS j-rail (max), STAS wooden rail, STAS plasterrail and STAS evoluon

STAS picture hits
BM20350

Contents per set
20 STAS picture hits
(clips)

2 STAS pet strips 50 cm
(transparent distance
strips)



STAS panel hooks

the classic hanging solution

Panel hooks offer a practical solution when you need to hang objects from wall panels, partition walls, doors, cornices, etc.

They are very easy to combine with STAS cords with a loop and a STAS zipper or STAS smartspring. This way, you can create a complete hanging system in an instant, but without the aluminium rail.

Products

STAS offers many different types of panel hooks:



* Only available in combination with STAS perlon cord or steel cable with loop and zipper.

STAS picture hooks and hangers



STAS no-tilt set & frame stabilizer

Beautiful paintings should hang perfectly! Do you have a STAS picture hanging system and does your hanged painting tilt a bit? Hang your painting perfectly flat with the STAS no-tilt set or the frame stabilizer.

STAS no-tilt set

Due to the different openings, small corrections can be made to the suspension cord so that your painting hangs perfectly flat against the wall.

- dimensions 34 x 19 x 16 mm
- stainless steel
- mounting: with 2 hanging hooks with 2 screws on wooden frame or painting with a recessed back, min. 35 cm wide, max. 60 mm thick and min. 18 mm thick.
- weight capacity 10 kg per set
- minimum weight 1,5 kg



STAS no-tilt set
34 x 16 x 19 mm
AT10016

STAS frame stabilizer **NEW**

By hooking the hanging cord behind the clip your picture will hang straight against the wall.

- dimensions 12 x 38 x 2,5 mm
- nickel plated iron
- mounting with 1 screw on a wooden frame or painting of at least 2 cm thick.



STAS frame stabilizer
AT100010



STAS stabilization support set

Beautiful paintings should hang perfectly underneath each other! Do you have a STAS picture hanging system and do your paintings tilt when you want to hang 2 underneath each other? With the STAS stabilization support set they will hang perfectly straight! Simply attach the double-sided tape to the stabilizers and stick them on the back of your painting(s). This set is adjustable in depth so that you can adjust them to size for each unique painting.

- dimensions 63 x 56 mm
- plastic



STAS stabilization support set
SS01100



STAS dibond hanger

The STAS dibond hanger is a self-adhesive aluminum plate with a hook, which can be attached to the back of flat panels. We offer the STAS dibond hanger in various sizes, each with its own carrying capacity. The tape, which is on the back of the STAS dibond hanger, comes from the brand tesa® and is of high quality. With the STAS dibond hanger we supply a special cleaning cloth that should be used to remove grease and dust from the surface.

The STAS dibond hanger is suitable to attach on the back of flat panels such as mirror and art/photos on acrylic, glass, dibond or aluminum*. An attachment to wood or MDF is possible by mounting screws in the existing screw holes of the STAS dibond hanger. This way, the tape attachment of the STAS dibond hanger on flat panels can be reinforced as well.

* Rough, porous or fibrous surfaces (wood/MDF/plasterboard/plaster blocks) and Polypropylene/ Polyethylene (PP/PE) plastics are not suitable for tape-attaching the STAS dibond hanger.

ATTENTION! It is very important that you remove grease and dust from the surface with the supplied cleaning cloth. Let the cleaner dry thoroughly. Then press the STAS dibond hanger firmly for 10 seconds and let it dry for 24 hours before you hang an object.



Products



STAS dibond hanger + installation set
10 kg / 100 x 200 mm
BS30700



STAS dibond hanger + installation set
3 kg / 70 x 70 mm
BS30900



STAS dibond hanger + installation set
6 kg / 100 x 100 mm
BS30800



STAS dibond hanger + installation set
3,5 kg / ø 90 mm
BS30400



STAS dibond hanger + installation set
5 kg / 70 x 140 mm
BS30500



STAS self-adhesive distance caps round
13 mm (per 4 pieces)
MB10080

Sawtooth hangers

Our sawtooth hangers are of sturdy quality and available in different sizes. Mount them on the back of your picture frame with nails or by pressing the tooth hanger into the picture frame.



STAS sawtooth hanger 40mm with nails
(set of 4 pieces)
HW31407-4



STAS sawtooth hanger 67mm with nails
(set of 4 pieces)
HW31410-4



STAS self-fastening tooth hanger
HW31406
HW31406-4 set of 4 pieces




STAS sawtooth hanger 65 mm
TH30065
TH30065-4 set of 4 pieces

Picture frame hangers

NEW

We have a picture frame hanger for any kind of frame. Mount them on the back of your frame and be ensured that your picture hangs well.



STAS d-ring hanger set 43 mm
TH30043-4

STAS d-ring hanger set 54 mm
TH30054-4

STAS d-ring hanger set 90 mm
TH30090-4

STAS d-ring screwhanger 24 mm nickel
TH30020

STAS d-ring screwhanger (4 pieces)
HW31424-4

STAS sliding hook photo frame (4 pieces)
HW31427-4
HW31429-4
HW31447-4
HW31448-4

STAS d-ring screwhanger set with steel wire
HW70500

The STAS stable art systems are versatile picture hooks for mounting on a picture frame. With the M6 threaded opening, different types of screws, bolts or hooks (including STAS stable art hooks) can be attached to hang pictures securely.



STAS stable art hanging system (small)
Weight capacity 30 kg
SA03020

STAS stable art hanging system (large)
Weight capacity 35 kg
SA03010


STAS stable art hook small
SA03030

STAS stable art hook large
SA03050

STAS stable art hook closed
SA03040

Plate hangers

With a plate hanger you can easily hang decorative plates or vinyl records. Available in different sizes and designs.



STAS plate hanger
BH30913 9-13 cm
BH31319 13-19 cm
BH31520 15-20 cm
BH31925 19-25 cm
BH32030 20-30 cm
BH32535 25-35 cm
BH33646 36-46 cm

STAS vinyl hanger
BH30007 7 inch
BH30012 12 inch


Quilt hangers

Our quilt hangers ensure that your tapestry or quilt hangs well without damaging it. Use the quilt hangers in combination with the wide hook and perlon cord.



STAS quilt hangers 30 mm
TH30027

STAS quilt hangers 36 mm
TH20036



STAS wide hook
HA40300

Other hangers

Whether you are looking for a self-adhesive picture hook or a hanger for foam plates. As a hanging specialist, we have a solution for every object.



STAS plastic sawtooth self-adhesive frame hook 50 x 63 mm, weight capacity 1,3 kg (set 4 pieces)
HW31420-4

STAS self-fastening foam board hanger (set 2 pieces)
HW31419-4

STAS picture clip with screw set (2 pieces)
PC10200



STAS security set complete
BS30100



STAS security key
BS30101



STAS picture hanging hooks assorted box
TM10024

Textile frame hangers

The STAS textile frame hangers are handy hangers for hanging tendon cloths and other textiles with a textile frame.



STAS textile frame hanger small (set of 2)
BT1000


STAS textile frame hanger (set of 2)
BT1020

STAS textile frame hanger quare (set of 2)
BT1030




STAS suspension sets

With the many STAS suspension sets, we have a convenient suspension kit for every situation. No need to look for separate parts. The STAS suspension sets are safe and user-friendly suspension kits for hanging lighting, pipes, advertising, route indication, signs, paintings, acoustic panels, shelves and many other objects. All STAS suspension sets consist of 1.5 mm steel cables with a length of 2 meters and can be loaded up to a maximum of 25 kg per set.



Suspension sets with ceiling mount



SCS40101

STAS suspension set with adjustable loop maker

- For different-sized pipes/other objects
- Size adjustable loop maker



SCS40102

STAS suspension set with safety hook

- For lighting, route indication, panels and other objects
- Safety hook with bracket
- Adjustable in height



SCS40103

STAS suspension set with panel hanger (4 mm)


- For advertising, route indication and other panels/objects
- Adjustable in height
- With safety lock



SCS40104

STAS suspension set with panel hanger (10 mm)


- For advertising, route indication and other panels/objects
- Adjustable in height



SCS40105

STAS suspension set with panel hanger (6 mm)

- For advertising, route indication and other panels/objects
- Adjustable in height



SCS40106

STAS suspension set with 2 safety hooks


- For lighting, advertising, panels or other objects
- 2 safety hooks connected with steel cable
- Adjustable in height



SCS40107

STAS suspension set with internal M6 screw thread tilt hook

- For lighting and other objects with that require a tilt
- Adjustable in height
- With safety lock



SCS40108

STAS suspension set with internal M6 screw thread

- For lighting, route indication, panels and other objects
- Adjustable in height



SCS40109

STAS suspension set with external M6 screw thread tilt hook

- For lighting and other objects that require a tilt
- Adjustable in height
- With safety lock



SCS40111

STAS suspension set with eye hook

- For lighting, panels, advertising and other objects
- Adjustable in height
- Can also be used horizontally



SCS40113

STAS suspension set with external M10 cable grip


- For lighting, shelves and other objects
- Adjustable in height



SCS40110

STAS suspension set with external M6 gripper

- For lighting and other objects
- Adjustable in height



SCS40112

STAS suspension set with cross anchors

- For fluorescent lighting or other objects
- 2 cross anchors connected with steel cable
- Adjustable in height



SCS40401

STAS suspension set with safety hook and eye plate (90°)

- For lighting, route indication, panels and other objects
- Safety hook with spring bracket
- Ceiling mount


Suspension sets with loop



SCS40201

STAS suspension set with safety hook

- For different sized pipes or other objects
- Size adjustable loop maker
- Can also be used the other way around





SCS40202 STAS suspension set with safety hook

- For lighting, route indication, panels and other objects
- Fixed loop
- Adjustable in height
- Can also be used the other way around



SCS40203 STAS suspension set with panel hanger (4 mm)

- For advertising, route indication and other panels
- Fixed loop
- Adjustable in height
- With safety lock



SCS40204 STAS suspension set with panel hanger (10 mm)

- For advertising, route indication or other panels/objects up to max. 10 mm thick
- Fixed loop
- Adjustable in height




SCS40205 STAS suspension set with panel hanger (6 mm)

- For advertising, route indication and other panels/objects
- Fixed loop
- Adjustable in height



Suspension sets with adjustable ceiling mount



SCS40301 STAS suspension set with cross anchor


- For fluorescent lighting or other objects
- Single cross anchor
- Adjustable quick ceiling mount with screw



SCS40302 STAS suspension set with loop


- For pipes, panels and other objects
- Fixed loop
- Adjustable quick ceiling mount with screw

Other suspension sets and products



SCS40402 STAS acoustic coil spring

- For acoustic, foam or non-woven/felt panels
- Can be used with the many STAS suspension sets



SCS40404 STAS adjustable loop maker

- For different sizes of pipes or other objects
- Size adjustable loop maker




SCS40418 STAS suspension set with eye plate (90 o) and steel cable

- For lighting, route indication, panels and other objects
- Ceiling mount



SCS40403 STAS drop ceiling clip

- For drop ceilings
- With M5 screw thread for attaching STAS suspension sets without having to drill



SCS40405 STAS adjustable ceiling mount

- Adjustable quick ceiling mount with screw



STAS v-tense & h-tense

combine endlessly

The tensioned cable system can be used flexibly and mounted on walls or ceiling. Horizontally, vertically and diagonally! The possibilities in combination with the STAS qubic, the STAS evoluon and the other STAS rail systems are therefore endless. Consider, for example, applications for the creation of shop windows, the presentation of houses in the real estate sector, displaying menus in restaurants or hanging material in schools or in the office.

STAS v-tense (vertical)

The STAS v-tense is, together with the STAS h-tense, part of the tensioned cable system assortment. The STAS v-tense can be used vertically and is equipped with a glider on both sides. The cables are easy to tighten. In addition, an extra spring has been added to the STAS v-tense so that the wire still offers enough elasticity to hook into a rail with a hook. The STAS v-tense can be combined with various STAS rail systems, the STAS qubic and the STAS evoluon to easily create a wall presentation.

* Also available in a version with a glider on one side and a STAS cobra on the other for hanging options with a STAS rail.




STAS h-tense (horizontal)

The STAS h-tense is, together with the STAS v-tense, part of the tensioned cable system assortment. The STAS h-tense can be used horizontally and is equipped with a glider on both sides. The wire is easy to tighten. The STAS h-tense can be combined with the STAS qubic to easily create a wall presentation.

Content

STAS v-tense
TSBV150 150 cm
TSBV300 300 cm
TSBV450 450 cm

- dimensions 26 x 3 mm
- length 150, 300 or 450 cm
- aluminium
- alu textured
- wall- and ceiling mounting (in combination with the STAS rail, STAS evoluon and STAS qubic)
- 5 years warranty



Content

STAS h-tense
TSBH150 150 cm
TSBH300 300 cm
TSBH450 450 cm

- dimensions 26 x 3 mm
- length 150, 300 or 450 cm
- aluminium
- alu textured
- wall- and ceiling mounting (in combination with the STAS qubic)
- 5 years warranty



STAS v-tense & h-tense

accessories & possibilities

STAS accessories



**STAS frame clamp
(4,5 mm)**
TCS30001



**STAS frame connector
(4,5 mm)**
TCS30002



STAS tense-frame
A4 TCS30010
A3 TCS30016



**STAS frame clamp
(8,5 mm)**
TCS30003



**STAS frame
connector (8,5 mm)**
TCS30004



**STAS shelf clamp
(8,5 mm)**
TCS30005



**STAS shelf
connector (8,5 mm)**
TCS30006



STAS shelf 20 x 30 cm
TCS30025

STAS frame clamp (4,5 mm)

The STAS frame clamp can be screwed onto a tensioned wire. When 2 tensioned wires are mounted next to each other with both a STAS frame clamp, a frame or other material (minimal 1 mm and maximal 4.5 mm thick) can be clamped between them.

STAS frame connector (4,5 mm)

The STAS frame connector can be screwed onto a tensioned wire. The double opening allows several frames or other material (minimal 1 mm and maximal 4.5 mm thick) to be placed next to each other.

STAS tense-frame A4 and A3

The A4 size frame comes with 4 STAS frame clamps (4.5 mm). When 2 tensioned wires are mounted next to each other, the STAS tense frame can be placed between these wires. The frame can be opened at the top so that material can be placed inside. Think, for example, of applications for advertisements or the presentation of houses in real estate. The frame can be closed magnetically.

STAS frame clamp (8,5 mm)

The STAS frame clamp can be screwed onto a tensioned wire. When 2 tensioned wires are mounted next to each other with both a STAS frame clamp, a frame or other material (minimal 4 mm and maximal 8.5 mm thick) can be clamped between them.

STAS frame connector (8,5 mm)

The STAS frame connector can be screwed onto a tensioned wire. The double opening allows several frames (minimal 4 mm and maximal 8.5 mm thick) to be placed next to each other.

STAS shelf clamp (8,5 mm)

The STAS shelf clamp can be screwed on the STAS steel cable with glider (p.35). When 4 sets of STAS steel cables with glider are mounted with 4 STAS shelf clamps, a STAS shelf can be placed in between to create shelves.

STAS shelf connector (8,5 mm)

The STAS shelf connector can be screwed onto the STAS steel cable with glider (p.35). Thanks to the double opening, several STAS shelves can be placed next to each other in order to create shelves.

STAS shelf

The STAS shelf is a plexiglass shelf of 20 x 30 cm. With the help of 4 STAS shelf clamps, this shelf can be attached to 4 sets of STAS steel cable with glider (p.35) in order to create shelves. (other dimensions available upon request)



STAS security hook
HA30600



STAS signage clip
TCS30007



STAS metal clips
MC10100



STAS distance clamp
TCS30009

STAS security hook

The STAS security hook is a hook that can be used with the STAS v-tense. The STAS security hook can be placed before as well as after mounting the tensioned wire by means of a rotary wheel behind the hook.

STAS signage clip

The STAS signage clip can be screwed onto a STAS steel cable with glider and then placed in the STAS cubic. Signs with a minimum thickness of 2 mm and a maximum of 7 mm can be clamped in the STAS signage clip.

* Can also be used with STAS steel cable with loop and STAS drop ceiling hook.

STAS metal clips

These metal clips are suitable for hanging various materials on the STAS h-tense. Think of hanging alphabet letter tiles, posters, drawings, decorations, all kinds of papers and light objects.

STAS distance clamp

The STAS distance clamp can be screwed onto a tensioned wire. The front part can be loosened, after which this part can be pushed through the drill holes of a frame, plate or other object. The 2 pieces can be tightened again. Due to the extended back, the STAS distance clamp ensures that the wall object hangs stable and with a same distance from the wall.



STAS tense LED frame
TCS30015

STAS tense LED frame

The A4 size LED frame comes with 4 attached clamps. When 2 tensioned wires are mounted next to each other, the STAS tense LED frame can be placed between the wires. Material can be placed in the frame by removing and replacing a transparent magnetic plate.

STAS tense 12V power (60W)

The STAS tense 12V power is an adapter that can be used to power the STAS tense LED frame with 60W power. A maximum of 12 LED frames* can be connected to this adapter.

* max. 12 LED frames connected on 2 tensioned wires. If you want to use more than 12 LED frames and / or more than 2 tensioned wires, it is necessary to use multiple adapters.



STAS tense 12V power
VT30600

Applications




**STAS frame clamp
(4,5 mm)**



**STAS frame
connector (4,5 mm)**




**STAS frame
clamp (8,5 mm)**



**STAS frame
connector (8,5 mm)**



**STAS shelf clamp
(8,5 mm)**



**STAS shelf connector
(8,5 mm)**



STAS signage clip




**STAS distance
clamp**

STAS v-tense & h-tense

accessories & possibilities

Options STAS v-tense



STAS qubic, STAS v-tense, STAS tense frame & STAS frame clamps

STAS qubic, STAS v-tense, STAS tense frame & STAS frame clamps

STAS qubic, STAS v-tense, STAS evoluon, STAS tense frame & STAS frame clamps

STAS evoluon, STAS v-tense, STAS security hook & STAS kliq frame

STAS cliprail, STAS qubic, STAS v-tense, STAS security hook & decorative photo frames

STAS j-rail, STAS v-tense, STAS frame clamps & presentation board

STAS qubic, STAS v-tense & STAS tense LED frame

STAS qubic ceiling mounting, STAS shelf clamp & STAS shelves

Options STAS signage clip



STAS signage clip & steel cable with loop. (to be used with the STAS suspended ceiling hook for loop)

STAS signage clip, steel cable with glider & STAS qubic.



Options STAS h-tense



STAS h-tense, STAS qubic, STAS metal clips, alphabet letter tiles



STAS h-tense, STAS qubic, STAS tense frame & STAS frame clamps



STAS qubic


flexible in all directions

The STAS qubic is a compact and square hanging system, suitable for hard walls such as stone or concrete. Do not underestimate the STAS qubic by its size, because that is exactly what's so convenient about this hanging system.

The STAS qubic is suitable for one hanging point and can be easily installed in the more difficult places. Think of a stairwell, a slanted ceiling or a pillar. The STAS qubic can be mounted in many different ways and therefore the cords can also be hooked in many possible ways.

The versatility of the STAS qubic makes it an indispensable hanging system for difficult places with hard walls.

- dimensions 22 x 22 x 24 mm
- aluminium
- alu textured
- ceiling- and wall mounting
- weight capacity 15 kg/m
- 5 years warranty



Parts

STAS qubic
TCS1000 alu textured



STAS qubic end cap
TCS9002 black



STAS screw qubic
SJ30200



STAS plug
SR50700



wall mounting STAS qubic pro



ceiling mounting STAS qubic pro



STAS qubic pro

flexible in all directions

The STAS qubic pro works the same as the STAS qubic, but is suitable for soft walls such as plaster and sand-lime brick. The mounting plate can be installed with 2 screws which provides extra reinforcement of the STAS qubic pro in the soft wall.

Just like the STAS qubic, the STAS qubic pro can be used in the more difficult places. The versatility of the STAS qubic pro makes it an indispensable hanging system for difficult places with soft walls.

- dimensions 50 x 50 x 24 mm
- aluminium
- alu textured
- ceiling- and wall mounting
- weight capacity 20 kg/m
- 5 years warranty



SCAN FOR MANUAL

Parts

STAS qubic pro
TCS1010 alu textured



STAS qubic end cap black
TCS9002



STAS screw qubic pro
SJ30100



STAS plug
SR50700



wall mounting STAS qubic pro



ceiling mounting STAS qubic pro



STAS paperrail

marbles put to good use

STAS paperrail is an aluminium rail used to hang loose papers. The rail contains glass marbles, which press against the paper, creating a handy clamping mechanism.

You can slide drawings, announcements and photos into the rail with a single move and remove them again without any damage to the paper. Papers can also be placed on top of the rail.

Ideal for use in classrooms, offices, restaurants and even at home above the kitchen table. The STAS paperrail is mounted directly onto the wall.

- dimensions 21 x 48,5 mm
- length 50, 100 or 200 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- 5 years warranty



SCAN FOR MANUAL



STAS paperrail
KN10005 50 cm white
KN10010 100 cm white
KN10020 200 cm white

KN30005 50 cm alu
KN30010 100 cm alu
KN30020 200 cm alu



STAS plug
SR50700




STAS screw
torx
SR30600



STAS paperrail
connector set
KN30100

Index

Complementary products



STAS clocktica & tunica

72

STAS TV hanger

73

STAS eyecatcher

73



STAS clocktica

& STAS tunica

The STAS clocktica is a silent design clock that can be hooked into almost any STAS picture rail system.* The clock works on batteries and is made of sturdy steel. The STAS clocktica is suitable for educational institutions, for in the office or for your own home. Complete your interior with this flexible design clock!

STAS tunica is a stylish coat hook system that easily fits into almost all STAS rails*. Now your wall not only has a decorative purpose, but a practical one as well. The coat hook is sturdy, but also easily and endlessly moveable. The STAS tunica has a neutral design and features two coat hooks.

*With the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

STAS clocktica

- dimensions 25 cm wide
- length 43 or 95 cm
- powdercoated steel
- white textured, black textured
- 5 years warranty

STAS tunica

- dimensions 15 cm wide x 5,2 cm depth
- mounting strip: 5 cm wide
- length 95 cm
- powdercoated steel with 2 hooks
- white or black
- 10 kg per hook
- 5 years warranty

Products

STAS clocktica white
KH40430W 43 cm white
KH40950W 95 cm white

KH40430Z 43 cm black
KH40950Z 95 cm black



STAS tunica
KH40095W 95 cm white
KH40095Z 95 cm black



STAS TV hanger

With the STAS TV hanger, drilling into the wall to hang your TV is a thing of the past! With the STAS TV hanger you don't have to make a final decision about the location of your TV because you'll be able to move the hanger to another place in your rail system* really easily. In addition, your TV will always hang straight. The STAS TV hanger is suitable for TVs from 26" to 55" and for TV's with a VESA size from 75x75, 100x100, 200x200 and 400x400.

The black TV bracket is mounted at a suitable height on the white hangers with the supplied screws and the vertical brackets are mounted on the back of your TV. You can easily hang your TV by clicking it on the mounted TV bracket.

* The STAS TV hanger with cobra end can be used with the STAS minirail, STAS cliprail (max and pro), STAS multirail (max, crown and flat), STAS u-rail (multi), STAS prorail (max, crown and flat), STAS drop ceiling rail and the STAS plasterboard rail. When mounting your TV, always take into account the maximum load of your picture hanging system.

- dimensions 150 cm x 40 cm
- aluminium
- white textured with black TV bracket
- suitable for TV's from 26" to 55" and for TV's with a VESA size from 75x75, 100x100, 200x200 and 400x400.
- 5 years warranty

STAS tv hanger
TV10150 white



STAS eyecatcher

Never lose your glasses again with the STAS eyecatcher!

With this eyeglass holder you will always have your glasses directly at hand. The eyeglass holder is equipped with 4 strong neodymium magnets* that keep the clip in place without clumsy glasses cords or holes in clothing. The STAS eyecatcher is an eyeglass holder that is suitable for reading glasses, sunglasses and computer glasses. A nice gift for yourself, your loved ones or as a promotional gift!

* Note: This product contains strong magnets, so we do not recommend people with a pacemaker or ICD to use this product.



STAS eyecatcher
MA20010C chrome


















STAS eyecatcher
MA20010B black














STAS eyecatcher
MA20010G gold



Profile drawings





Product index

article code	product description	page nr.
Rail systems		
STAS minirail		
RM10150	minirail white 150 cm	6
RM10120	minirail white 200 cm	6
RM10130	minirail white 300 cm	6
RM30150	minirail alu 150 cm	6
RM30120	minirail alu 200 cm	6
RM30130	minirail alu 300 cm	6
RM20150	minirail black 150 cm	6
RM20120	minirail black 200 cm	6
RM20130	minirail black 300 cm	6
RD10200	minirail rail connector	6
RY10200	minirail combi cap** white	6
RY30200	minirail combi cap** alu	6
RY20200	minirail combi cap** black	6
SR10200	minirail clipscrew torx	6
SR50700	plug 6 x 30 mm hard / soft wall	6

STAS cliprail		
RC10315	cliprail white 150 cm	7
RC10320	cliprail white 200 cm	7
RC10330	cliprail white 300 cm	7
RC30115	cliprail alu 150 cm	7
RC30120	cliprail alu 200 cm	7
RC30130	cliprail alu 300 cm	7
RC20115	cliprail black 150 cm	7
RC20120	cliprail black 200 cm	7
RC20130	cliprail black 300 cm	7
RD10300	cliprail end cap white	7
RD30300	cliprail end cap alu	7
RD20300	cliprail end cap black	7
RD10400	cliprail corner cap white	7
RD30400	cliprail corner cap alu	7
RD20700	cliprail corner cap black	7
RD40100	railclip (metal, 3 per m²)	7
RD40200	rail connector (metal)	7
SR30600	screw torx	7
SR50700	plug 6 x 30 mm hard / soft wall	7

STAS cliprail max		
RC10215	cliprail max white 150 cm	8
RC10220	cliprail max white 200 cm	8
RC10230	cliprail max white 300 cm	8
RC30215	cliprail max alu 150 cm	8
RC30220	cliprail max alu 200 cm	8
RC30230	cliprail max alu 300 cm	8
RC20215	cliprail max black 150 cm	8

article code	product description	page nr.
RC20220	cliprail max black 200 cm	8
RC20230	cliprail max black 300 cm	8
RY10100	cliprail max combi cap** white	8
RY30100	cliprail max combi cap** alu	8
RY20300	cliprail max combi cap** black	8
RD40100	railclip (metal, 3 per m²)	8
RD40200	rail connector (metal)	8
SR30600	screw torx	8
SR50700	plug 6 x 30 mm hard / soft wall	8

STAS cliprail pro		
VC10150	cliprail pro white 150 cm	9
VC10200	cliprail pro white 200 cm	9
VC10300	cliprail pro white 300 cm	9
VC30150	cliprail pro alu 150 cm	9
VC30200	cliprail pro alu 200 cm	9
VC30300	cliprail pro alu 300 cm	9
VC20150	cliprail pro black 150 cm	9
VC20200	cliprail pro black 200 cm	9
VC20300	cliprail pro black 300 cm	9
VE10200	cliprail pro end cap white	9
VE30200	cliprail pro end cap alu	9
VE20200	cliprail pro end cap black	9
VD10400	cliprail pro corner cap white	9
VD30400	cliprail pro corner cap alu	9
VD20400	cliprail pro corner cap black	9
RD40100	railclip (metal, 3 per m²)	9
RD40200	rail connector (metal)	9
SR30600	screw torx	9
SR50700	plug 6 x 30 mm hard / soft wall	9

STAS plasterrail		
PR30200	plasterrail 200 cm (including safety strip)	10

STAS j-rail		
RJ10115	j-rail white 150 cm (4 holes per m²)	11
RJ10120	j-rail white 200 cm (4 holes per m²)	11
RJ10130	j-rail white 300 cm (4 holes per m²)	11
RJ30115	j-rail alu 150 cm (4 holes per m²)	11
RJ30120	j-rail alu 200 cm (4 holes per m²)	11
RJ30130	j-rail alu 300 cm (4 holes per m²)	11
SJ10100	j-rail screw flush head white	11
SJ30100	j-rail screw flush head alu	11
SR50700	plug 6 x 30 mm hard / soft wall	11

STAS j-rail max		
RJ10215	j-rail max white 150 cm (4 holes per m²)	12

article code	product description	page nr.
RJ10220	j-rail max white 200 cm (4 holes per m²)	12
RJ10230	j-rail max white 300 cm (4 holes per m²)	12
RJ30215	j-rail max alu 150 cm (4 holes per m²)	12
RJ30220	j-rail max alu 200 cm (4 holes per m²)	12
RJ30230	j-rail max alu 300 cm (4 holes per m²)	12
SJ10200	j-rail max screw sunk head white	12
SJ30200	j-rail max screw sunk head alu	12
SR50700	plug 6 x 30 mm hard / soft wall	12

STAS u-rail		
RP10115	u-rail white 150 cm (8 holes per m²)	13
RP10120	u-rail white 200 cm (8 holes per m²)	13
RP10130	u-rail white 300 cm (8 holes per m²)	13
RP30115	u-rail alu 150 cm (8 holes per m²)	13
RP30120	u-rail alu 200 cm (8 holes per m²)	13
RP30130	u-rail alu 300 cm (8 holes per m²)	13
RP20115	u-rail black 150 cm (8 holes per m²)	13
RP20120	u-rail black 200 cm (8 holes per m²)	13
RP20130	u-rail black 300 cm (8 holes per m²)	13
SP10100	u-rail screw white	13
SP20100	u-rail screw black	13
SP30100	u-rail screw alu	13

STAS windsor & riva		
RP50220	windsor 120 cm	14
RP50224	windsor 240 cm	14
RP50120	riva 120 cm	14
RP50124	riva 240 cm	14

STAS evoluon		
TCS30020	STAS evoluon 200 cm (4 holes per m²)	15
TCS9012	distance holder evoluon	15
TCS9016	STAS evoluon hook	15
TCS9020	bending mold evoluon	15
SJ30300	evluon screw 4 x 45 flush head	15
SR50700	plug 6 x 30 mm hard / soft wall	15

STAS drywallXpress		
RD40400	STAS drywallXpress clip	16
RD40501	STAS drywallXpress tool	16
RD40600	STAS drywallXpress set (100 x) + 1 x tool	16
RT40200	STAS drywallXpress rail connector	16

STAS separate rail parts		
PS50105	rail installation kit 2 m¹ (6 x clip/screw/plug)	
RD10100	railclip plastic	

article code	product description	page nr.
STAS plasterboard rail		
PC10120	plasterboard rail 9,5 mm - 200 cm (5 holes per m²)	17
PC10130	plasterboard rail 9,5 mm - 300 cm (5 holes per m²)	17
PC10020	plasterboard rail 12,5 mm - 200 cm (5 holes per m²)	17
PC10030	plasterboard rail 12,5 mm - 300 cm (5 holes per m²)	17
PC10170	inside corner profile 9,5 mm (with corner connector)	17
PC10070	inside corner profile 12,5 mm (with corner connector)	17
PC10180	outside corner profile 9,5 mm (with corner connector)	17
PC10080	outside corner profile12,5 mm (with corner connector)	17
RD20400	rail connector	17
RD20500	corner connector	17
SR10400	hammer fixing plug (5 per m²)	17

STAS drop ceiling rail		
GC10020	drop ceiling rail 200 cm	18
GC10030	drop ceiling rail 300 cm	18
GC10070	inside corner profile (with corner connector)	18
GC10080	outside corner profile (with corner connector)	18
RD20400	rail connector	18
RD20500	corner connector	18
SR10400	hammer fixing plug (5 per m²)	18

STAS prorail flat		
RH10510	prorail flat white 100 cm (4 holes per m²) *	19
RH10515	prorail flat white 150 cm (4 holes per m²) *	19
RH10520	prorail flat white 200 cm (4 holes per m²) *	19
RH10530	prorail flat white 300 cm (4 holes per m²) *	19
RD20500	prorail flat corner connector white	19
RD20400	prorail flat rail connector	19
SJ10200	multirail flat screw	19
SR50700	plug 6 x 30 mm hard / soft wall	19

STAS prorail max		
RM10415	prorail max white 150 cm *	20
RM10420	prorail max white 200 cm *	20
RM10430	prorail max white 300 cm *	20
RM30415	prorail max alu 150 cm *	20
RM30420	prorail max alu 200 cm *	20
RM30430	prorail max alu 300 cm *	20
VE10400	prorail max end cap white	20
VE30400	prorail max end cap alu	20
VD20500	prorail max corner cap white	20
VD30500	prorail max corner cap alu	20
RD40100	railclip (metal, 3 per m²)	20
RD40200	rail connector (metal)	20
SR30600	screw torx	20
SR50700	plug 6 x 30 mm hard / soft wall	20

article code	product description	page nr.
STAS prorail crown		
RH10415	prorail crown white 150 cm (4 holes per m²) *	21
RH10420	prorail crown white 200 cm (4 holes per m²) *	21
RH10430	prorail crown white 300 cm (4 holes per m²) *	21
RD20500	multirail crown corner connector white	21
RD20400	multirail crown rail connector	21
SJ10200	multirail crown screw white	21
SR50700	plug 6 x 30 mm hard / soft wall	21

Rail systems with lighting		
STAS multirail		
VH10150	multirail white 150 cm	23
VH10200	multirail white 200 cm	23
VH10300	multirail white 300 cm	23
VH30150	multirail alu 150 cm	23
VH30200	multirail alu 200 cm	23
VH30300	multirail alu 300 cm	23
VC20150	multirail black 150 cm	23
VC20200	multirail black 200 cm	23
VC20300	multirail black 300 cm	23
VE10200	multirail end cap white	23
VE30200	multirail end cap alu	23
VE20200	multirail end cap black	23
VD10400	multirail corner cap white	23
VD30400	multirail corner cap alu	23
VD20400	multirail corner cap black	23
VF50200	multirail conductor 12 V straight	23
VF50100	multirail conductor 12 V corner	23
RD40100	railclip (metal, 3 per m²)	23
RD40200	rail connector (metal)	23
SR30600	screw torx	23
SR50700	plug 6 x 30 mm hard / soft wall	23

STAS multirail max		
VC10415	multirail max white 150 cm	24
VC10420	multirail max white 200 cm	24
VC10430	multirail max white 300 cm	24
VC30415	multirail max alu 150 cm	24
VC30420	multirail max alu 200 cm	24
VC30430	multirail max alu 300 cm	24
VE10400	multirail max end cap white	24
VE30400	multirail max end cap alu	24
VD20500	multirail max corner cap white	24
VD30500	multirail max corner cap alu	24
VF50200	multirail conductor 12 V straight	24
VF50100	multirail conductor 12 V corner	24
RD40100	railclip (metal, 3 per m²)	24

article code	product description	page nr.
RD40200	rail connector (metal)	24
SR30600	screw torx	24
SR50700	plug 6 x 30 mm hard / soft wall	24

STAS multirail crown		
RC10420	multirail crown white 200 cm (4 holes per m²)	25
RC10430	multirail crown white 300 cm (4 holes per m²)	25
RD20500	multirail crown corner connector white	25
RD20400	multirail crown rail connector	25
VF50200	multirail conductor 12 V straight	25
VF50100	multirail conductor 12 V corner	25
SJ10200	multirail crown screw white	25
SR50700	plug 6 x 30 mm hard / soft wall	25

STAS multirail flat		
RC10520	multirail flat white 200 cm (4 holes per m²)	26
RC10530	multirail flat white 300 cm (4 holes per m²)	26
RD20500	multirail flat corner connector white	26
RD20400	multirail flat rail connector	26
VF50200	multirail conductor 12 V straight	26
VF50100	multirail conductor 12 V corner	26
SJ10200	multirail flat screw	26
SR50700	plug 6 x 30 mm hard / soft wall	26

STAS e-smart		
VA15516	multirail fixture 'classic' GU5.3 + Wi-Fi smart led white 50 cm 5W	27
VA15716	multirail fixture 'classic' GU5.3 + Wi-Fi smart led white 70 cm 5W	27
VA35516	multirail fixture 'classic' GU5.3 + Wi-Fi smart led chrome 50 cm 5W	27
VA35716	multirail fixture 'classic' GU5.3 + Wi-Fi smart led chrome 70 cm 5W	27
VA35416	multirail fixture 'sirius' chrome MR16 GU5.3 + Wi-Fi smart-led white 40 cm 5W	27
VA35616	multirail fixture sirius chrome MR16 GU5.3 + Wi-Fi smart-led white 50 cm 5W	27
VT40800	remote control for STAS Wi-Fi smart-led	27
VT30700	Wi-Fi smartplug	28

STAS multirail accessories		
VL10200	multirail LED spot 3,5 W 27°	29
VL10900	multirail LED spot 3,5 W 95°	29
VA10500	multirail fixture classic white 50 cm	29
VA10700	multirail fixture classic white 70 cm	29
VA30500	multirail fixture classic chrome 50 cm	29
VA30700	multirail fixture classic chrome 70 cm	29
VA30365	multirail fixture sirius chrome 40 cm	29
VA30465	multirail fixture sirius chrome 50 cm	29
VA30665	multirail fixture sirius chrome 65 cm	29
VA30770	multirail fixture signo chrome 70 cm	29
VT20500	multirail adapter 18 W	30
VT20036	multirail adapter 36 W	30
VT20084	multirail adapter 84 W	30

** combicap: 2 x end cap/1 x corner cap

* rail without 12 V conductor

Product index

article code	product description	page nr.
Hooks and cords for rail systems		
		31
STAS hooks and cords		
		32
HA30900	smartspring (4 kg perlon)	32
HA30501	zipper (15 kg perlon + 20 kg steel)	32
HA30530	zipper pro (15 kg perlon + 20 kg steel)	32
CP10110	cobra + perlon cord 100 cm	32
CP10115	cobra + perlon cord 150 cm	32
CP10120	cobra + perlon cord 200 cm	32
CP10125	cobra + perlon cord 250 cm	32
CP10130	cobra + perlon cord 300 cm	32
CP10140	cobra + perlon cord 400 cm	32
SC10110	cobra + steel cable 100 cm	32
SC10115	cobra + steel cable 150 cm	32
SC10120	cobra + steel cable 200 cm	32
SC10125	cobra + steel cable 250 cm	32
SC10130	cobra + steel cable 300 cm	32
SC10140	cobra + steel cable 400 cm	32
SC10220	cobra + steel cable white 200 cm (10 kg zipper)	32
SC20220	cobra + steel cable black 200 cm (10 kg zipper)	32
BM20330	blister 2 x smartspring	
BM20340	blister 2 x zipper	
BM20310	blister 2 x cobra + perlon cord 150 cm	
BM20320	blister 2 x cobra + steel cable 150 cm	
BM10280	blister cobra+perlon cord 150 cm+smartspring	
BM10230	blister cobra+perlon cord 150 cm+zipper	
BM10290	blister cobra+steel cable 150 cm+zipper	
PK10100	perlon cord on roll 100 m ¹	
STAS j-rail hooks, cords and rods		
		33
HA30900	smartspring (4 kg perlon)	33
HA30501	zipper (15 kg perlon + 20 kg steel)	33
HA30530	zipper pro (15 kg perlon + 20 kg steel)	33
PH10110	perlon cord with glider 100 cm	33
PH10115	perlon cord with glider 150 cm	33
PH10120	perlon cord with glider 200 cm	33
PH10125	perlon cord with glider 250 cm	33
PH10130	perlon cord with glider 300 cm	33
PH10145	perlon cord with glider 450 cm	33
SH10110	steel cable with glider 100 cm	33
SH10115	steel cable with glider 150 cm	33
SH10120	steel cable with glider 200 cm	33
SH10125	steel cable with glider 250 cm	33
SH10130	steel cable with glider 300 cm	33
SH10145	steel cable with glider 450 cm	33
HR10600	j-rail cylinder hook white	33
HR30600	j-rail cylinder hook alu	33
SO10110	j-rail rod 3 mm white 100 cm	33

article code	product description	page nr.
SO10115	j-rail rod 3 mm white 150 cm	33
SO10120	j-rail rod 3 mm white 200 cm	33
SO10130	j-rail rod 3 mm white 300 cm	33
SO30110	j-rail rod 3 mm alu 100 cm	33
SO30115	j-rail rod 3 mm alu 150 cm	33
SO30120	j-rail rod 3 mm alu 200 cm	33
SO30130	j-rail rod 3 mm alu 300 cm	33
PL10110	perlon cord with loop 100 cm	32
PL10115	perlon cord with loop150 cm	32
PL10120	perlon cord with loop 200 cm	32
PL10125	perlon cord with loop 250 cm	32
PL10130	perlon cord with loop 300 cm	32
SL10110	steel cable with loop 100 cm	32
SL10115	steel cable with loop 150 cm	32
SL10120	steel cable with loop 200 cm	32
SL10125	steel cable with loop 250 cm	32
SL10130	steel cable with loop 300 cm	32
HA30700	j-rail spring hook for rod 3 mm (15 kg)	33
HR10400	j-rail S-hook white (for cord with loop)	33
HR30400	j-rail S-hook chrome (for cord with loop)	33
STAS j-rail max hooks en rods		
		34
SM10110	j-rail max rod 4x4 white 100 cm	34
SM10115	j-rail max rod 4x4 white 150 cm	34
SM10120	j-rail max rod 4x4 white 200 cm	34
SM10125	j-rail max rod 4x4 white 250 cm	34
SM30110	j-rail max rod 4x4 alu 100 cm	34
SM30115	j-rail max rod 4x4 alu 150 cm	34
SM30120	j-rail max rod 4x4 alu 200 cm	34
SM30125	j-rail max rod 4x4 alu 250 cm	34
SM10210	j-rail max rod 4x10 white 100 cm	34
SM10215	j-rail max rod 4x10 white 150 cm	34
SM10220	j-rail max rod 4x10 white 200 cm	34
SM10225	j-rail max rod 4x10 white 250 cm	34
HA40600	j-rail max hook for rod 4x4 (40 kg)	34
HA40500	j-rail max hook for rod 4x10 (100 kg)	34
BK10200	4x4 security set, collar + cap	34
HA40700	j-rail max security hook (40 kg)	34
STAS plasterrail hooks and cords		
		35
HA30900	smartspring (4 kg perlon)	35
HA30501	zipper (15 kg perlon + 20 kg steel)	35
HA30530	zipper pro (15 kg perlon + 20 kg steel)	35
PR90001	plasterrail hook	35
PH10110	perlon cord with glider 100 cm	35
PH10115	perlon cord with glider 150 cm	35
PH10120	perlon cord with glider 200 cm	35

article code	product description	page nr.
PH10125	perlon cord with glider 250 cm	35
PH10130	perlon cord with glider 300 cm	35
PH10145	perlon cord with glider 450 cm	35
SH10110	steel cable with glider 100 cm	35
SH10115	steel cable with glider 150 cm	35
SH10120	steel cable with glider 200 cm	35
SH10125	steel cable with glider 250 cm	35
SH10130	steel cable with glider 300 cm	35
SH10145	steel cable with glider 450 cm	35
STAS windsor & riva hooks and cords		
		36
HA30900	smartspring (4 kg perlon)	36
HA30501	zipper (15 kg perlon + 20 kg steel)	36
HA30530	zipper pro (15 kg perlon + 20 kg steel)	36
PL10110	perlon cord with loop 100 cm	36
PL10115	perlon cord with loop 150 cm	36
PL10120	perlon cord with loop 200 cm	36
PL10125	perlon cord with loop 250 cm	36
PL10130	perlon cord with loop 300 cm	36
SL10110	steel cable with loop 100 cm	36
SL10115	steel cable with loop 150 cm	36
SL10120	steel cable with loop 200 cm	36
SL10125	steel cable with loop 250 cm	36
SL10130	steel cable with loop 300 cm	36
HW10200	hook windsor white	36
HW30200	hook windsor alu	36
HW60200	hook windsor gold	36
HW50700	hook riva	36
STAS evoluon & qubic hooks and cords		
		37
HA30900	smartspring (4 kg perlon)	37
HA30501	zipper (15 kg perlon + 20 kg steel)	37
HA30530	zipper pro (15 kg perlon + 20 kg steel)	37
PH10110	perlon cord with glider 100 cm	37
PH10115	perlon cord with glider 150 cm	37
PH10120	perlon cord with glider 200 cm	37
PH10125	perlon cord with glider 250 cm	37
PH10130	perlon cord with glider 300 cm	37
PH10145	perlon cord with glider 450 cm	37
SH10110	steel cable with glider 100 cm	37
SH10115	steel cable with glider 150 cm	37
SH10120	steel cable with glider 200 cm	37
SH10125	steel cable with glider 250 cm	37
SH10130	steel cable with glider 300 cm	37
SH10145	steel cable with glider 450 cm	37

article code	product description	page nr.
Magnetic hanging solutions		
		39
BM20360	magnet set	40
MB10050	white magnets (10 pieces)	40
BM20370	coloured magnet set	40
MB10040	coloured magnets (10 pieces)	40
BM20380	magnet set 2-in-1 (<i>cobra</i> + <i>loop</i>)	40
Other hanging solutions		
		41
STAS papergrip		
		42
PG10105	papergrip white 50 cm	42
PG10110	papergrip white 100 cm	42
PG10115	papergrip white 150 cm	42
PG10120	papergrip white 200 cm	42
PG15005	papergrip white textured 50 cm	42
PG15010	papergrip white textured 100 cm	42
PG15015	papergrip white textured 150 cm	42
PG15020	papergrip white textured 200 cm	42
PG30105	papergrip alu textured 50 cm	42
PG30110	papergrip alu textured 100 cm	42
PG30115	papergrip alu textured 150 cm	42
PG10120	papergrip alu textured 200 cm	42
PG20105	papergrip black textured 50 cm	42
PG20110	papergrip black textured 100 cm	42
PG20115	papergrip black textured 150 cm	42
PG20120	papergrip black textured 200 cm	42
PG30310	papergrip alu 100 cm	42
PG30315	papergrip alu 150 cm	42
PG30320	papergrip alu 200 cm	42
PG90001	papergrip end cap white	42
PG90003	papergrip end cap alu	42
PG90002	papergrip end cap black	42
HA40410	papergrip hook white	42
HA40412	papergrip hook alu	42
HA40411	papergrip hook black	42
RD40100	railclip (metal, 3 per m ²)	42
RD40200	rail connector (metal)	42
SR30600	screw torx	42
SR50700	plug 6 x 30 mm hard / soft wall	42
STAS grip-up		
		43
SPG10105	grip-up white 50 cm	43
SPG10110	grip-up white 100 cm	43
SPG10115	grip-up white 150 cm	43
SPG10120	grip-up white 200 cm	43
SPG30105	grip-up alu 50 cm	43
SPG30110	grip-up alu 100 cm	43
SPG30115	grip-up alu 150 cm	43

article code	product description	page nr.
SPG30120	grip-up alu 200 cm	43
SPG20105	grip-up black 50 cm	43
SPG20110	grip-up black 100 cm	43
SPG20115	grip-up black 150 cm	43
SPG20120	grip-up black 200 cm	43
SPG90011	grip-up end cap set l+r white	43
SPG90015	grip-up end cap set l+r alu	43
SPG90013	grip-up eindkap set l+r black	43
SPG90010	grip-up wall clip for wall mounting (4 clips per m ²)	46
STAS papergrip hanger		
		44
HA40110	papergrip hanger	44
PG40110	papergrip hanger stabilisation set	44
STAS name tag		
		45
PG20007	name tag	45
STAS poster hanger teak		
		47
PS20021	posterhanger teak 21 cm	47
PS20030	posterhanger teak 30 cm	47
PS20042	posterhanger teak 42 cm	47
PS20050	posterhanger teak 50 cm	47
PS20060	posterhanger teak 60 cm	47
PS20070	posterhanger teak 70 cm	47
PS20084	posterhanger teak 84 cm	47
PS20100	posterhanger teak 100 cm	47
Suspended ceiling hooks		
		48
HA10100	suspended ceiling hook white	48
HA10200	suspended ceiling hook for cords with loop	48
STAS double hanger		
		48
DH10010	double hanger 10 cm alu	48
DH10025	double hanger 25 cm alu	48
DH10040	double hanger 40 cm alu	48
DH10060	double hanger 60 cm alu	48
DH10080	double hanger 80 cm alu	48
STAS signtrack		
		49
PS10042	signtrack set 42 cm	49
PS10060	signtrack set 60 cm	49
PS10080	signtrack set 80 cm	49
PS10100	signtrack set 100 cm	49
PS10120	signtrack set 120 cm	49
PS10200	signtrack set 200 cm	49

article code	product description	page nr.
STAS poster strips and snaps		
		51
PS50030	poster strip set transparant 30 cm	51
PS50042	poster strip set transparant 42 cm	51
PS50050	poster strip set transparant 50 cm	51
PS50060	poster strip set transparant 60 cm	51
PS50070	poster strip set transparant 70 cm	51
PS50084	poster strip set transparant 84 cm	51
PS50110	poster strip set transparant 100 cm	51
PS30050	poster snap set alu 50 cm	51
PS30070	poster snap set alu 70 cm	51
PS30100	poster snap set alu 100 cm	51
STAS picture hits		
		52
BM20350	picture hits	52
STAS panel hooks		
		53
HW10300	panel hook white 11 mm	53
HW10400	panel hook white 16 mm	53
HW10600	panel hook white 18 mm	53
HW10500	panel hook white 21 mm	53
HW10700	panel hook white 26 mm	53
HW10800	panel hook white 31 mm	53
HW30700	panel hook alu interselect	53
HW30800	panel hook alu lux window frame	53
HW50100	panel hook transparant alcoa	53
HW30300	panel hook alu verwol type 1*	53
HW30400	panel hook alu verwol type 2	53
HW30500	panel hook alu sepa normal	53
HW10200	molding hook white	53
HW30200	molding hook alu	53
HW60200	molding hook gold	53
HW50400	panel hook askon chrome	53
HW50500	panel hook PE transparant	53
HW50600	panel hook maars	53
HW30600	wandhaak alu sepa lux	53
HW1000	wandhaak TB	53
STAS picture hooks and hangers		
		54
AT10016	no-tilt set	54
AT100010	frame stabilizer	54
SS01100	stabilization support set	54
BS30900	dibond hanger set 70 x 70 mm, 3 kg	55
BS30800	dibond hanger set 100 x 100 mm, 6 kg	55
BS30500	dibond hanger set 70 x 140 mm, 6 kg	55
BS30700	dibond hanger set 100 x 200 mm, 12 kg	55
BS50400	dibond hanger set ø 90, 3,5 kg	55
MB10080	selfadhesive distance caps round 13 mm (4 st)	55

article code	product description	page nr.
HW31407-4	sawtooth hanger 40mm with nails (4 pc.)	55
HW31410-4	sawtooth hanger 67mm with nails (4 pc.)	55
HW31406	self-fastening tooth hanger	55
HW31406-4	self-fastening tooth hanger (4 pc.)	55
TH30065	sawtooth hanger 65 mm	55
TH30065-4	sawtooth hanger 65 mm (4 pc.)	55
TH30043-4	d-ring hanger set 43 mm	56
TH30054-4	d-ring hanger set 54 mm	56
TH30090-4	d-ring hanger set 90 mm	56
TH30020	d-ring screwhanger 24 mm nickel	56
HW31424-4	d-ring screwhangers (4 pc.)	56
SA03020	stable art hanging system (small)	56
SA03010	stable art hanging system (large)	56
SA03030	stable art hook small	56
SA03050	stable art hook large	56
SA03040	stable art hook closed	56
BH30913	plate hanger 9-13 mm	56
BH31319	plate hanger 13-19 mm	56
BH31520	plate hanger 15-20 mm	56
BH31925	plate hanger 19-25 mm	56
BH32030	plate hanger 20-30 mm	56
BH32535	plate hanger 25-35 mm	56
BH33646	plate hanger 36-46 mm	56
BH30007	vinyl hanger 7 inch	56
BH30012	vinyl hanger 12 inch	56
TH30027	quilt hanger 30 mm	57
TH20036	quilt hanger 36 mm	57
HA40300	wide hook	57
BT1000	textile frame hanger small (2 pc.)	57
BT1020	textile frame hanger (2 pc.)	57
BT1030	textile frame hanger quare (2 pc.)	57
HW31427-4	sliding hook photo frame (4 pc.)	56
HW31429-4	sliding hook photo frame (4 pc.)	56
HW31447-4	sliding hook photo frame (4 pc.)	56
HW31448-4	sliding hook photo frame (4 pc.)	56
HW70500	d-ring screw hanger set with steel wire	56
HW31420-4	plastic sawtooth self-adhesive frame hook 50x63 mm (4 pc.)	57
HW31419-4	self-fastening foam board hanger (2 pc.)	57
PC10200	picture clip with screw set (2 pc.)	57
BS30100	security set complete	57
BS30101	security key	57
TM10024	picture hanging hooks assorted box	57

STAS suspension sets		58
SCS40101	suspension set with adjustable loop maker	58
SCS40102	suspension set with safety hook	58
SCS40103	suspension set with panel hanger (4 mm)	58

article code	product description	page nr.
SCS40104	suspension set with panel hanger (10 mm)	58
SCS40105	suspension set with panel hanger (6 mm)	58
SCS40106	suspension set with 2 safety hooks	58
SCS40107	suspension set with internal M6 screw thread tilt hook	58
SCS40108	suspension set with internal M6 screw thread	58
SCS40109	suspension set with external M6 screw thread tilt hook	58
SCS40110	suspension set with external M6 gripper	58
SCS40111	suspension set with eye hook	58
SCS40112	suspension set with cross anchors	58
SCS40113	suspension set with external M10 cable grip	58
SCS40201	suspension set with safety hook	58
SCS40202	suspension set with safety hook	58
SCS40203	suspension set with panel hanger (4 mm)	58
SCS40204	suspension set with panel hanger (10 mm)	58
SCS40205	suspension set with panel hanger (6 mm)	58
SCS40301	suspension set with cross anchor	58
SCS40302	suspension set with loop	58
SCS40401	suspension set with safety hook and eye plate (90°)	58
SCS40402	acoustic coil spring	58
SCS40403	drop ceiling clip	58
SCS40404	adjustable loop maker	58
SCS40405	adjustable ceiling mount	58
SCS40418	suspension set with eye plate (90 o) and steel cable	62

STAS v-tense & h-tense		62
TSBV150	v-tense 150 cm	62
TSBV300	v-tense 300 cm	62
TSBV450	v-tense 450 cm	62
TSBH150	h-tense 150 cm	62
TSBH300	h-tense 300 cm	62
TSBH450	h-tense 450 cm	62

STAS v-tense & h-tense accessories		64
TCS30001	frame clamp (4,5 mm)	64
TCS30002	frame connector (4,5 mm)	64
TCS30003	frame clamp (8,5 mm)	64
TCS30004	frame connector (8,5 mm)	64
TCS30010	tense-frame	64
TCS30005	shelf clamp (8,5 mm)	64
TCS30006	shelf connector (8,5 mm)	64
TCS30025	shelf 20 x 30 cm	64
TCS30007	signage clip	64
MC10100	metal clips	64
HA30600	security hook	64
TCS30009	distance clamp	64
TCS30015	tense LED fame	64
VT30600	tense 12V power	64

article code	product description	page nr.
STAS qubic		68
TCS1000	qubic hanger	68
TCS9002	qubic end cap black	68
SJ30200	screw qubic	68
SR50700	plug	68

STAS qubic pro		69
TCS1010	qubic pro hanger	69
TCS9002	qubic end cap black	69
SJ30100	screw qubic pro	69
SR50700	plug	69

STAS paperrail		70
KN10005	paperrail white 50 cm	70
KN30005	paperrail alu 50 cm	70
KN10010	paperrail white 100 cm	70
KN30010	paperrail alu 100 cm	70
KN10020	paperrail white 200 cm	70
KN30020	paperrail alu 200 cm	70
KN30100	paperrail connector set	70
SR10000	clipscrew	70
SR50700	plug 6 x 30 mm hard / soft wall	70

Complementary products		71
STAS clocktica		72
KH40430W	clocktica white 43 cm	72
KH40950W	clocktica white 95 cm	72
KH40430Z	clocktica black 43 cm	72
KH40430Z	clocktica black 95 cm	72

STAS tunica		72
KH40095W	tunica white 95 cm	72
KH40095Z	tunica black 95 cm	72

STAS TV hanger		73
TV10150	TV hanger	73

STAS eyecatcher		73
MA20010C	eyecatcher chrome	73
MA20010B	eyecatcher black	73
MA20010G	eyecatcher gold	73

Torx T20 screws

We supply a large part of our products with Torx T20 screws for a better grip. These can be easily mounted with a special screwdriver bit or with the STAS screwdriver bit Torx T20.

Disclaimer STAS dibond hanger

It is the user's responsibility to carry out the mounting of the STAS dibond hanger in strict accordance with the supplied mounting instructions. All technical information and data are provided on the basis of quality tests and our many years of practical experience. These are considered an average value and are not suitable for specification. For this reason, STAS picture hanging systems cannot provide any guarantee, either explicitly or implicitly, with regard to the suitability of the STAS dibond hanger for what the user wants to hang. The user is therefore responsible for determining whether the STAS dibond hanger is suitable for the situation in question. In case of doubt, our employees will be happy to advise you.



STAS products TÜV certified

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



STAS picture hanging systems

Esp 245 | 5633 AD Eindhoven | PO Box 1049 | 5602 BA Eindhoven | The Netherlands

T +31 (0)40 292 48 48 | info@stasgroup.com

www.stasgroup.com

Important note regarding warranty and liability

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at www.stasgroup.com. It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.