


# STAS.

## Transform your room.

### Product catalogue



**A flexible wall and ceiling decor without wall damage**

**Clear communication and route indication**

**Hanging art safely and professionally**

**A tidy work and living environment**



**STAS**  
picture hanging systems



# Index

|   |           |
|---|-----------|
| <b>Rail systems</b>                     | <b>6</b>  |
| <b>Rail systems with lighting</b>       | <b>23</b> |
| <b>Hooks and cords for rail systems</b> | <b>32</b> |
| <b>Magnetic hanging solutions</b>       | <b>40</b> |
| <b>Other hanging solutions</b>          | <b>42</b> |
| <b>Complementary products</b>           | <b>68</b> |
| <b>Profile drawings</b>                 | <b>71</b> |
| <b>Product index</b>                    | <b>75</b> |

## STAS picture hanging systems

**What makes a room comfortable?**  
You'd be surprised how much influence the items hanging on walls and from the ceiling have on the feeling of comfort of a room. Wall decorations, advertisements, wayfinding signs... all of these affect people's behaviour. At STAS, we provide flexible picture hanging systems and accessories that are aimed to improve rooms. And we believe that these solutions should serve the purpose of the room itself.

- We make sure to provide a total solution for your room, so that...**
- ... kids in the classroom can focus without any distractions from a cluttered classroom wall
  - ... art lovers can enjoy an art collection that hangs neatly and secured
  - ... restaurant patrons opt for a cup of coffee after dessert
  - ... meetings in the office become more efficient
  - ... residents of nursing homes get inspired and relive beautiful memories
  - ... and you can change your home interior whenever you want, to your taste

With STAS you'll never have to drill unnecessary holes in your walls again and you can change or move your wall decor whenever you want. From light to dark and from functional to decorative.

**So ... how are you going to change your interior?**

**STAS. Transform your room.**

## NEW

|  |           |   |           |
|--|-----------|---|-----------|
| <b>STAS Wi-Fi smart LED</b>  | <b>28</b> | <b>STAS suspension sets</b>   | <b>62</b> |
| Smart Wi-Fi-controlled picture lighting (dimmable).                    |           | Sturdy suspension kits for lighting, route indication, panels, etc. |           |
| <b>STAS stabilization support set</b>                                  | <b>46</b> | <b>STAS TV hanger</b>   | <b>70</b> |
| A convenient set for hanging paintings straight underneath each other. |           | Hang your TV flexibly and without drilling.                         |           |
| <b>STAS no-tilt set</b>  | <b>52</b> |   |           |
| The solution for forward-slanting picture frames!                      |           |   |           |

## About STAS

At STAS we develop, manufacture and distribute safe and flexible hanging solutions for a wide range of wall objects. These can include both decorative objects (paintings, drawings) and practical items (whiteboards, coat hooks, mirrors). Our solutions are aimed to improve rooms. Serving the purpose of the room is therefore key in our approach.

Our ever growing team of qualified experts is passionately committed to providing highquality products, personal service, and to share with you the freedom to transform your room, however you like. Whether this would be functional, decorative... or mix it up all together!

STAS was founded by the brothers Stas in 1995. With their hands on experience in building and carpentry, and an innate business instinct, they took the market by storm. Since then, STAS has grown into an award-winning and internationally operating cooperation that delivers to home owners, businesses and renowned galleries all over the world. All of our STAS products feature quality components, competitive pricing, and innovative (patented) designs for fast, easy, and professional hanging of wall decoration.

### André CEO / owner

We are committed to sustainable growth with high-quality products and excellent service.



### Rien CEO / owner

We distinguish ourselves in the market with innovative and patented products.



## Meet our

## sales team

There is a good chance that, at some point, you've been in contact with one of our sales employees. They will gladly give you a quotation or provide you with excellent advice about our products.


### Paul sales manager

STAS picture hanging systems are worldwide available.



### Eline sales manager export

You can contact me with all of your questions.



### Maike sales executive Italy

Ciao! I am happy to advise all our Italian customers.





## Index

## Rail systems

| Rail                   | Weight capacity | Installation | Adjoining to ceiling? | Page |
|------------------------|-----------------|--------------|-----------------------|------|
| STAS minirail          | 25 kg/m         | wall         | no                    | 7    |
| STAS cliprail          | 20 kg/m         | wall         | no                    | 8    |
| STAS cliprail max      | 25 kg/m         | wall         | yes                   | 9    |
| STAS cliprail pro      | 45 kg/m         | wall         | no                    | 10   |
| STAS plasterrail       | 15 kg/m         | wall         | n/a                   | 11   |
| STAS j-rail            | 25 kg/m         | wall         | no                    | 12   |
| STAS j-rail max        | 100 kg/m        | wall         | no                    | 13   |
| STAS u-rail            | 20 kg/m         | ceiling      | n/a                   | 14   |
| STAS windsor           | 20 kg/m         | wall         | no                    | 15   |
| STAS riva              | 20 kg/m         | wall         | yes                   | 15   |
| STAS evoluon           | 20 kg/m         | wall         | no                    | 16   |
| STAS drywallXpress     | 30 kg/m         | wall         | no                    | 17   |
| STAS plasterboard rail | 25 kg/m         | wall         | yes                   | 18   |
| STAS drop ceiling rail | 25 kg/m         | wall         | yes                   | 19   |
| STAS prorail flat      | 45 kg/m         | ceiling      | yes                   | 20   |
| STAS prorail max       | 45 kg/m         | wall         | yes                   | 21   |
| STAS prorail crown     | 45 kg/m         | wall         | n/a                   | 22   |

## STAS minirail

### sleek and strong

STAS minirail is characterised by its extremely slim, narrow design and innovative mounting method.

The rail itself is just 16 mm in height, yet it can carry up to 25 kg per linear metre. Thanks to an innovative screw, the STAS clipscrew, the rail can easily be fixed to the wall.

STAS minirail is perfect for creating an elegant, unobtrusive hanging system for light to mediumweight objects.



- dimensions 9 x 16 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty

SCAN FOR MANUAL



### Parts

#### STAS minirail

RM10150 150 cm white  
RM10120 200 cm white  
RM10130 300 cm white

RM30150 150 cm alu  
RM30120 200 cm alu  
RM30130 300 cm alu

RM20150 150 cm black  
RM20120 200 cm black  
RM20130 300 cm black



#### STAS minirail combicap

RY10200 white  
RY30200 alu  
RY20200 black

(2 x end cap / 1 x corner cap)



#### STAS minirail rail connector

RD10200



#### STAS minirail clipscrew torx

SR10200

(metal, 3 per m<sup>2</sup>)

#### STAS plug

SR50700



For matching hooks and cords, see page 33.





## STAS cliprail

### the perfect basis

STAS cliprail is a high-quality picture hanging system without bells and whistles. It is easy to install and feels right at home in every interior.

The cliprail owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.



## STAS cliprail max


### perfect gap-free ceiling connection

STAS cliprail max is a hanging system for the perfectionist. An extra rim ensures the rail connects beautifully with the ceiling. With this system, your ceiling, wall and picture hanging system unite as one.

The rail is most attractive when fixed to flat ceilings.

STAS cliprail max owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.

For the best result, you can neatly finish the transition between the STAS cliprail max and the ceiling by adding an (acrylic) sealant.



- dimensions 8.2 x 25 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



#### Parts

##### STAS cliprail

RC10315 150 cm white  
RC10320 200 cm white  
RC10330 300 cm white

RC30115 150 cm alu  
RC30120 200 cm alu  
RC30130 300 cm alu

RC20115 150 cm black  
RC20120 200 cm black  
RC20130 300 cm black



##### STAS cliprail end cap

RD10300 white  
RD30300 alu  
RD20300 black



##### STAS cliprail corner cap

RD10400 white  
RD30400 alu



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw torx**  
SR30600

#### Parts

##### STAS cliprail max

RC10215 150 cm white  
RC10220 200 cm white  
RC10230 300 cm white

RC30215 150 cm alu  
RC30220 200 cm alu  
RC30230 300 cm alu

RC20215 150 cm black  
RC20220 200 cm black  
RC20230 300 cm black



##### STAS cliprail max combicap

RY10100 white  
RY30100 alu  
RY20300 black  
(2 x end cap / 1 x corner cap)



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)




**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw torx**  
SR30600



# STAS cliprail pro

## elegant powerhouse

STAS cliprail pro is ideal for hanging heavier objects on walls thanks to its thick-walled profile. This rail can carry an amazing 45 kg per linear metre.

Despite its large weight-bearing capacity, the STAS cliprail pro is an elegant, unobtrusive rail that can be used in professional environments as well as in the home.

STAS cliprail pro owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.

# STAS plasterrail

## for the forward thinker

STAS has renewed the design of the STAS plasterrail! The STAS plasterrail is now even better in quality with its renewed design. You attach the aluminium rail to a bare wall with nails and after the rail and the rest of the wall have been plastered, a very narrow opening remains visible in the stucco. As a result, this picture hanging system can be fully integrated into a new wall to be plastered and is therefore virtually invisible.

The renewed design ensures flawless installation, requires only a thin plaster layer of +/- 6 mm and the supplied safety strip ensures that the picture hanging system remains free of stucco. An ideal picture hanging system for renovations and new construction projects!



- dimensions 11,3 x 28 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 45 kg/m
- 5 years warranty



- dimensions 6,4 x 40 mm
- length 200 cm
- aluminium
- layer thickness stucco 6 mm
- wall mountable, to be integrated into stucco
- weight capacity 15 kg/m
- 5 years warranty



## Parts

**STAS cliprail pro**  
VC10150 150 cm white  
VC10200 200 cm white  
VC10300 300 cm white

VC30150 150 cm alu  
VC30200 200 cm alu  
VC30300 300 cm alu



**STAS cliprail pro end cap**  
VE10200 white  
VE30200 alu

**STAS cliprail pro corner cap**  
VD10400 white  
VD30400 alu



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)

**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700

**STAS screw torx**  
SR30600

## Parts

**STAS plasterrail**  
PR30200 200 cm  
including safety strip







## STAS j-rail

### professional versatility

The design of STAS j-rail was based on the shape of the letter J. This shape allows the rail to be combined in all kinds of different ways using hooks, cords and even rods.

For example, by using a rod instead of a cord or steel cable, moving or alternating works of art on high ceilings becomes a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

STAS j-rail has a somewhat industrial look and is applied regularly in art galleries and in business premises.

- dimensions 7 x 20 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty



#### Parts

**STAS j-rail**  
RJ10115 150 cm white  
RJ10120 200 cm white  
RJ10130 300 cm white

RJ30115 150 cm alu  
RJ30120 200 cm alu  
RJ30130 300 cm alu

(4 holes per m<sup>2</sup>)



**STAS j-rail  
screw flush head**  
SJ10100 white  
SJ30100 alu

**STAS plug**  
SR50700

For matching hooks and cords, see page 34.

## STAS j-rail max


### heavyweight champion

STAS j-rail max is designed for the heavy objects. The thick-walled aluminium profile is capable of supporting loads of up to 100 kg per linear metre.

What's more, STAS j-rail max is combined with rods instead of cords, which makes alternating and moving heavy works of art on high ceilings a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

The STAS j-rail max system is also available with theft-delaying security hooks and is often used in art galleries and museums.

- dimensions 9 x 21 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 100 kg/m
- 5 years warranty



#### Parts

**STAS j-rail max**  
RJ10215 150 cm white  
RJ10220 200 cm white  
RJ10230 300 cm white

RJ30215 150 cm alu  
RJ30220 200 cm alu  
RJ30230 300 cm alu

(4 holes per m<sup>2</sup>)



**STAS j-rail max screw  
sunk head**  
SJ10200 white  
SJ30200 alu

**STAS plug**  
SR50700

For matching hooks and cords, see page 35.




## STAS u-rail

suspended ceiling becomes

hanging system

STAS u-rail is specially designed for suspended ceilings. The rail is easily and almost invisibly attached to the supporting edge trim of the suspended ceiling.

STAS u-rail is also ideally suited for hanging whiteboards, art or large maps. So now, with just a small modification, your suspended ceiling becomes a versatile picture hanging system, ideal for use in offices, schools and healthcare facilities.



## STAS windsor & riva

bring a piece of nature into your home




In addition to aluminum rails, STAS also offers wooden rails in 2 different models. The STAS windsor is elegant and warm where the STAS riva has a more robust look and feel. Two distinctive models, suitable for any interior! Both models are easy to use and each has a different profile for which fitting hooks are available.

Our wooden rails are made out of Ayous wood and are FSC and PEFC certificated. Ayous wood differs from other wood since it does not deform or splinter, and is perfectly suitable to repaint because of its smooth texture. Perfect wood for your picture hanging system! Can be mounted screwed, nailed and glued\*.

\* The weight capacity of a glued rails is highly dependent on the surface, so care must be taken here. More information on how to best glue our wooden rails can be found on our website [www.stasgroup.com](http://www.stasgroup.com)



- dimensions 14 x 6,5 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- ceiling mountable
- weight capacity 20 kg/m
- 5 years warranty




### STAS windsor

- dimensions 18 x 45 mm
- length 120 or 240 cm
- Ayous wood
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty

### STAS riva

- dimensions 17 x 45 mm
- length 120 or 240 cm
- Ayous wood
- wall mountable, adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



### Parts

#### STAS u-rail

RP10115 150 cm white  
RP10120 200 cm white  
RP10130 300 cm white

RP30115 150 cm alu  
RP30120 200 cm alu  
RP30130 300 cm alu

RP20115 150 cm black  
RP20120 200 cm black  
RP20130 300 cm black

(8 holes per m<sup>2</sup>)



#### STAS u-rail screw

SP10100 white  
SP30100 alu  
SP20100 black

### Parts

#### STAS windsor

RP50220 120 cm  
RP50224 240 cm

#### STAS riva


RP50120 120 cm  
RP50124 240 cm

For matching hooks and cords, see page 37.



For matching hooks and cords, see page 33.





## STAS evoluon

### bends along with you

From now on, curved walls can also be used optimally with the STAS evoluon! The STAS evoluon has been specially developed for curved walls, but this rail is just as easy to mount on straight walls or (slightly) undulating walls.

The rail is bendable and can be bent perfectly proportional along the contours of a wall by means of a supplied auxiliary tool. In this way, the STAS evoluon provides hanging possibilities for difficult places and walls otherwise unusable for picture rails.

## STAS drywallXpress

PATENT PENDING

### no stress with the drywallXpress

With the STAS drywallXpress you can mount a picture hanging system on a plaster wall in no time. No need to pick up that drill because you don't have to drill to assemble this system.

The STAS drywallXpress is a complete picture hanging system that consists of clips, STAS cliprail and an auxiliary tool. With the help of the enclosed tool and a hit with a hammer you can easily push the metal clips into your plaster wall. Click the rail onto the clips and combine this picture hanging system with the STAS cords with cobra.

STAS drywallXpress: the easiest picture hanging system in the world!

- dimensions 20 x 3 mm
- length 200 cm
- aluminium
- alu
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



#### Parts

**STAS evoluon**  
TCS30020 200 cm  
(4 holes per m<sup>2</sup>)



**STAS bending mold evoluon**  
TCS9020 30 cm



**STAS plug**  
SR50700



**STAS distance holder evoluon**  
TCS9012



**STAS evoluon hook**  
TCS9016



**STAS screw evoluon**  
SJ30300



#### Parts

**STAS cliprail**  
RC10315 150 cm white  
RC10320 200 cm white  
RC10330 300 cm white

RC30115 150 cm alu  
RC30120 200 cm alu  
RC30130 300 cm alu

RC20115 150 cm black  
RC20120 200 cm black  
RC20130 300 cm black



**STAS cliprail end cap**  
RD10300 white  
RD30300 alu  
RD20300 black



**STAS cliprail corner cap**  
RD10400 white  
RD30400 alu



**STAS drywall clip**  
RD40400



**STAS drywallXpress connector**  
RT40200



**STAS drywall tool**  
RD40501





# STAS plasterboard rail


## integrated ceiling rail

The STAS plasterboard rail is a built-in picture hanging system for rooms to be built or renovated with plaster, timber or concrete walls and plasterboard ceilings. The picture hanging system together with the wooden framework, is mounted under the beam layer on the wall.

Thanks to the 2 different profiles (9.5 mm / 12.5 mm), plasterboards with a thickness of 9 mm or 12 mm can be slid into the profiles of the STAS plasterboard rail. The result is a tightly finished room with an almost invisible picture hanging system that disappears into the shadow line of the plasterboards.

The STAS plasterboard rail can be used with the STAS cords with cobra.

- dimensions 9,5 mm rail 31 x 36 mm  
dimensions 12,5 mm rail: 34 x 36 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty



## Parts

**STAS plasterboard rail**  
PC10120 200 cm 9,5 mm  
PC10130 300 cm 9,5 mm

PC10020 200 cm 12,5 mm  
PC10030 300 cm 12,5 mm



**STAS plasterboard rail  
inner corner profile**  
PC10170 9,5 mm  
PC10070 12,5 mm  
(with corner connector)



**STAS plasterboard rail  
outside corner profile**  
PC10180 9,5 mm  
PC10080 12,5 mm  
(with corner connector)



**STAS rail connector**  
RD20400



**STAS corner connector**  
RD20500



**STAS hammer fixing plug**  
(5 per m²)  
SR10400

For matching hooks and cords, see page 33.

# STAS drop ceiling rail

## all-in solution for drop ceilings

The STAS drop ceiling rail is an all-in solution for rooms with a drop ceiling. The STAS drop ceiling rail replaces the wooden ceiling tile support strips and the corner profile for installing drop ceilings, and is equipped with a picture hanging system as well.

Thanks to the innovative profile of the STAS drop ceiling rail, the picture hanging system can be mounted directly on the wall. Corner profile and picture hanging system become one. The suspended ceiling plates can be placed in the profile of the STAS drop ceiling rail. The result is an almost invisible picture hanging system that disappears in the shadow line of the drop ceiling.

The STAS drop ceiling rail can be used with the STAS cords with cobra.

- dimensions 31 x 35 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty



## Parts

**STAS drop ceiling rail**  
GC10020 200 cm  
GC10030 300 cm



**STAS drop ceiling rail  
inner corner profile**  
GC10070  
(with corner connector)



**STAS drop ceiling rail  
outside corner profile**  
GC10080  
(with corner connector)



**STAS rail connector**  
RD20400




**STAS corner connector**  
RD20500



**STAS hammer fixing plug**  
(5 per m²)  
SR10400

For matching hooks and cords, see page 33.





## STAS prorail flat

almost invisible

The STAS prorail flat is a picture hanging system that can be concealed in plasterwork, flat decorative framework or molding. You will enjoy the convenience of a picture hanging system, but not the look of a visible rail on your wall.

This rail system is suitable for newly built and renovations in existing properties. The STAS prorail flat can be mounted on the ceiling and can be used with the STAS cables with cobra.



- dimensions 31,3 x 18 mm
- length 100, 150, 200 or 300 cm
- aluminium
- white
- ceiling mountable
- weight capacity 45 kg/m
- 5 years warranty



## STAS prorail max

perfectly fitting to the ceiling

The STAS prorail max is a picture hanging system for the perfectionist. The top rim ensures that the rail fits tightly against the ceiling. With this picture hanging system, ceiling, wall and picture rail unite as one. It is also possible to hide cables behind the top rim. Neatly finish the transition between the STAS prorail max and the ceiling with an (acrylate) kit for an optimal result.



- dimensions 11,3 x 38,3 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, adjoining to ceiling
- weight capacity 45 kg/m
- 5 years warranty

### Parts

**STAS prorail flat**  
RH10510 100 cm white  
RH10515 150 cm white  
RH10520 200 cm white  
RH10530 300 cm white

(4 holes per m<sup>2</sup>)



**STAS multirail flat rail connector**  
RD20400



**STAS multirail flat screw**  
SJ10200



**STAS multirail flat corner connector**  
RD20500



**STAS plug**  
SR50700

### Parts

**STAS prorail max**  
RM10415 150 cm white  
RM10420 200 cm white  
RM10430 300 cm white

RM30415 150 cm alu  
RM30420 200 cm alu  
RM30430 300 cm alu



**STAS multirail max end cap**  
VE10400 white  
VE30400 alu



**STAS multirail max corner cap**  
VD20500 white  
VD30500 alu



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw torx**  
SR30600



# STAS prorail crown

## decorative frame takes the lead

STAS prorail crown is a picture hanging system for wall mounting and can be concealed with a decorative frame of your choice.

- dimensions 12,7 x 37,5 mm
- length 150, 200 or 300 cm
- aluminium
- white
- wall mountable
- weight capacity 45 kg/m
- 5 years warranty



### Parts

**STAS prorail crown white**  
RH10415 150 cm white  
RH10420 200 cm white  
RH10430 300 cm white



**STAS multirail crown rail connector**  
RD20400



**STAS multirail crown screw**  
RD20500



**STAS multirail crown corner connector**  
RD20500



**STAS plug**  
SR50700

For matching hooks and cords, see page 33.



## Index

## Rail systems with lighting

| Rail                  | Weight capacity      | Installation | Adjoining to ceiling? | Page |
|-----------------------|----------------------|--------------|-----------------------|------|
| STAS multirail        | 45 kg/m <sup>1</sup> | wall         | no                    | 24   |
| STAS multirail max    | 45 kg/m <sup>1</sup> | wall         | yes                   | 25   |
| STAS multirail crown  | 45 kg/m <sup>1</sup> | wall         | n/a                   | 26   |
| STAS multirail flat   | 45 kg/m <sup>1</sup> | ceiling      | n/a                   | 27   |
| STAS Wi-Fi smart LED  | n/a                  | n/a          | n/a                   | 28   |
| STAS Wi-Fi smart plug | n/a                  | n/a          | n/a                   | 29   |
| STAS spotlights       | n/a                  | n/a          | n/a                   | 30   |
| STAS fixtures         | n/a                  | n/a          | n/a                   | 30   |
| STAS adapters         | n/a                  | n/a          | n/a                   | 31   |





## STAS multirail

### hanging and lighting rolled into one

A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, accentuating your wall decorations. In combination with LED lighting, the STAS multirail is very energy efficient.

- dimensions 11,3 x 28 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W, 96W
- 5 years warranty on rails, 1 years on accessories



#### Parts

**STAS multirail**  
VH10150 150 cm white  
VH10200 200 cm white  
VH10300 300 cm white

VH30150 150 cm alu  
VH30200 200 cm alu  
VH30300 300 cm alu



**STAS multirail end cap**  
VE10200 white  
VE30200 alu



**STAS multirail corner cap**  
VD10400 white  
VD30400 alu



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw torx**  
SR30600



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail conductor 12 V corner**  
VF50100

## STAS multirail max

### perfect gap-free ceiling connection

A STAS multirail system is a picture hanging system and artwork lighting rolled into one. Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

The STAS multirail max distinguishes itself thanks to the extra rim that ensures a tight fit against flat ceiling surfaces. With this system, your ceiling, wall and picture hanging system unite as one. Cables can be hidden behind the rim.

For the best result, you can neatly finish the transition between the STAS multirail max and the ceiling by applying an (acrylic) sealant.

- dimensions 11,3 x 38,3 mm
- length 200 or 300 cm
- aluminium
- white or alu
- wall mountable, adjoining to ceiling
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W, 96W
- 5 years warranty on rails, 1 year on accessories



#### Parts

**STAS multirail max**  
VC10420 200 cm white  
VC10430 300 cm white

VC30420 200 cm alu  
VC30430 300 cm alu



**STAS multirail max end cap**  
VE10400 white  
VE30400 alu



**STAS multirail max corner cap**  
VD20500 white  
VD30500 alu



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw torx**  
SR30600



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail conductor 12 V corner**  
VF50100



## STAS multirail crown


### moulding in the spotlights

A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail crown is a picture hanging system that is mounted virtually invisibly on the wall and can be combined with a moulding of your choice.

- dimensions 12,7 x 37,5 mm
- length 200 or 300 cm
- aluminium
- white
- wall mountable
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W, 96W
- 5 years warranty on rails, 1 year on accessories



#### Parts

**STAS multirail crown**  
RC10420 200 cm white  
RC10430 300 cm white



**STAS multirail crown rail connector**  
RD20400



**STAS multirail crown screw**  
SJ10200



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail crown corner connector**  
RD20500



**STAS plug**  
SR50700



**STAS multirail conductor 12 V corner**  
VF50100

## STAS multirail flat

### concealed class

A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail flat is a ceiling-mounted picture hanging system that can be virtually invisibly integrated with stucco work or with a single or double flat moulding.

- dimensions 31,3 x 18 mm
- length 200 or 300 cm
- aluminium
- white
- ceiling mounting
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W, 96W
- 5 years warranty on rails, 1 year on accessories



#### Parts

**STAS multirail flat**  
RC10520 200 cm white  
RC10530 300 cm white

(4 holes per m<sup>2</sup>)



**STAS multirail crown rail connector**  
RD20400



**STAS multirail flat screw**  
SJ10200



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail crown corner connector**  
RD20500



**STAS plug**  
SR50700



**STAS multirail conductor 12 V corner**  
VF50100





NEW



## STAS fixtures for STAS Wi-Fi smart LED

These 3 different fixtures have been specially developed for the STAS Wi-Fi smart LED and the STAS multirail systems. The STAS Wi-Fi smart LED lamp can be easily mounted on a fixture with the supplied Allen key. You can easily click a fixture on a desired spot in the STAS multirail. The Classic fixture can only be adjusted in height and the lamp base can be turned. The Sirius fixture has a flexible part that allows you to make small adjustments in the direction of the light beam.

# STAS multirail accessories

## smart lighting



Works with Wi-Fi



Warm/cool white & RGB



Timer



Remote control



Group control



Energy saving

## STAS Wi-Fi smart LED

The STAS Wi-Fi smart LED is a smart LED lamp that can be used with a specific range of STAS fixtures. You don't have to be a technician to install this smart LED lamp, a good Wi-fi signal is simply enough. With the accompanying free app and connected to your Wi-Fi network, you can easily switch the STAS Wi-Fi smart LED lamps on and off. It is even possible to illuminate each painting individually with the desired light color and light intensity (2700K warm light > 6500K daylight). From a crisp light in the morning to a warm and cozy light in the evening. With the STAS Wi-Fi smart LED, the colors in your wall decoration come into their own even more beautifully.

The STAS Wi-Fi smart LED lamps are 100% continuously dimmable and that without the intervention of an external Hub. It is also possible to create groups for certain rooms and the lamps have a timer setting so that your lighting can be switched on and off automatically. As icing on the cake, the STAS Wi-Fi smart LED also supports voice control in combination with Amazon Alexa, Siri and Google Home.



|                         | VL20300            |
|-------------------------|--------------------|
| Power                   | 5 W                |
| Output equivalent       | 30 W               |
| Max. consumption        | 5 W                |
| Light intensity         | 300 lm             |
| Infrared radiation      | none               |
| Colour temperature cool | 6500 K + RGB       |
| Colour temperature warm | 2700 K             |
|                         |                    |
| Light beam              | standard - diffuse |
| Beam angle              | 100°               |
| Socket                  | MR16-GU5.3         |
| Vibrational impact      | low                |
| Lifespan                | 15000              |
| Energy class            | A+                 |




STAS Wi-Fi smart LED  
VL20300



STAS remote control for STAS  
Wi-Fi smart-led  
VT40800

Download the Smart life app:




System requirements  
· The Tuya smart app requires system iOS 9 or higher, Android 4.4 or higher.  
· Provide a properly functioning wireless network and internet connection.


1 year warranty applies to all multirail accessories.



STAS multirail fixture  
GU5.3 classic white incl.  
STAS Wi-Fi smart LED  
VA15516 50 cm  
VA15716 70 cm



STAS multirail fixture GU5.3  
classic chrome incl.  
STAS Wi-Fi smart LED  
VA35516 50 cm  
VA35716 70 cm



STAS multirail fixture  
sirius chrome incl.  
STAS Wi-Fi smart LED  
VA35416 40 cm  
VA35616 50 cm



## STAS Wi-Fi smart plug

You really don't have to be a technical miracle to remotely control or automate your connected equipment. All you need is our smart plug called the STAS Wi-Fi smart plug and your Wi-Fi router. Connected to the STAS Wi-Fi smart plug, you can remotely operate the STAS multirail or other electronic devices. With the free app and connected to your Wi-Fi network, you can easily switch the STAS multirail on and off. This way you are always in control of lighting the art on your wall.



STAS Wi-Fi smart plug  
VT30700

# STAS multirail accessories

## Spotlights

STAS offers 3 different LED spotlights. Your choice depends on your personal preference in terms of energy efficiency, light colour, warmth radiation and the shape and intensity of the light beam. All spotlights fit on all light fixtures. 1 year warranty applies to all multirail accessories.

### STAS ledspot 3,5 W / 27°

Emits a narrow beam of light suitable for small paintings.

|  | VL10200            |                    |
|--|--------------------|--------------------|
|  | Power              | 3.5 W              |
|  | Output equivalent  | 20 W               |
|  | Max. consumption   | 3.5 W              |
|  | Light intensity    | 200 lm             |
|  | Infrared radiation | none               |
|  | Light colour       | warm white         |
|  | Colour temperature | 2700 K             |
|  | Light beam         | standard - diffuse |
|  | Beam angle         | 27°                |
|  | Socket             | MR11-GU4.0         |
|  | Vibrational impact | low                |
|  | Lifespan           | 40.000             |
|  | Energy class       | A+                 |

### STAS ledspot 3,5 W / 95°

Emits a wide beam of light suitable for large artworks.

|  | VL10900            |                    |
|--|--------------------|--------------------|
|  | Power              | 3.5 W              |
|  | Output equivalent  | 20 W               |
|  | Max. consumption   | 3.5 W              |
|  | Light intensity    | 200 lm             |
|  | Infrared radiation | none               |
|  | Light colour       | warm white         |
|  | Colour temperature | 2700 K             |
|  | Light beam         | standard - diffuse |
|  | Beam angle         | 95°                |
|  | Socket             | MR11-GU4.0         |
|  | Vibrational impact | low                |
|  | Lifespan           | 40.000             |
|  | Energy class       | A+                 |

## Armaturen

STAS offers a choice of 3 different light fixtures in various lengths. Your choice depends on your personal preference and on the size of the artwork you wish to illuminate. Every light fixture fits on all multirail systems.

### Tips

The bigger the distance between light source and wall, the bigger the artwork that can be illuminated. In other words: choose a large fixture for lighting a large work of art.


### Adjusting

All fixtures have a flexible or hinged part with which small adjustments to the beam angle can be made.


1 year warranty applies to all multirail accessories.



**STAS multirail fixture classic**  
VA10500 50 cm white  
VA10700 70 cm white  
VA30500 50 cm chrom  
VA30700 70 cm chrom



**STAS multirail fixture sirius chrom**  
VA30365 40 cm  
VA30465 50 cm  
VA30665 65 cm



**STAS multirail fixture signo chrom**  
VA30770 70 cm



## Adapters

The choice of an adapter depends on 3 things:

1. the type of spotlight you'd like to use
2. the number of spotlights you'd like to install
3. the number of metres of rail you'd like to install

View the tables below for the best choice.

| STAS adapters          |                                    |   |   |
|------------------------|------------------------------------|---|---|
|                        | VT20500 STAS multirail adapter 18W | VT20036 STAS multirail adapter 36W          | VT20084 STAS multirail adapter 84W          |
| Input voltage          | AC100-240V ~ 50/60Hz 0.7A          | 100-240VAC 50/60Hz                          | 100-240VAC 50/60Hz                          |
| Output voltage         | DC 12V == 1.5A                     | 12V DC 3A                                   | 12V DC 7A                                   |
| Ampère                 | 1.5A                               | 3A  | 7A  |
| Dimensions (l x h x b) | 75 x 86 x 36 mm                    | 105 x 45 x 28.5mm                           | 155 x 60 x 37mm                             |
| Weight                 | 180 gr                             | 220 gr                                      | 490 gr                                      |
| Connection             | input plug (EU) output cable 3 m   | input plug (EU) (US) 1.8 m output cable 3 m | input plug (EU) (US) 1.8 m output cable 3 m |
| Quality label          | CE   GS TÜV   WEEE                 | UL   CE   EMC   RoHS   REACH                | UL   CE   EMC   RoHS   REACH                |



**STAS multirail adapter 18 W**  
VT20500



**STAS multirail adapter 36 W**  
VT20036



**STAS multirail adapter 84 W**  
VT20084

### Number of spotlights

|  |              | Led 3,5 W | Led 4 W | Led 5 W |
|--|--------------|-----------|---------|---------|
| VT20500                                      | Adapter 18 W | 4         | 3       | 2       |
| VT20036                                      | Adapter 36 W | 8         | 7       | 6       |
| VT20084                                      | Adapter 84 W | 20        | 17      | 14      |
| Maximum number of meters of rail per adapter |              | 16        | 16      | 16      |

### Using multiple adapters

In case you would like to use more than the below mentioned number of metres or spots, you will have to use multiple adapters.

### CAUTION:

Create independent circuits when using more than one adapter! Adapters must never be connected, neither directly nor indirectly. In short: NEVER connect two rail segments that are each connected to a different adapter! Exclusively connect rail segments that share one adapter.

### Dimming of light

The current STAS adapters are not yet dimmable. We strongly advise against connecting your own switch or dimmer to the system. Be aware that if you do this anyway, all system warranty expires.





# Index

## Hooks and cords

### for rail systems

## STAS hooks and cords

After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

### Cords



**STAS cobra  
with perlon cord**  
CP10110 100 cm  
CP10115 150 cm  
CP10120 200 cm  
CP10125 250 cm  
CP10130 300 cm  
CP10140 400 cm



**STAS cobra  
with steel cable**  
SC10110 100 cm  
SC10115 150 cm  
SC10120 200 cm  
SC10125 250 cm  
SC10130 300 cm  
SC10140 400 cm



**STAS cobra with  
steel cable white**  
SC10220 200 cm white  
SC20220 200 cm black



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530



### Possible combinations



perlon cord +  
smartspring

max.  
4 kg



perlon cord +  
zipper or zipper pro

max.  
15 kg



steel cable +  
zipper or zipper pro

max.  
20 kg



steel cable white or black +  
zipper or zipper pro

max.  
10 kg

|                                      |    |
|--------------------------------------|----|
| STAS hooks and cords                 | 33 |
| STAS j-rail hooks, cords and rods    | 34 |
| STAS j-rail max hooks and rods       | 35 |
| STAS plasterrail hooks and cords     | 36 |
| STAS windsor & riva hooks and cords  | 37 |
| STAS evoluon & qubic hooks and cords | 38 |
| Summary table hooks and cords        | 39 |



# STAS j-rail

## hooks, cords and rods

STAS j-rail has its own set of hooks, cords and rods with which to complete the system.



# STAS j-rail max

## hooks and rods

STAS j-rail max works only with rods and matching hooks.

### Cords, rods and rail hooks



**STAS cylinder hook**  
HR10600 white  
HR30600 alu



**STAS steel cable with glider**  
SH10110 100 cm  
SH10115 150 cm  
SH10120 200 cm  
SH10125 250 cm  
SH10130 300 cm  
SH10145 450 cm



**STAS j-rail rod 3 mm**  
SO10110 100 cm white  
SO10115 150 cm white  
SO10120 200 cm white  
SO10130 300 cm white



**STAS perlon cord with loop**  
PL10110 100 cm  
PL10115 150 cm  
PL10120 200 cm  
PL10125 250 cm  
PL10130 300 cm



**STAS j-rail s-hook**  
HR10400 white  
HR30400 chrom

### Hooks



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530



**STAS j-rail spring hook**  
HA30700

### Rods



**STAS j-rail max rod 4x4 white**  
SM10110 100 cm  
SM10115 150 cm  
SM10120 200 cm  
SM10125 250 cm



**STAS j-rail max rod 4x4 alu**  
SM30110 100 cm  
SM30115 150 cm  
SM30120 200 cm  
SM30125 250 cm



**STAS j-rail max rod 4x10 white**  
SM10210 100 cm  
SM10215 150 cm  
SM10220 200 cm  
SM10225 250 cm


### Hooks



**STAS j-rail max hook for rod 4x4**  
HA40600



**STAS j-rail max security hook 4x4**  
HA40700



**STAS j-rail max security set, collar + cap**  
BK10200



**STAS j-rail max hook for rod 4x10**  
HA40500



### Possible combinations



max.  
4 kg

j-rail s-hook + perlon cord with loop + smartspring, zipper or zipper pro



max.  
15 kg

j-rail s-hook + steel cable with loop + zipper or zipper pro



max.  
4 kg

cylinder hook + perlon cord with glider + smartspring



max.  
15 kg

cylinder hook + perlon cord with glider + zipper or zipper pro



max.  
20 kg

cylinder hook + steel cable with glider + zipper or zipper pro



max.  
15 kg

j-rail rod + spring hook

### Possible combinations



max.  
40 kg

j-rail max rod 4x4 + j-rail max (security) hook



max.  
40 kg

j-rail max rod 4x4 + j-rail max (security) hook + security set



max.  
100 kg

j-rail max rod 4x10 + j-rail max hook for rod 4x10





# STAS plasterrail

## hooks and cords

STAS plasterrail has its own cords that are specially designed for the specific rail opening.



# STAS windsor & riva

## hooks and cords

STAS windsor & riva have their own collection of hooks, which can be combined with the existing hooks and cords from STAS.

## Cords and rail hooks

**STAS perlon cord with glider**  
 PH10110 100 cm  
 PH10115 150 cm  
 PH10120 200 cm  
 PH10125 250 cm  
 PH10130 300 cm  
 PH10145 450 cm

**STAS steel cable with glider**  
 SH10110 100 cm  
 SH10115 150 cm  
 SH10120 200 cm  
 SH10125 250 cm  
 SH10130 300 cm  
 SH10145 450 cm



**STAS plasterrail hook**  
PR90001

## Hooks



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530

## Cords and rail hooks

**STAS perlon cord with loop**  
 PL10110 100 cm  
 PL10115 150 cm  
 PL10120 200 cm  
 PL10125 250 cm  
 PL10130 300 cm

**STAS steel cable with loop**  
 SL10110 100 cm  
 SL10115 150 cm  
 SL10120 200 cm  
 SL10125 250 cm  
 SL10130 300 cm



**STAS hook windsor**  
HW10200 white



**STAS hook windsor**  
HW30200 alu



**STAS hook windsor**  
HW60200 gold



**STAS hook riva**  
HW50700

## Hooks



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530



## Possible combinations



**Plasterrail hook + perlon cord with glider + smartspring**  
max. 4 kg



**Plasterrail hook + perlon cord with glider + zipper or zipper pro**  
max. 15 kg



**Plasterrail hook + steel cable with glider + zipper or zipper pro**  
max. 15 kg

## Possible combinations



**Perlon cord with loop + smartspring**  
max. 4 kg



**Perlon cord with loop + zipper or zipper pro**  
max. 15 kg



**Steel cable with loop + zipper or zipper pro**  
max. 20 kg

# STAS evoluon & qubic (pro)

## hooks and cords

The STAS evoluon and the STAS qubic (pro) can be used with our special hooks and cords.

### Cords



**STAS perlon cord with glider**  
PH10110 100 cm  
PH10115 150 cm  
PH10120 200 cm  
PH10125 250 cm  
PH10130 300 cm  
PH10145 450 cm



**STAS steel cable with glider**  
SH10110 100 cm  
SH10115 150 cm  
SH10120 200 cm  
SH10125 250 cm  
SH10130 300 cm  
SH10145 450 cm

### Hooks



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530



### STAS evoluon

For more information about the STAS evoluon, see page 16.



**STAS evoluon**  
hook + perlon  
cord with glider  
+ smartspring

**STAS evoluon**  
hook + perlon  
cord with glider  
+ zipper

**STAS evoluon**  
hook + steel  
cable with glider  
+ zipper

### STAS qubic (pro)

For more information about the STAS qubic (pro), see page 55.



**STAS qubic +**  
perlon cord  
with glider  
+ smartspring

**STAS qubic +**  
perlon cord  
with glider  
+ zipper

**STAS qubic**  
+ steel cable  
with glider  
+ zipper

# Summary table

## hooks and cords

|   | Hooks | smartspring | zipper / zipper pro | spring hook | j-rail max hook for rod 4x4 | j-rail max security hook 4x4 | j-rail max hook for rod 4x10 |
|---|-------|-------------|---------------------|-------------|-----------------------------|------------------------------|------------------------------|
| <b>Cords</b>  |       |             |                     |             |                             |                              |                              |
| <b>all STAS rails</b><br>(excl. STAS j-rail, STAS j-rail max, STAS plasterrail, STAS windsor, STAS riva and STAS evoluon) |       |             |                     |             |                             |                              |                              |
| perlon cord with cobra  |       | 4 kg        | 15 kg               | -           | -                           | -                            | -                            |
| steel cable with cobra  |       | -           | 20 kg               | -           | -                           | -                            | -                            |
| steel cable black or white with cobra   |       | -           | 10 kg               | -           | -                           | -                            | -                            |
| <b>STAS j-rail</b>  |       |             |                     |             |                             |                              |                              |
| cylinderhook and perlon cord with glider  |       | 4 kg        | 15 kg               | -           | -                           | -                            | -                            |
| s-hook and perlon cord with loop  |       | 4 kg        | 15 kg               | -           | -                           | -                            | -                            |
| s-hook and steel cable with loop  |       | -           | 20 kg               | -           | -                           | -                            | -                            |
| rod 3 mm  |       | -           | -                   | 15 kg       | -                           | -                            | -                            |
| <b>STAS j-rail max</b>  |       |             |                     |             |                             |                              |                              |
| rod 4x4 white or alu  |       | -           | -                   | -           | 40 kg                       | 40 kg                        | -                            |
| rod 4x10 white  |       | -           | -                   | -           | -                           | -                            | 100 kg                       |
| <b>STAS plasterrail</b>   |       |             |                     |             |                             |                              |                              |
| plasterrail hook with perlon cord with glider   |       | 4 kg        | 15 kg               | -           | -                           | -                            | -                            |
| plasterrail hook with steel cable with glider   |       | -           | 15 kg               | -           | -                           | -                            | -                            |
| <b>STAS windsor &amp; riva</b>  |       |             |                     |             |                             |                              |                              |
| hook with perlon cord with loop   |       | 4 kg        | 15 kg               | -           | -                           | -                            | -                            |
| hook with steel cable with loop   |       | -           | 20 kg               | -           | -                           | -                            | -                            |
| <b>STAS evoluon &amp; qubic (pro)</b>   |       |             |                     |             |                             |                              |                              |
| perlon cord with glider   |       | 4 kg        | 15 kg               | -           | -                           | -                            | -                            |
| steel cable with glider   |       | -           | 20 kg               | -           | -                           | -                            | -                            |
| <b>Additional</b><br>(e.g. panel hooks)   |       |             |                     |             |                             |                              |                              |
| perlon cord with loop   |       | 4 kg        | 15 kg               | -           | -                           | -                            | -                            |
| steel cable with loop   |       | -           | 20 kg               | -           | -                           | -                            | -                            |





## Index

# Magnetic hanging solutions

## STAS magnet sets

### cards on a cable

A STAS magnet set consists of a steel cable with cobra and five or ten magnets. Hook the steel cable into your STAS rail. Using the magnets, you can then hang photos, cards and memos on the cable. It's ideal for Christmas cards, birthday cards, to-do notes or temporary displays.

The white and coloured variants of the STAS magnet set cannot be combined with STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail. The 2-in-1 variant can be combined with all STAS rails except for STAS j-rail max, and STAS evoluon.



#### STAS magnet set

The standard STAS magnet set consists of a steel cable with cobra and ten white tripod magnets.



#### STAS coloured magnet set

The STAS coloured magnet set consists of a steel cable and ten cone-shaped magnets in five different colours.



#### STAS magnet set 2-in-1

The STAS magnet set 2-in-1 can be used in two different ways. Hook the cable into your STAS rail with the cobra or hang it with a loop onto an edge panel hook or any other hook. This set comes with five cone-shaped magnets in five different colours.

### Products



**STAS magnet set**  
BM20360  
steel cable 150 cm  
with cobra, 10 white  
neodymium magnets



**STAS coloured magnet set**  
BM20370  
steel cable 150 cm  
with cobra, 10 coloured  
neodymium magnets



**STAS magnet set 2-in-1**  
BM20380  
steel cable 150 cm  
with cobra and loop, 5  
coloured neodymium  
magnets



**STAS white magnets**  
MB10050  
10 separate, white  
neodymium magnets



**STAS coloured magnets**  
MB10040  
10 separate, coloured  
neodymium magnets



# Index

## Other hanging solutions



|  |           |
|--|-----------|
| <b>STAS papergrip</b>                      | <b>43</b> |
| <b>STAS grip-up (on papergrip)</b>         | <b>44</b> |
| <b>STAS papergrip hanger</b>               | <b>45</b> |
| <b>STAS name tag</b>                       | <b>46</b> |
| <b>STAS stabilization support set</b>      | <b>46</b> |
| <b>STAS panel hooks</b>                    | <b>47</b> |
| <b>STAS grip-up (on the wall)</b>          | <b>48</b> |
| <b>STAS suspended ceiling hooks</b>        | <b>49</b> |
| <b>STAS signtrack</b>                      | <b>50</b> |
| <b>STAS no-tilt set</b>                    | <b>52</b> |
| <b>STAS dibond hangers</b>                 | <b>53</b> |
| <b>STAS qubic &amp; qubic pro</b>          | <b>54</b> |
| <b>STAS v-tense &amp; h-tense</b>          | <b>56</b> |
| <b>STAS suspension sets</b>                | <b>62</b> |
| <b>STAS paperrail</b>                      | <b>65</b> |
| <b>STAS poster strips and poster snaps</b> | <b>66</b> |
| <b>STAS picture hits</b>                   | <b>67</b> |

## STAS papergrip

twice as handy

STAS papergrip is one rail with two applications. Thanks to a handy internal strip, papers can be easily clipped into the rail or removed. In addition, cards (etc.) can be placed in the special ledge on top of the rail.

STAS papergrip is suitable for thick and thin paper and it can even grab hold of thin magazines and laminated paper. Separate rail pieces can be connected to create a hanging system spanning the entire wall.

Optional: click specially designed STAS papergrip hooks onto the rail to hang up additional small items, like keys, or for example a STAS magnet set 2-in-1. A STAS papergrip hook has a weight capacity of 3 kg.



- dimensions 13,3 x 45 mm
- length 50, 100, 150 or 200 cm
- rail: aluminium with powder coating, inside strip: polyurethane foam core and polyethylene coating layer
- white, white textured, black textured, alu textured, alu
- standard with railclips (3 per metre) optional with magnetic tape or double-sided tape
- 5 years warranty

SCAN FOR MANUAL



### Parts

#### STAS papergrip

PG15005 50 cm white textured  
PG15010 100 cm white textured  
PG15015 150 cm white textured  
PG15020 200 cm white textured

PG30105 50 cm alu textured  
PG30110 100 cm alu textured  
PG30115 150 cm alu textured  
PG30120 200 cm alu textured

PG20105 50 cm black textured  
PG20110 100 cm black textured  
PG20115 150 cm black textured  
PG20120 200 cm black textured

PG10105 50 cm white  
PG10110 100 cm white  
PG10115 150 cm white  
PG10120 200 cm white

PG30310 100 cm alu  
PG30315 150 cm alu  
PG30320 200 cm alu




#### STAS papergrip end cap

PG90001 white  
PG90003 alu  
PG90002 black

#### STAS papergrip hook

HA40410 white  
HA40412 alu  
HA40411 black

**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



#### STAS rail connector


RD40200  
(metal)

#### STAS plug

SR50700

**STAS screw**  
torx  
SR30600





## STAS grip-up (on papergrip)

### extra handy

The STAS grip-up is a product that can be mounted in two ways. You can click the STAS grip-up over the STAS papergrip or mount it directly on the wall. In combination with the STAS papergrip, the pleasantness of a wall shelf is combined with the handy clamping mechanism of the STAS papergrip. Place photo frames, books or other decorations on the shelf section and hang notes, drawings and posters from the bottom. This gives you plenty of room for decoration and important papers.

In addition to being used in combination with the STAS papergrip, this product can also be mounted directly on the wall using the STAS grip-up wall clips.

**Tip from STAS:** It is also possible to purchase a length of the STAS grip-up that is shorter than the length of your STAS papergrip, so that only a small part can be used as a wall shelf.

- dimensions 45,3 x 60 mm
- length 50, 100, 150, 200 cm
- aluminium
- white, alu textured or black
- papergrip mounting, wall mounting
- on papergrip: 2 kg/m
- 5 years warranty



## STAS papergrip hanger

### secure hanging

The STAS papergrip hanger has been specially developed for hanging a whiteboard (with a max. size of 90x120 cm) on the STAS papergrip (mounted with screws), by means of 2 STAS papergrip hangers. The hangers are attached to the whiteboard with screws and then placed on the STAS papergrip, after which the whiteboard is easy to install and move. In addition, the hanger is equipped with a safety lock, so that it cannot be pushed out of the rail when force is exerted on the whiteboard. By mounting stabilizing caps the whiteboard remains stable. This makes the STAS papergrip hanger very suitable for the safe hanging of a whiteboard in educational institutions.

In addition to the whiteboard, other objects can also be hung on the STAS papergrip hanger. For suspending light items such as a small clock, the hanger can be attached with double-sided tape.

- dimensions 3,5 x 9,5 mm
- steel with powder coating
- white
- to the product to be hung
- weight capacity per hanger per meter 20 kg/m
- papergrip hanger set: whiteboard of max. 90 x 120 cm
- 5 years warranty



### Parts


**STAS grip-up**  
SPG10105 50 cm white  
SPG10110 100 cm white  
SPG10115 150 cm white  
SPG10120 200 cm white

SPG30105 50 cm alu  
SPG30110 100 cm alu  
SPG30115 150 cm alu  
SPG30120 200 cm alu

SPG20105 50 cm black  
SPG20110 100 cm black  
SPG20115 150 cm black  
SPG20120 200 cm black



**STAS grip-up end cap set (l/r)**  
**white**  
SPG90011



**STAS grip-up end cap set (l/r)**  
**alu**  
SPG90015



**STAS grip-up end cap set (l/r)**  
**black**  
SPG90013

### Parts



**STAS papergrip hanger**  
HA40110



**STAS papergrip hanger stabilisation set**  
PG40110



## STAS panel hooks

### the classic hanging solution

## STAS name tag

### a place for every name

The STAS name tag is a clip that can be clicked on the STAS papergrip. Paper can be placed inside this clip. With the STAS name tag, the names of the children can be displayed in the classroom or in your home.

\* Templates for printing out the name cards are available on request. Please contact our sales department for more information.

**STAS name tag**  
PG20007

- dimensions 8,7 x 3,7 x 6 mm
- plastic
- black
- to attach on the papergrip

## STAS stabilization support set

Beautiful paintings should hang perfectly underneath each other! Do you have a STAS picture hanging system and do your paintings tilt when you want to hang 2 underneath each other? With the STAS stabilization support set they will hang perfectly straight! Simply attach the double-sided tape to the stabilators and stick them on the back of your painting(s). This set is adjustable in depth so that you can adjust them to size for each unique painting.

**STAS stabilization support set**  
SS01100



- dimensions 63 x 56 mm
- plastic



**STAS panel hook white**  
HW10300 11 mm  
HW10400 16 mm  
HW10600 18 mm  
HW10500 21 mm  
HW10700 26 mm  
HW10800 31 mm  
Weight capacity 20 kg/m



**STAS moulding hook**  
HW10200 white  
HW30200 alu  
HW60200 gold  
Weight capacity 20 kg/m



**STAS panel hook alu interselect**  
HW30700  
Weight capacity 15 kg/m



**STAS panel hook alu lux window frame**  
HW30800  
Weight capacity 15 kg/m



**STAS panel hook transparant alcoa**  
HW50100  
Weight capacity 5 kg/m



**STAS panel hook alu vervol type 1**  
HW30300\*  
Weight capacity 15 kg/m



**STAS panel hook alu vervol type 2**  
HW30400  
Weight capacity 15 kg/m



**STAS panel hook alu sepa normal**  
HW30500  
Weight capacity 15 kg/m



**STAS panel hook askon chrome**  
HW50400  
Weight capacity 15 kg/m



**STAS panel hook PE transparant**  
HW50500  
Weight capacity 5 kg/m




**STAS panel hook maars**  
HW50600  
Weight capacity 15 kg/m



\* Only available in combination with STAS perlon cord with loop and zipper.

NEW





## STAS grip-up (on the wall)

### extra handy

In addition to being used in combination with the STAS papergrip, the STAS grip-up can also be mounted on the wall to create a wall shelf. The wall shelf allows for an easy presentation of decoration, frames or books.

The STAS grip-up is mounted directly on the wall using the STAS wall clips.

- dimensions 45,3 x 60 mm
- length 50, 100, 150, 200 cm
- aluminium
- white, alu textured or black textured
- wall mountable
- mounting on wall: 4 kg/m
- 5 years warranty



## STAS suspended ceiling hooks

### and double hanger

No more messing around with bending paper clips or tying strings. With the white STAS suspended ceiling hooks, you can hang up children's crafts, festive decorations or lesson material to the suspended ceiling in an instant. All you need to do is slide the hook over the runners of the suspended ceiling. STAS suspended ceiling hooks are available with an eyelet and with a hook.



The STAS double hanger is a very easy way to hang signing from a drop ceiling in combination with, for example, the STAS drop ceiling hooks.

### Parts


**STAS grip-up**  
SPG10105 50 cm white  
SPG10110 100 cm white  
SPG10115 150 cm white  
SPG10120 200 cm white

SPG30105 50 cm alu  
SPG30110 100 cm alu  
SPG30115 150 cm alu  
SPG30120 200 cm alu

SPG20105 50 cm black  
SPG20110 100 cm black  
SPG20115 150 cm black  
SPG20120 200 cm black



**STAS grip-up end cap set (l/r)**  
**white**  
SPG90011



**STAS grip-up end cap set (l/r)**  
**alu**  
SPG90015



**STAS grip-up end cap set (l/r)**  
**black**  
SPG90013



**STAS wall clip**  
**for wall mounting**  
SPG90010  
(4 clips per m<sup>2</sup>)

### Products



**STAS suspended ceiling hook**  
HA10100 white max 5 kg



**STAS suspended ceiling hook for loop**  
HA10200 white max 5 kg



**STAS double hanger**  
DH10010 double hanger 10 cm alu  
DH10025 double hanger 25 cm alu  
DH10040 double hanger 40 cm alu  
DH10060 double hanger 60 cm alu  
DH10080 double hanger 80 cm alu



# STAS signtrack

## a presentation that sticks

With the STAS signtrack you can easily hang advertising, posters and signage (from 0.2mm to 1mm thick). The STAS signtrack is easy to use, due to the sliding mechanism at the top and bottom. Inserted material remains undamaged and a professional presentation is guaranteed. An indispensable addition for shops, offices, catering, conventions and institutions.

The STAS signtrack can be used with the STAS qubics or with the STAS suspended ceiling hooks (in combination with matching cords) to hang from the ceiling. The STAS sign track can also be used with our many rail systems in combination with the cords with cobra hook for a wall mounting.

- dimensions 12 x 21 mm
- length 42, 60, 80, 100, 120 or 200 cm
- aluminium
- alu
- ceiling- or wall mounting
- paper thickness 0,2 mm till 1 mm
- 5 years warranty



### Set

**STAS signtrack set**  
 PS10042 42 cm  
 PS10060 60 cm  
 PS10080 80 cm  
 PS10100 100 cm  
 PS10120 120 cm  
 PS10200 200 cm

### Parts




# STAS signtrack

## hanging options

The STAS signtrack can be used with the STAS qubics or with the STAS suspended ceiling hooks (in combination with matching cords) to hang from the ceiling. The STAS sign track can also be used with our many rail systems in combination with the cords with cobra hook for a wall mounting.

### For a stone or concrete ceiling


STAS qubic or qubic pro with perlon cord or steel cable with glider.




**STAS qubic**  
TCS1000



**STAS qubic pro**  
TCS1010



**STAS perlon cord with glider**



**STAS steel cable with glider**

For more information of the STAS qubic, see page 54.

### For a drop ceiling

STAS drop ceiling hook for loop with perlon cord or steel cable with loop.



**STAS drop ceiling hook for loop**  
HA10200 max 5 kg



**STAS perlon cord with loop**



**STAS steel cable with loop**

For more information of the STAS suspended ceiling hook, see page 49.

### For a STAS rail system

STAS rail system in combination with perlon cord or steel cable to match the rail.



**STAS cobra with perlon cord**



**STAS cobra with steel cable**

For more information of the STAS rail systems, see page 7 t/m 22.





## STAS no-tilt set


### flat against the wall

Beautiful paintings should hang perfectly! Do you have a STAS picture hanging system and does your hanged painting tilt a bit? Hang your painting perfectly flat with the STAS no-tilt set. You can mount the 2 innovative corner brackets at 2 points on your picture frame with the supplied screws. Due to the different openings, small corrections can be made to the suspension cord so that your painting hangs perfectly flat against the wall.

The STAS no-tilt set is supplied as a complete set for a painting with a wooden frame of maximum 60 mm and minimum 18 mm thick. This set is only suitable for large frames with a recessed back and should be used with 2 cords (perlon/steel) and 2 hanging hooks (STAS zipper/STAS smartspring).

- dimensions 34 x 19 x 16 mm
- stainless steel
- mounting on wooden frame or painting of at least 35 cm wide
- weight capacity 10 kg per set
- minimum weight 1,5 kg

STAS no-tilt set  
34 x 16 x 19 mm  
AT10016



## STAS dibond hanger



### a hook for every wall object

The STAS dibond hanger is a self-adhesive aluminum plate with a hook, which can be attached to the back of flat panels. We offer the STAS dibond hanger in various sizes, each with its own carrying capacity. The tape, which is on the back of the STAS dibond hanger, comes from the brand tesa® and is of high quality. With the STAS dibond hanger we supply a special cleaning cloth that should be used to remove grease and dust from the surface.

The STAS dibond hanger is suitable to attach on the back of flat panels such as mirrors and art/photos on acrylic, glass, dibond or aluminum\*. An attachment to wood or MDF is possible by mounting screws in the existing screw holes of the STAS dibond hanger. This way, the tape attachment of the STAS dibond hanger on flat panels can be reinforced as well.

\*Rough, porous or fibrous surfaces (wood/MDF/plasterboard/plaster blocks) and polypropylene/polyethylene PP/PE plastics are not suitable for tape-attaching the STAS dibond hanger.

**ATTENTION!** It is very important that you remove grease and dust from the surface with the supplied cleaning cloth. Let the cleaner dry thoroughly. Then press the STAS dibond hanger firmly for 10 seconds and let it dry for 24 hours before you hang an object.

### Products



STAS dibond hanger  
+ installation set  
3 kg / 70 x 70 mm  
BS30900



STAS dibond hanger  
+ installation set  
6 kg / 100 x 100 mm  
BS30800



STAS dibond hanger  
+ installation set  
3,5 kg / ø 90 mm  
BS30400



STAS dibond hanger  
+ installation set  
5 kg / 70 x 140 mm  
BS30500



STAS dibond hanger  
+ installation set  
10 kg / 100 x 200 mm  
BS30700



STAS self-adhesive  
distance caps round  
13 mm (per 4 pieces)  
MB10080



SCAN FOR MANUAL



# STAS qubic


## flexible in all directions

The STAS qubic is a compact and square hanging system, suitable for hard walls such as stone or concrete. Do not underestimate the STAS qubic by its size, because that is exactly what's so convenient about this hanging system.

The STAS qubic is suitable for one hanging point and can be easily installed in the more difficult places. Think of a stairwell, a slanted ceiling or a pillar. The STAS qubic can be mounted in many different ways and therefore the cords can also be hooked in many possible ways.

The versatility of the STAS qubic makes it an indispensable hanging system for difficult places with hard walls.

- dimensions 22 x 22 x 24 mm
- aluminium
- alu textured
- ceiling- and wall mounting
- weight capacity 15 kg/m
- 5 years warranty



### Parts

**STAS qubic**  
TCS1000 alu textured



**STAS qubic end cap**  
TCS9002 black



**STAS screw qubic**  
SJ30200



**STAS plug**  
SR50700



wall mounting STAS qubic pro



ceiling mounting STAS qubic pro



# STAS qubic pro

## flexible in all directions

The STAS qubic pro works the same as the STAS qubic, but is suitable for soft walls such as plaster and sand-lime brick. The mounting plate can be installed with 2 screws which provides extra reinforcement of the STAS qubic pro in the soft wall.

Just like the STAS qubic, the STAS qubic pro can be used in the more difficult places. The versatility of the STAS qubic pro makes it an indispensable hanging system for difficult places with soft walls.

- dimensions 50 x 50 x 24 mm
- aluminium
- alu textured
- ceiling- and wall mounting
- weight capacity 20 kg/m
- 5 years warranty



SCAN FOR MANUAL

### Parts

**STAS qubic pro**  
TCS1010 alu textured



**STAS qubic end cap black**  
TCS9002



**STAS screw qubic pro**  
SJ30100



**STAS plug**  
SR50700



wall mounting STAS qubic pro



ceiling mounting STAS qubic pro





# STAS v-tense & h-tense

## combine endlessly

The tensioned cable system can be used flexibly and mounted on walls or ceiling. Horizontally, vertically and diagonally! The possibilities in combination with the STAS qubic, the STAS evoluon and the other STAS rail systems are therefore endless. Consider, for example, applications for the creation of shop windows, the presentation of houses in the real estate sector, displaying menus in restaurants or hanging material in schools or in the office.

### STAS v-tense (vertical)

The STAS v-tense is, together with the STAS h-tense, part of the tensioned cable system assortment. The STAS v-tense can be used vertically and is equipped with a glider on both sides. The cables are easy to tighten. In addition, an extra spring has been added to the STAS v-tense so that the wire still offers enough elasticity to hook into a rail with a hook. The STAS v-tense can be combined with various STAS rail systems, the STAS qubic and the STAS evoluon to easily create a wall presentation.

\* Also available in a version with a glider on one side and a STAS cobra on the other for hanging options with a STAS rail.



### STAS h-tense (horizontal)

The STAS h-tense is, together with the STAS v-tense, part of the tensioned cable system assortment. The STAS h-tense can be used horizontally and is equipped with a glider on both sides. The wire is easy to tighten. The STAS h-tense can be combined with the STAS qubic to easily create a wall presentation.

#### Content

**STAS v-tense**  
TSBV150 150 cm  
TSBV300 300 cm  
TSBV450 450 cm

- dimensions 26 x 3 mm
- length 150, 300 or 450 cm
- aluminium
- alu textured
- wall- and ceiling mounting (in combination with the STAS rail, STAS evoluon and STAS qubic)
- 5 years warranty

SCAN FOR MANUAL



#### Content

**STAS h-tense**  
TSBH150 150 cm  
TSBH300 300 cm  
TSBH450 450 cm

- dimensions 26 x 3 mm
- length 150, 300 or 450 cm
- aluminium
- alu textured
- wall- and ceiling mounting (in combination with the STAS qubic)
- 5 years warranty

SCAN FOR MANUAL



# STAS v-tense & h-tense

## accessories & possibilities

### STAS accessories



**STAS frame clamp  
(4,5 mm)**  
TCS30001



**STAS frame connector  
(4,5 mm)**  
TCS30002



**STAS tense-frame**  
A4 TCS30010  
A3 TCS30016



**STAS frame clamp  
(8,5 mm)**  
TCS30003



**STAS frame  
connector (8,5 mm)**  
TCS30004



**STAS shelf clamp  
(8,5 mm)**  
TCS30005



**STAS shelf  
connector (8,5 mm)**  
TCS30006



**STAS shelf 20 x 30 cm**  
TCS30025

#### STAS frame clamp (4,5 mm)

The STAS frame clamp can be screwed onto a tensioned wire. When 2 tensioned wires are mounted next to each other with both a STAS frame clamp, a frame or other material (minimal 1 mm and maximal 4.5 mm thick) can be clamped between them.

#### STAS frame connector (4,5 mm)

The STAS frame connector can be screwed onto a tensioned wire. The double opening allows several frames or other material (minimal 1 mm and maximal 4.5 mm thick) to be placed next to each other.

#### STAS tense-frame A4 and A3

The A4 size frame comes with 4 STAS frame clamps (4.5 mm). When 2 tensioned wires are mounted next to each other, the STAS tense frame can be placed between these wires. The frame can be opened at the top so that material can be placed inside. Think, for example, of applications for advertisements or the presentation of houses in real estate. The frame can be closed magnetically.

#### STAS frame clamp (8,5 mm)

The STAS frame clamp can be screwed onto a tensioned wire. When 2 tensioned wires are mounted next to each other with both a STAS frame clamp, a frame or other material (minimal 4 mm and maximal 8.5 mm thick) can be clamped between them.

#### STAS frame connector (8,5 mm)

The STAS frame connector can be screwed onto a tensioned wire. The double opening allows several frames (minimal 4 mm and maximal 8.5 mm thick) to be placed next to each other.

#### STAS shelf clamp (8,5 mm)

The STAS shelf clamp can be screwed on the STAS steel cable with glider (p.35). When 4 sets of STAS steel cables with glider are mounted with 4 STAS shelf clamps, a STAS shelf can be placed in between to create shelves.

#### STAS shelf connector (8,5 mm)

The STAS shelf connector can be screwed onto the STAS steel cable with glider (p.35). Thanks to the double opening, several STAS shelves can be placed next to each other in order to create shelves.

#### STAS shelf

The STAS shelf is a plexiglass shelf of 20 x 30 cm. With the help of 4 STAS shelf clamps, this shelf can be attached to 4 sets of STAS steel cable with glider (p.35) in order to create shelves. (other dimensions available upon request)



**STAS security hook**  
HA30600



**STAS signage clip**  
TCS30007



**STAS metal clips**  
MC10100



**STAS distance clamp**  
TCS30009

#### STAS security hook

The STAS security hook is a hook that can be used with the STAS v-tense. The STAS security hook can be placed before as well as after mounting the tensioned wire by means of a rotary wheel behind the hook.

#### STAS signage clip

The STAS signage clip can be screwed onto a STAS steel cable with glider and then placed in the STAS cubic. Signs with a minimum thickness of 2 mm and a maximum of 7 mm can be clamped in the STAS signage clip.

\* Can also be used with STAS steel cable with loop and STAS drop ceiling hook.

#### STAS metal clips

These metal clips are suitable for hanging various materials on the STAS h-tense. Think of hanging alphabet letter tiles, posters, drawings, decorations, all kinds of papers and light objects.

#### STAS distance clamp

The STAS distance clamp can be screwed onto a tensioned wire. The front part can be loosened, after which this part can be pushed through the drill holes of a frame, plate or other object. The 2 pieces can be tightened again. Due to the extended back, the STAS distance clamp ensures that the wall object hangs stable and with a same distance from the wall.



**STAS tense LED frame**  
TCS30015

#### STAS tense LED frame

The A4 size LED frame comes with 4 attached clamps. When 2 tensioned wires are mounted next to each other, the STAS tense LED frame can be placed between the wires. Material can be placed in the frame by removing and replacing a transparent magnetic plate.

#### STAS tense 12V power (60W)

The STAS tense 12V power is an adapter that can be used to power the STAS tense LED frame with 60W power. A maximum of 12 LED frames\* can be connected to this adapter.

\* max. 12 LED frames connected on 2 tensioned wires. If you want to use more than 12 LED frames and / or more than 2 tensioned wires, it is necessary to use multiple adapters.



**STAS tense 12V power**  
VT30600

### Applications




**STAS frame clamp  
(4,5 mm)**



**STAS frame  
connector (4,5 mm)**



**STAS frame  
clamp (8,5 mm)**



**STAS frame  
connector (8,5 mm)**



**STAS shelf clamp  
(8,5 mm)**



**STAS shelf connector  
(8,5 mm)**



**STAS signage clip**



**STAS distance  
clamp**



# STAS v-tense & h-tense

## accessories & possibilities

### Options STAS v-tense



STAS qubic, STAS v-tense, STAS tense frame & STAS frame clamps

STAS qubic, STAS v-tense, STAS tense frame & STAS frame clamps

STAS qubic, STAS v-tense, STAS evoluon, STAS tense frame & STAS frame clamps

STAS evoluon, STAS v-tense, STAS security hook & STAS kliq frame

STAS cliprail, STAS qubic, STAS v-tense, STAS security hook & decorative photo frames

STAS j-rail, STAS v-tense, STAS frame clamps & presentation board

STAS qubic, STAS v-tense & STAS tense LED frame

STAS qubic ceiling mounting, STAS shelf clamp & STAS shelves

### Options STAS signage clip



STAS signage clip & steel cable with loop. (to be used with the STAS suspended ceiling hook for loop)

STAS signage clip, steel cable with glider & STAS qubic.



### Options STAS h-tense



STAS h-tense, STAS qubic, STAS metal clips, alphabet letter tiles




STAS h-tense, STAS qubic, STAS tense frame & STAS frame clamps


# STAS suspension sets

NEW

With the many STAS suspension sets, we have a convenient suspension kit for every situation. No need to look for separate parts. The STAS suspension sets are safe and user-friendly suspension kits for hanging lighting, pipes, advertising, route indication, signs, paintings, acoustic panels, shelves and many other objects. All STAS suspension sets consist of 1.5 mm steel cables with a length of 2 meters and can be loaded up to a maximum of 25 kg per set.



## Suspension sets with ceiling mount



SCS40101

### STAS suspension set with adjustable loop maker

- For different-sized pipes/other objects
- Size adjustable loop maker



SCS40102

### STAS suspension set with safety hook

- For lighting, route indication, panels and other objects
- Safety hook with bracket
- Adjustable in height



SCS40103

### STAS suspension set with panel hanger (4 mm)


- For advertising, route indication and other panels/objects
- Adjustable in height
- With safety lock



SCS40104

### STAS suspension set with panel hanger (10 mm)


- For advertising, route indication and other panels/objects
- Adjustable in height



SCS40105

### STAS suspension set with panel hanger (6 mm)

- For advertising, route indication and other panels/objects
- Adjustable in height



SCS40106

### STAS suspension set with 2 safety hooks


- For lighting, advertising, panels or other objects
- 2 safety hooks connected with steel cable
- Adjustable in height



SCS40107

### STAS suspension set with internal M6 screw thread tilt hook

- For lighting and other objects with that require a tilt
- Adjustable in height
- With safety lock



SCS40108

### STAS suspension set with internal M6 screw thread

- For lighting, route indication, panels and other objects
- Adjustable in height



SCS40109

### STAS suspension set with external M6 screw thread tilt hook

- For lighting and other objects that require a tilt
- Adjustable in height
- With safety lock



SCS40111

### STAS suspension set with eye hook

- For lighting, panels, advertising and other objects
- Adjustable in height
- Can also be used horizontally



SCS40113

### STAS suspension set with external M10 cable grip


- For lighting, shelves and other objects
- Adjustable in height



SCS40110

### STAS suspension set with external M6 gripper

- For lighting and other objects
- Adjustable in height



SCS40112

### STAS suspension set with cross anchors

- For fluorescent lighting or other objects
- 2 cross anchors connected with steel cable
- Adjustable in height



SCS40401

### STAS suspension set with safety hook and eye plate (90°)

- For lighting, route indication, panels and other objects
- Safety hook with spring bracket
- Ceiling mount


## Suspension sets with loop



SCS40201

### STAS suspension set with safety hook

- For different sized pipes or other objects
- Size adjustable loop maker
- Can also be used the other way around







### SCS40202 STAS suspension set with safety hook

- For lighting, route indication, panels and other objects
- Fixed loop
- Adjustable in height
- Can also be used the other way around



### SCS40203 STAS suspension set with panel hanger (4 mm)

- For advertising, route indication and other panels
- Fixed loop
- Adjustable in height
- With safety lock



### SCS40204 STAS suspension set with panel hanger (10 mm)

- For advertising, route indication or other panels/objects up to max. 10 mm thick
- Fixed loop
- Adjustable in height




### SCS40205 STAS suspension set with panel hanger (6 mm)

- For advertising, route indication and other panels/objects
- Fixed loop
- Adjustable in height



## Suspension sets with adjustable ceiling mount



### SCS40301 STAS suspension set with cross anchor

- For fluorescent lighting or other objects
- Single cross anchor
- Adjustable quick ceiling mount with screw



### SCS40302 STAS suspension set with loop


- For pipes, panels and other objects
- Fixed loop
- Adjustable quick ceiling mount with screw

## Other suspension sets and products



### SCS40402 STAS acoustic coil spring

- For acoustic, foam or non-woven/felt panels
- Can be used with the many STAS suspension sets




### SCS40404 STAS adjustable loop maker

- For different sizes of pipes or other objects
- Size adjustable loop maker




### SCS40403 STAS drop ceiling clip

- For drop ceilings
- With M5 screw thread for attaching STAS suspension sets without having to drill



### SCS40405 STAS adjustable ceiling mount

- Adjustable quick ceiling mount with screw



# STAS paperrail

## marbles put to good use

STAS paperrail is an aluminium rail used to hang loose papers. The rail contains glass marbles, which press against the paper, creating a handy clamping mechanism.

You can slide drawings, announcements and photos into the rail with a single move and remove them again without any damage to the paper. Papers can also be placed on top of the rail.

Ideal for use in classrooms, offices, restaurants and even at home above the kitchen table. The STAS paperrail is mounted directly onto the wall.



- dimensions 21 x 48,5 mm
- length 50, 100 or 200 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- 5 years warranty

SCAN FOR MANUAL



### STAS paperrail

KN10005 50 cm white  
KN10010 100 cm white  
KN10020 200 cm white

KN30005 50 cm alu  
KN30010 100 cm alu  
KN30020 200 cm alu



**STAS plug**  
SR50700



**STAS screw**  
**torx**  
SR30600



**STAS paperrail**  
**connector set**  
KN30100



# STAS poster strips

## and poster snaps

### hanging without framing



#### STAS poster strip

The STAS poster strip is a classic poster strip in transparent plastic and is designed to lock posters into position so as to hang them neatly, simply and stylishly. The poster can be slid into the strip from the side.

#### STAS poster snap

The STAS poster snap is a more luxurious variant to the plastic poster strip, made from high-grade aluminium. This makes the system ideally suited for presenting canvases, fabrics and heavy posters without taking anything away from the style.

The poster does not have to be inserted from the side: simply click the STAS poster snap open and shut at the top and the bottom.



#### STAS poster strip

- dimensions 6 x 13 mm
- length 30, 42, 50, 60, 70, 84, or 100 cm
- plastic
- transparant
- suitable for paper and cardboard
- 5 years warranty

#### STAS poster snap

- dimensions 16 x 27 mm
- length 50, 70 or 100 cm
- aluminium
- plastic
- suitable for heavier posters, canvas and fabrics
- 5 years warranty

# STAS picture hits

## invisible connection



STAS picture hits are transparent plastic clips that allow you to easily connect photos, cards and other lightweight decorative items to each other and to your STAS rail.

The first clip is screwed into your STAS rail. Then you can slide a photo, card or other decoration into the clip. By sliding a new STAS picture hit on the bottom or side, you can attach another decoration. Step by step, you can create your own unique collage.

STAS picture hits are ideal for temporary or changing decorations, for instance photos, Christmas cards, birthday cards, vacation snaps, streamers and other party or seasonal attributes.

Tip: place the transparent distance strips between the rail and your decoration to hang it a little lower, for example at eye level.

- plastic
- transparant
- to be attached to a STAS rail\*
- suitable for paper and thin cardboard
- 5 years warranty

\* with the exception of STAS j-rail (max), STAS wooden rail, STAS plasterrail and STAS evoluon



## Products



**STAS poster strip set transparent**  
PS50030 30 cm  
PS50042 42 cm  
PS50050 50 cm  
PS50060 60 cm



**STAS poster snap set alu**  
PS30050 50 cm  
PS30070 70 cm  
PS30100 100 cm



**STAS picture hits**  
BM20350


**Contents per set**  
20 STAS picture hits (clips)

2 STAS pet strips 50 cm (transparent distance strips)



# Index

## Complementary products



|                |    |
|----------------|----|
| STAS clocktica | 69 |
| STAS tunica    | 69 |
| STAS TV hanger | 70 |



## STAS clocktica

## & STAS tunica

The STAS clocktica is a silent design clock that can be hooked into almost any STAS picture rail system.\* The clock works on batteries and is made of sturdy steel. The STAS clocktica is suitable for educational institutions, for in the office or for your own home. Complete your interior with this flexible design clock!

STAS tunica is a stylish coat hook system that easily fits into almost all STAS rails\*. Now your wall not only has a decorative purpose, but a practical one as well. The coat hook is sturdy, but also easily and endlessly moveable. The STAS tunica has a neutral design and features two coat hooks.

\*With the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.



### STAS clocktica

- dimensions 25 cm wide
- length 43 or 95 cm
- powdercoated steel
- white textured, black textured
- 5 years warranty

### STAS tunica

- dimensions 15 cm wide x 5,2 cm depth
- mounting strip: 5 cm wide
- length 95 cm
- powdercoated steel with 2 hooks
- white or black
- 10 kg per hook
- 5 years warranty

### Products

**STAS clocktica white**  
KH40430W 43 cm white  
KH40950W 95 cm white

KH40430Z 43 cm black  
KH40950Z 95 cm black



**STAS tunica**  
KH40095W 95 cm white  
KH40095Z 95 cm black





# STAS TV hanger

NEW

## Profile drawings

With the STAS TV hanger, drilling into the wall to hang your TV is a thing of the past! With the STAS TV hanger you don't have to make a final decision about the location of your TV because you'll be able to move the hanger to another place in your rail system\* really easily. In addition, your TV will always hang straight. The STAS TV hanger is suitable for TVs from 26" to 55" and for TV's with a VESA size from 75x75, 100x100, 200x200 and 400x400.

The black TV bracket is mounted at a suitable height on the white hangers with the supplied screws and the vertical brackets are mounted on the back of your TV. You can easily hang your TV by clicking it on the mounted TV bracket.

\* The STAS TV hanger with cobra end can be used with the STAS minirail, STAS cliprail (max and pro), STAS multirail (max, crown and flat), STAS u-rail (multi), STAS prorail (max, crown and flat), STAS drop ceiling rail and the STAS plasterboard rail. When mounting your TV, always take into account the maximum load of your picture hanging system.

























- dimensions 150 cm x 40 cm
- aluminium
- white textured with black TV bracket
- suitable for TV's from 26" to 55" and for TV's with a VESA size from 75x75, 100x100, 200x200 and 400x400.
- 5 years warranty



### Products

STAS tv hanger  
TV10150 white








# Product index


## STAS grip-up (on the wall)

Dimensions 45,3 x 60 mm




## STAS qubic

Dimensions 22 x 22 x 24 mm




## STAS qubic pro

Dimensions 50 x 50 x 28 mm



## STAS signtrack

Dimensions 12 x 21 mm



| article code         | product description             | page nr. |
|----------------------|---------------------------------|----------|
| <b>Rail systems</b>  |                                 | 6        |
| <b>STAS minirail</b> |                                 | 7        |
| RM10150              | minirail white 150 cm           | 7        |
| RM10120              | minirail white 200 cm           | 7        |
| RM10130              | minirail white 300 cm           | 7        |
| RM30150              | minirail alu 150 cm             | 7        |
| RM30120              | minirail alu 200 cm             | 7        |
| RM30130              | minirail alu 300 cm             | 7        |
| RM20150              | minirail black 150 cm           | 7        |
| RM20120              | minirail black 200 cm           | 7        |
| RM20130              | minirail black 300 cm           | 7        |
| RD10200              | minirail rail connector         | 7        |
| RY10200              | minirail combi cap** white      | 7        |
| RY30200              | minirail combi cap** alu        | 7        |
| RY20200              | minirail combi cap** black      | 7        |
| SR10200              | minirail clipscrew torx         | 7        |
| SR50700              | plug 6 x 30 mm hard / soft wall | 7        |

### STAS cliprail

|         |                                 |   |
|---------|---------------------------------|---|
| RC10315 | cliprail white 150 cm           | 8 |
| RC10320 | cliprail white 200 cm           | 8 |
| RC10330 | cliprail white 300 cm           | 8 |
| RC30115 | cliprail alu 150 cm             | 8 |
| RC30120 | cliprail alu 200 cm             | 8 |
| RC30130 | cliprail alu 300 cm             | 8 |
| RC20115 | cliprail black 150 cm           | 8 |
| RC20120 | cliprail black 200 cm           | 8 |
| RC20130 | cliprail black 300 cm           | 8 |
| RD10300 | cliprail end cap white          | 8 |
| RD30300 | cliprail end cap alu            | 8 |
| RD20300 | cliprail end cap black          | 8 |
| RD10400 | cliprail corner cap white       | 8 |
| RD30400 | cliprail corner cap alu         | 8 |
| RD40100 | railclip (metal, 3 per m²)      | 8 |
| RD40200 | rail connector (metal)          | 8 |
| SR30600 | screw torx                      | 8 |
| SR50700 | plug 6 x 30 mm hard / soft wall | 8 |

### STAS cliprail max

|         |                           |   |
|---------|---------------------------|---|
| RC10215 | cliprail max white 150 cm | 9 |
| RC10220 | cliprail max white 200 cm | 9 |
| RC10230 | cliprail max white 300 cm | 9 |
| RC30215 | cliprail max alu 150 cm   | 9 |
| RC30220 | cliprail max alu 200 cm   | 9 |
| RC30230 | cliprail max alu 300 cm   | 9 |
| RC20215 | cliprail max black 150 cm | 9 |
| RC20220 | cliprail max black 200 cm | 9 |
| RC20230 | cliprail max black 300 cm | 9 |

| article code | product description             | page nr. |
|--------------|---------------------------------|----------|
| RY10100      | cliprail max combi cap** white  | 9        |
| RY30100      | cliprail max combi cap** alu    | 9        |
| RY20300      | cliprail max combi cap** black  | 9        |
| RD40100      | railclip (metal, 3 per m²)      | 9        |
| RD40200      | rail connector (metal)          | 9        |
| SR30600      | screw torx                      | 9        |
| SR50700      | plug 6 x 30 mm hard / soft wall | 9        |

### STAS cliprail pro

|         |                                 |    |
|---------|---------------------------------|----|
| VC10150 | cliprail pro white 150 cm       | 10 |
| VC10200 | cliprail pro white 200 cm       | 10 |
| VC10300 | cliprail pro white 300 cm       | 10 |
| VC30150 | cliprail pro alu 150 cm         | 10 |
| VC30200 | cliprail pro alu 200 cm         | 10 |
| VC30300 | cliprail pro alu 300 cm         | 10 |
| VE10200 | cliprail pro end cap white      | 10 |
| VE30200 | cliprail pro end cap alu        | 10 |
| VD10400 | cliprail pro corner cap white   | 10 |
| VD30400 | cliprail pro corner cap alu     | 10 |
| RD40100 | railclip (metal, 3 per m²)      | 10 |
| RD40200 | rail connector (metal)          | 10 |
| SR30600 | screw torx                      | 10 |
| SR50700 | plug 6 x 30 mm hard / soft wall | 10 |

### STAS plasterrail

|         |   |    |
|---------|---|----|
| PR30200 | plasterrail 200 cm (including safety strip) | 11 |
|---------|---|----|

### STAS j-rail

|         |                                      |    |
|---------|--------------------------------------|----|
| RJ10115 | j-rail white 150 cm (4 holes per m²) | 12 |
| RJ10120 | j-rail white 200 cm (4 holes per m²) | 12 |
| RJ10130 | j-rail white 300 cm (4 holes per m²) | 12 |
| RJ30115 | j-rail alu 150 cm (4 holes per m²)   | 12 |
| RJ30120 | j-rail alu 200 cm (4 holes per m²)   | 12 |
| RJ30130 | j-rail alu 300 cm (4 holes per m²)   | 12 |
| SJ10100 | j-rail screw flush head white        | 12 |
| SJ30100 | j-rail screw flush head alu          | 12 |
| SR50700 | plug 6 x 30 mm hard / soft wall      | 12 |

### STAS j-rail max

|         |  |    |
|---------|--|----|
| RJ10215 | j-rail max white 150 cm (4 holes per m²) | 13 |
| RJ10220 | j-rail max white 200 cm (4 holes per m²) | 13 |
| RJ10230 | j-rail max white 300 cm (4 holes per m²) | 13 |
| RJ30215 | j-rail max alu 150 cm (4 holes per m²)   | 13 |
| RJ30220 | j-rail max alu 200 cm (4 holes per m²)   | 13 |
| RJ30230 | j-rail max alu 300 cm (4 holes per m²)   | 13 |
| SJ10200 | j-rail max screw sunk head white         | 13 |
| SJ30200 | j-rail max screw sunk head alu           | 13 |
| SR50700 | plug 6 x 30 mm hard / soft wall          | 13 |

| article code       | product description | page nr. |
|--------------------|---------------------|----------|
| <b>STAS u-rail</b> |                     | 14       |

|         |                                      |    |
|---------|--------------------------------------|----|
| RP10115 | u-rail white 150 cm (8 holes per m²) | 14 |
| RP10120 | u-rail white 200 cm (8 holes per m²) | 14 |
| RP10130 | u-rail white 300 cm (8 holes per m²) | 14 |
| RP20115 | u-rail black 150 cm (8 holes per m²) | 14 |
| RP20120 | u-rail black 200 cm (8 holes per m²) | 14 |
| RP20130 | u-rail black 300 cm (8 holes per m²) | 14 |
| RP30115 | u-rail alu 150 cm (8 holes per m²)   | 14 |
| RP30120 | u-rail alu 200 cm (8 holes per m²)   | 14 |
| RP30130 | u-rail alu 300 cm (8 holes per m²)   | 14 |
| SP10100 | u-rail screw white                   | 14 |
| SP20100 | u-rail screw black                   | 14 |
| SP30100 | u-rail screw alu                     | 14 |

### STAS windsor & riva

|         |                |    |
|---------|----------------|----|
| RP50220 | windsor 120 cm | 15 |
| RP50224 | windsor 240 cm | 15 |
| RP50120 | riva 120 cm    | 15 |
| RP50124 | riva 240 cm    | 15 |

### STAS evoluon

|          |                                      |    |
|----------|--------------------------------------|----|
| TCS30020 | STAS evoluon 200 cm (4 holes per m²) | 16 |
| TCS9012  | distance holder evoluon              | 16 |
| TCS9016  | STAS evoluon hook                    | 16 |
| TCS9020  | bending mold evoluon                 | 16 |
| SJ30300  | evoluon screw                        | 16 |
| SR50700  | plug 6 x 30 mm hard / soft wall      | 16 |

### STAS drywallXpress

|         |   |    |
|---------|---|----|
| RD40400 | STAS drywallXpress clip                   | 17 |
| RD40501 | STAS drywallXpress tool                   | 17 |
| RD40600 | STAS drywallXpress set (100 x) + 1 x tool | 17 |
| RT40200 | STAS drywallXpress rail connector         | 17 |

### STAS separate rail parts

|         |  |  |
|---------|--|--|
| PS50105 | rail installation kit 2 m² (6 x clip/screw/plug) |  |
| RD10100 | railclip plastic                                 |  |

### STAS plasterboard rail

|         |  |    |
|---------|--|----|
| PC10120 | plasterboard rail 9,5 mm - 200 cm (5 holes per m²)     | 18 |
| PC10130 | plasterboard rail 9,5 mm - 300 cm (5 holes per m²)     | 18 |
| PC10020 | plasterboard rail 12,5 mm - 200 cm (5 holes per m²)    | 18 |
| PC10030 | plasterboard rail 12,5 mm - 300 cm (5 holes per m²)    | 18 |
| PC10170 | inside corner profile 9,5 mm (with corner connector)   | 18 |
| PC10070 | inside corner profile 12,5 mm (with corner connector)  | 18 |
| PC10180 | outside corner profile 9,5 mm (with corner connector)  | 18 |
| PC10080 | outside corner profile 12,5 mm (with corner connector) | 18 |
| RD20400 | rail connector   | 18 |

\*\* combicap: 2 x end cap/1 x corner cap

## Product index

| article code                  | product description                               | page nr. |
|-------------------------------|---|----------|
| RD20500                       | corner connector                                  | 18       |
| SR10400                       | hammer fixing plug (5 per m <sup>2</sup> )        | 18       |
| <hr/>                         |   |          |
| <b>STAS drop ceiling rail</b> |   | 19       |
| GC10020                       | drop ceiling rail 200 cm                          | 19       |
| GC10030                       | drop ceiling rail 300 cm                          | 19       |
| GC10070                       | inside corner profile<br>(with corner connector)  | 19       |
| GC10080                       | outside corner profile<br>(with corner connector) | 19       |
| RD20400                       | rail connector                                    | 19       |
| RD20500                       | corner connector                                  | 19       |
| SR10400                       | hammer fixing plug (5 per m <sup>2</sup> )        | 19       |

| STAS prorail flat |  | 20 |
|-------------------|--|----|
| RH10510           | prorail flat white 100 cm (4 holes per m²) * | 20 |
| RH10515           | prorail flat white 150 cm (4 holes per m²) * | 20 |
| RH10520           | prorail flat white 200 cm (4 holes per m²) * | 20 |
| RH10530           | prorail flat white 300 cm (4 holes per m²) * | 20 |
| RD20500           | prorail flat corner connector white          | 20 |
| RD20400           | prorail flat rail connector                  | 20 |
| SJ10200           | multirail flat screw                         | 20 |
| SR50700           | plug 6 x 30 mm hard / soft wall              | 20 |

| STAS prorail max |   | 21 |
|------------------|---|----|
| RM10415          | prorail max white 150 cm                | 21 |
| RM10420          | prorail max white 200 cm                | 21 |
| RM10430          | prorail max white 300 cm                | 21 |
| RM30415          | prorail max alu 150 cm                  | 21 |
| RM30420          | prorail max alu 200 cm                  | 21 |
| RM30430          | prorail max alu 300 cm                  | 21 |
| VE10400          | prorail max end cap white               | 21 |
| VE30400          | prorail max end cap alu                 | 21 |
| VD20500          | prorail max corner cap white            | 21 |
| VD30500          | prorail max corner cap alu              | 21 |
| RD40100          | railclip (metal, 3 per m <sup>2</sup> ) | 21 |
| RD40200          | rail connector (metal)                  | 21 |
| SR30600          | screw torx                              | 21 |
| SR50700          | plug 6 x 30 mm hard / soft wall         | 21 |

| STAS prorail crown |  | 22 |
|--------------------|--|----|
| RH10415            | prorail crown white 150 cm (4 holes per m <sup>2</sup> ) * | 22 |
| RH10420            | prorail crown white 200 cm (4 holes per m <sup>2</sup> ) * | 22 |
| RH10430            | prorail crown white 300 cm (4 holes per m <sup>2</sup> ) * | 22 |
| RD20500            | multirail crown corner connector white                     | 22 |
| RD20400            | multirail crown rail connector                             | 22 |
| SJ10200            | multirail crown screw white                                | 22 |
| SR50700            | plug 6 x 30 mm hard / soft wall                            | 22 |

| article code                      | product description               | page nr. |
|-----------------------------------|-----------------------------------|----------|
| <b>Rail systems with lighting</b> |                                   | 23       |
| <b>STAS multirail</b>             |                                   | 24       |
| VH10150                           | multirail white 150 cm            | 24       |
| VH10200                           | multirail white 200 cm            | 24       |
| VH10300                           | multirail white 300 cm            | 24       |
| VH30150                           | multirail alu 150 cm              | 24       |
| VH30200                           | multirail alu 200 cm              | 24       |
| VH30300                           | multirail alu 300 cm              | 24       |
| VE10200                           | multirail end cap white           | 24       |
| VE30200                           | multirail end cap alu             | 24       |
| VD10400                           | multirail corner cap white        | 24       |
| VD30400                           | multirail corner cap alu          | 24       |
| VF50200                           | multirail conductor 12 V straight | 24       |

|         |   |    |
|---------|---|----|
| RD40100 | railclip (metal, 3 per m <sup>2</sup> ) | 24 |
| RD40200 | rail connector (metal)                  | 24 |
| SR30600 | screw torx                              | 24 |
| SR50700 | plug 6 x 30 mm hard / soft wall         | 24 |

| STAS multirail max |   | 25 |
|--------------------|---|----|
| VC10415            | multirail max white 150 cm              | 25 |
| VC10420            | multirail max white 200 cm              | 25 |
| VC10430            | multirail max white 300 cm              | 25 |
| VC30415            | multirail max alu 150 cm                | 25 |
| VC30420            | multirail max alu 200 cm                | 25 |
| VC30430            | multirail max alu 300 cm                | 25 |
| RM10420            | prorail max white 200 cm *              | 25 |
| RM10430            | prorail max white 300 cm *              | 25 |
| VE10400            | multirail max end cap white             | 25 |
| VE30400            | multirail max end cap alu               | 25 |
| VD20500            | multirail max corner cap white          | 25 |
| VD30500            | multirail max corner cap alu            | 25 |
| VF50200            | multirail conductor 12 V straight       | 25 |
| VF50100            | multirail conductor 12 V corner         | 25 |
| RD40100            | railclip (metal, 3 per m <sup>2</sup> ) | 25 |
| RD40200            | rail connector (metal)                  | 25 |
| SR30600            | screw torx                              | 25 |
| SR50700            | plug 6 x 30 mm hard / soft wall         | 25 |

| <b>STAS multirail crown</b> |  | 26 |
|-----------------------------|--|----|
| RC10420                     | multirail crown white 200 cm (4 holes per m <sup>2</sup> ) | 26 |
| RC10430                     | multirail crown white 300 cm (4 holes per m <sup>2</sup> ) | 26 |
| RH10415                     | prorail crown white 150 cm (4 holes per m <sup>2</sup> ) * | 26 |
| RH10420                     | prorail crown white 200 cm (4 holes per m <sup>2</sup> ) * | 26 |
| RH10430                     | prorail crown white 300 cm (4 holes per m <sup>2</sup> )   | 26 |
| RD20500                     | multirail crown corner connector white                     | 26 |
| RD20400                     | multirail crown rail connector                             | 26 |
| VF50200                     | multirail conductor 12 V straight                          | 26 |

| article code               | product description                          | page nr. |
|----------------------------|--|----------|
| VF50100                    | multirail conductor 12 V corner              | 26       |
| SJ10200                    | multirail crown screw white                  | 26       |
| SR50700                    | plug 6 x 30 mm hard / soft wall              | 26       |
| <hr/>                      |  |          |
| <b>STAS multirail flat</b> |  | 27       |
| RC10520                    | multirail flat white 200 cm (4 holes per m²) | 27       |
| RC10530                    | multirail flat white 300 cm (4 holes per m²) | 27       |
| RD20500                    | multirail flat corner connector white        | 27       |
| RD20400                    | multirail flat rail connector                | 27       |
| VF50200                    | multirail conductor 12 V straight            | 27       |
| VF50100                    | multirail conductor 12 V corner              | 27       |
| SJ10200                    | multirail flat screw                         | 27       |
| SR50700                    | plug 6 x 30 mm hard / soft wall              | 27       |

| STAS Wi-Fi smart led |   | 28 |
|----------------------|---|----|
| VA15516              | multirail fixture 'classic' GU5,3 + Wi-Fi smart led white 50 cm 5W  | 28 |
| VA15716              | multirail fixture 'classic' GU5,3 + Wi-Fi smart led white 70 cm 5W  | 28 |
| VA35516              | multirail fixture 'classic' GU5,3 + Wi-Fi smart led chrome 50 cm 5W | 28 |
| VA35716              | multirail fixture 'classic' GU5,3 + Wi-Fi smart led chrome 70 cm 5W | 28 |
| VT40800              | remote control for STAS Wi-Fi smart-led                             | 28 |
| VT30700              | Wi-Fi smartplug   | 29 |

| STAS multirail accessories |  | 30 |
|----------------------------|--|----|
| VL10200                    | multirail LED spot 3,5 W 27°           | 30 |
| VL10700                    | multirail powered 4 W                  | 30 |
| VL10900                    | multirail LED spot 3,5 W 95°           | 30 |
| VT30700                    | Wi-Fi smartplug                        | 30 |
| VA10500                    | multirail fixture classic white 50 cm  | 30 |
| VA10700                    | multirail fixture classic white 70 cm  | 30 |
| VA30500                    | multirail fixture classic chrome 50 cm | 30 |
| VA30700                    | multirail fixture classic chrome 70 cm | 30 |
| VA30365                    | multirail fixture sirius chrome 40 cm  | 30 |
| VA30465                    | multirail fixture sirius chrome 50 cm  | 30 |
| VA30665                    | multirail fixture sirius chrome 65 cm  | 30 |
| VA30770                    | multirail fixture signo chrome 70 cm   | 30 |
| VT20500                    | multirail adapter 18 W                 | 31 |
| VT20036                    | multirail adapter 36 W                 | 31 |
| VT20084                    | multirail adapter 84 W                 | 31 |
| VT20300                    | multirail adapter 96 W                 | 31 |

|   |   |    |
|---|---|----|
| <b>Hooks and cords for rail systems</b> |   | 32 |
| <b>STAS hooks and cords</b>             |   | 33 |
| HA30900                                 | smartspring (4 kg perlon)               | 33 |
| HA30501                                 | zipper (15 kg perlon + 20 kg steel)     | 33 |
| HA30530                                 | zipper pro (15 kg perlon + 20 kg steel) | 33 |
| CP10110                                 | cobra + perlon cord 100 cm              | 33 |
| CP10115                                 | cobra + perlon cord 150 cm              | 33 |
| CP10120                                 | cobra + perlon cord 200 cm              | 33 |
| CP10125                                 | cobra + perlon cord 250 cm              | 33 |

| article code | product description                               | page nr. |
|--------------|---|----------|
| CP10130      | cobra + perlon cord 300 cm                        | 33       |
| CP10140      | cobra + perlon cord 400 cm                        | 33       |
| SC10110      | cobra + steelcable 100 cm                         | 33       |
| SC10115      | cobra + steelcable 150 cm                         | 33       |
| SC10120      | cobra + steelcable 200 cm                         | 33       |
| SC10125      | cobra + steelcable 250 cm                         | 33       |
| SC10130      | cobra + steelcable 300 cm                         | 33       |
| SC10140      | cobra + steelcable 400 cm                         | 33       |
| SC10220      | cobra + steelcable white 200 cm<br>(10 kg zipper) | 33       |
| SC20220      | cobra + steelcable black 200 cm<br>(10 kg zipper) | 33       |
| BM20330      | blister 2 x smartspring                           |          |
| BM20340      | blister 2 x zipper                                |          |
| BM20310      | blister 2 x cobra + perlon cord 150 cm            |          |
| BM20320      | blister 2 x cobra + steelcable 150 cm             |          |
| BM10280      | blister cobra+perlon cord 150 cm+smartspring      |          |
| BM10230      | blister cobra+perlon cord 150 cm+zipper           |          |
| BM10290      | blister cobra+steelcable 150 cm+zipper            |          |
| PK10100      | perlon cord on roll 100 m <sup>1</sup>            |          |

| STAS j-rail hooks, cords and rods |   | 34 |
|-----------------------------------|---|----|
| HA30900                           | smartspring (4 kg perlon)               | 34 |
| HA30501                           | zipper (15 kg perlon + 20 kg steel)     | 34 |
| HA30530                           | zipper pro (15 kg perlon + 20 kg steel) | 34 |
| PH10110                           | perlon cord with glider 100 cm          | 34 |
| PH10115                           | perlon cord with glider 150 cm          | 34 |
| PH10120                           | perlon cord with glider 200 cm          | 34 |
| PH10125                           | perlon cord with glider 250 cm          | 34 |
| PH10130                           | perlon cord with glider 300 cm          | 34 |
| PH10145                           | perlon cord with glider 450 cm          | 34 |
| SH10110                           | steel cable with glider 100 cm          | 34 |
| SH10115                           | steel cable with glider 150 cm          | 34 |
| SH10120                           | steel cable with glider 200 cm          | 34 |
| SH10125                           | steel cable with glider 250 cm          | 34 |
| SH10130                           | steel cable with glider 300 cm          | 34 |
| SH10145                           | steel cable with glider 450 cm          | 34 |

|         |   |    |
|---------|---|----|
| HR30600 | j-rail cylinder hook alu                  | 34 |
| SO10110 | j-rail rod 3 mm white 100 cm              | 34 |
| SO10115 | j-rail rod 3 mm white 150 cm              | 34 |
| SO10120 | j-rail rod 3 mm white 200 cm              | 34 |
| SO10130 | j-rail rod 3 mm white 300 cm              | 34 |
| SO30110 | j-rail rod 3 mm alu 100 cm                | 34 |
| SO30115 | j-rail rod 3 mm alu 150 cm                | 34 |
| SO30120 | j-rail rod 3 mm alu 200 cm                | 34 |
| SO30130 | j-rail rod 3 mm alu 300 cm                | 34 |
| HA30700 | j-rail spring hook for rod 3 mm (15 kg)   | 34 |
| HR10400 | j-rail S-hook white (for cord with loop)  | 34 |
| HR30400 | j-rail S-hook chrome (for cord with loop) | 34 |

| article code                         | product description                   | page nr. |
|--------------------------------------|---------------------------------------|----------|
| <b>STAS j-rail max hooks en rods</b> |                                       | 35       |
| SM10110                              | j-rail max rod 4x4 white 100 cm       | 35       |
| SM10115                              | j-rail max rod 4x4 white 150 cm       | 35       |
| SM10120                              | j-rail max rod 4x4 white 200 cm       | 35       |
| SM10125                              | j-rail max rod 4x4 white 250 cm       | 35       |
| SM30110                              | j-rail max rod 4x4 alu 100 cm         | 35       |
| SM30115                              | j-rail max rod 4x4 alu 150 cm         | 35       |
| SM30120                              | j-rail max rod 4x4 alu 200 cm         | 35       |
| SM30125                              | j-rail max rod 4x4 alu 250 cm         | 35       |
| SM10210                              | j-rail max rod 4x10 white 100 cm      | 35       |
| SM10215                              | j-rail max rod 4x10 white 150 cm      | 35       |
| SM10220                              | j-rail max rod 4x10 white 200 cm      | 35       |
| SM10225                              | j-rail max rod 4x10 white 250 cm      | 35       |
| HA40600                              | j-rail max hook for rod 4x4 (40 kg)   | 35       |
| HA40500                              | j-rail max hook for rod 4x10 (100 kg) | 35       |
| BK10200                              | 4x4 security set, collar + cap        | 35       |
| HA40700                              | j-rail max security hook (40 kg)      | 35       |

| STAS plasterrail hooks and cords |   | 36 |
|----------------------------------|---|----|
| HA30900                          | smartspring (4 kg perlon)               | 36 |
| HA30501                          | zipper (15 kg perlon + 20 kg steel)     | 36 |
| HA30530                          | zipper pro (15 kg perlon + 20 kg steel) | 36 |
| PH10110                          | perlon cord with glider 100 cm          | 36 |
| PH10115                          | perlon cord with glider 150 cm          | 36 |
| PH10120                          | perlon cord with glider 200 cm          | 36 |
| PH10125                          | perlon cord with glider 250 cm          | 36 |
| PH10130                          | perlon cord with glider 300 cm          | 36 |
| PH10145                          | perlon cord with glider 450 cm          | 36 |
| SH10110                          | steelcable with glider 100 cm           | 36 |
| SH10115                          | steelcable with glider 150 cm           | 36 |
| SH10120                          | steelcable with glider 200 cm           | 36 |
| SH10125                          | steelcable with glider 250 cm           | 36 |
| SH10130                          | steelcable with glider 300 cm           | 36 |
| SH10145                          | steelcable with glider 450 cm           | 36 |

| STAS windsor & riva hooks and cords |   | 37 |
|-------------------------------------|---|----|
| HA30900                             | smartspring (4 kg perlon)               | 37 |
| HA30501                             | zipper (15 kg perlon + 20 kg steel)     | 37 |
| HA30530                             | zipper pro (15 kg perlon + 20 kg steel) | 37 |
| PL10110                             | perlon cord with loop 100 cm            | 37 |
| PL10115                             | perlon cord with loop 150 cm            | 37 |
| PL10120                             | perlon cord with loop 200 cm            | 37 |
| PL10125                             | perlon cord with loop 250 cm            | 37 |
| PL10130                             | perlon cord with loop 300 cm            | 37 |
| SL10110                             | steelcable with loop 100 cm             | 37 |
| SL10115                             | steelcable with loop 150 cm             | 37 |
| SL10120                             | steelcable with loop 200 cm             | 37 |
| SL10125                             | steelcable with loop 250 cm             | 37 |
| SL10130                             | steelcable with loop 300 cm             | 37 |

| article code                                    | product description                     | page nr. |
|---|---|----------|
| HW10200   | hook windsor white                      | 37       |
| HW30200   | hook windsor alu                        | 37       |
| HW60200   | hook windsor gold                       | 37       |
| HW50700   | hook riva                               | 37       |
| <b>STAS evoluon &amp; qubic hooks and cords</b> |   | 38       |
| HA30900   | smartspring (4 kg perlon)               | 38       |
| HA30501   | zipper (15 kg perlon + 20 kg steel)     | 38       |
| HA30530   | zipper pro (15 kg perlon + 20 kg steel) | 38       |
| PH10110   | perlon cord with glider 100 cm          | 38       |
| PH10115   | perlon cord with glider 150 cm          | 38       |
| PH10120   | perlon cord with glider 200 cm          | 38       |
| PH10125   | perlon cord with glider 250 cm          | 38       |
| PH10130   | perlon cord with glider 300 cm          | 38       |
| PH10145   | perlon cord with glider 450 cm          | 38       |
| SH10110   | steelcable with glider 100 cm           | 38       |
| SH10115   | steelcable with glider 150 cm           | 38       |
| SH10120   | steelcable with glider 200 cm           | 38       |
| SH10125   | steelcable with glider 250 cm           | 38       |
| SH10130   | steelcable with glider 300 cm           | 38       |
| SH10145   | steelcable with glider 450 cm           | 38       |
| TCS9016   | STAS evoluon hook                       | 16       |

| Magnetic hanging solutions |   | 40 |
|----------------------------|---|----|
| BM20360                    | magnet set                                | 41 |
| MB10050                    | white magnets (10 pieces)                 | 41 |
| BM20370                    | coloured magnet set                       | 41 |
| MB10040                    | coloured magnets (10 pieces)              | 41 |
| BM20380                    | magnet set 2-in-1 ( <i>cobra + loop</i> ) | 41 |

|                                |                                 |    |
|--------------------------------|---------------------------------|----|
| <b>Other hanging solutions</b> |                                 | 42 |
| <b>STAS papergrip</b>          |                                 | 43 |
| PG10105                        | papergrip white 50 cm           | 43 |
| PG10110                        | papergrip white 100 cm          | 43 |
| PG10115                        | papergrip white 150 cm          | 43 |
| PG10120                        | papergrip white 200 cm          | 43 |
| PG15005                        | papergrip white textured 50 cm  | 43 |
| PG15010                        | papergrip white textured 100 cm | 43 |
| PG15015                        | papergrip white textured 150 cm | 43 |
| PG15020                        | papergrip white textured 200 cm | 43 |
| PG20105                        | papergrip black textured 50 cm  | 43 |
| PG20110                        | papergrip black textured 100 cm | 43 |
| PG20115                        | papergrip black textured 150 cm | 43 |
| PG20120                        | papergrip black textured 200 cm | 43 |
| PG30105                        | papergrip alu textured 50 cm    | 43 |
| PG30110                        | papergrip alu textured 100 cm   | 43 |
| PG30115                        | papergrip alu textured 150 cm   | 43 |
| PG10120                        | papergrip alu textured 200 cm   | 43 |
| PG30310                        | papergrip alu 100 cm            | 43 |
| PG30315                        | papergrip alu 150 cm            | 43 |



# Product index

| article code | product description             | page nr. |
|--------------|---------------------------------|----------|
| PG30320      | papergrip alu 200 cm            | 43       |
| PG90001      | papergrip end cap white         | 43       |
| PG90002      | papergrip end cap black         | 43       |
| PG90003      | papergrip end cap alu           | 43       |
| HA40410      | papergrip hook white            | 43       |
| HA40412      | papergrip hook alu              | 43       |
| HA40411      | papergrip hook black            | 43       |
| RD40100      | railclip (metal, 3 per m²)      | 43       |
| RD40200      | rail connector (metal)          | 43       |
| SR30600      | screw torx                      | 43       |
| SR50700      | plug 6 x 30 mm hard / soft wall | 43       |

| STAS grip-up |  | 44 |
|--------------|--|----|
| SPG10105     | grip-up white 50 cm                                  | 44 |
| SPG10110     | grip-up white 100 cm                                 | 44 |
| SPG10115     | grip-up white 150 cm                                 | 44 |
| SPG10120     | grip-up white 200 cm                                 | 44 |
| SPG30105     | grip-up alu 50 cm                                    | 44 |
| SPG30110     | grip-up alu 100 cm                                   | 44 |
| SPG30115     | grip-up alu 150 cm                                   | 44 |
| SPG30120     | grip-up alu 200 cm                                   | 44 |
| SPG90011     | grip-up end cap set l+r white                        | 44 |
| SPG90015     | grip-up end cap set l+r alu                          | 44 |
| SPG90010     | grip-up wall clip for wall mounting (4 clips per m²) | 48 |

|                              |                                    |    |
|------------------------------|------------------------------------|----|
| <b>STAS papergrip hanger</b> |                                    | 45 |
| HA40110                      | papergrip hanger                   | 45 |
| PG40110                      | papergrip hanger stabilisation set | 45 |

|                      |          |    |
|----------------------|----------|----|
| <b>STAS name tag</b> |          | 46 |
| PG20007              | name tag | 46 |

|                                       |                           |    |
|---------------------------------------|---------------------------|----|
| <b>STAS stabilization support set</b> |                           | 46 |
| SS01100                               | stabilization support set | 46 |

| STAS panel hooks |                                 | 47 |
|------------------|---------------------------------|----|
| HW10300          | panel hook white 11 mm          | 47 |
| HW10400          | panel hook white 16 mm          | 47 |
| HW10600          | panel hook white 18 mm          | 47 |
| HW10500          | panel hook white 21 mm          | 47 |
| HW10700          | panel hook white 26 mm          | 47 |
| HW10800          | panel hook white 31 mm          | 47 |
| HW30700          | panel hook alu interselect      | 47 |
| HW30800          | panel hook alu lux window frame | 47 |
| HW50100          | panel hook transparant alcoa    | 47 |
| HW30300          | panel hook alu verwol type 1*   | 47 |
| HW30400          | panel hook alu verwol type 2    | 47 |

| article code | product description        | page nr. |
|--------------|----------------------------|----------|
| HW30500      | panel hook alu sepa normal | 47       |
| HW10200      | molding hook white         | 47       |
| HW30200      | molding hook alu           | 47       |
| HW60200      | molding hook gold          | 47       |
| HW50400      | panel hook askon chrome    | 47       |
| HW50500      | panel hook PE transparant  | 47       |
| HW50600      | panel hook maars           | 47       |

|                                     |  |    |
|-------------------------------------|--|----|
| <b>STAS suspended ceiling hooks</b> |  | 49 |
| HA10100                             | suspended ceiling hook white               | 49 |
| HA10200                             | suspended ceiling hook for cords with loop | 49 |

| STAS double hanger |                         | 49 |
|--------------------|-------------------------|----|
| DH10010            | double hanger 10 cm alu | 49 |
| DH10025            | double hanger 25 cm alu | 49 |
| DH10040            | double hanger 40 cm alu | 49 |
| DH10060            | double hanger 60 cm alu | 49 |
| DH10080            | double hanger 80 cm alu | 49 |

| STAS signtrack |                      | 50 |
|----------------|----------------------|----|
| PS10042        | signtrack set 42 cm  | 50 |
| PS10060        | signtrack set 60 cm  | 50 |
| PS10080        | signtrack set 80 cm  | 50 |
| PS10100        | signtrack set 100 cm | 50 |
| PS10120        | signtrack set 120 cm | 50 |
| PS10200        | signtrack set 200 cm | 50 |

|                         |             |    |
|-------------------------|-------------|----|
| <b>STAS no-tilt set</b> |             | 52 |
| AT10016                 | no-tilt set | 52 |

| STAS dibond hangers |  | 53 |
|---------------------|--|----|
| BS30900             | dibond hanger set 70 x 70 mm, 3 kg                       | 53 |
| BS30800             | dibond hanger set 100 x 100 mm, 6 kg                     | 53 |
| BS30500             | dibond hanger set 70 x 140 mm, 6 kg                      | 53 |
| BS30700             | dibond hanger set 100 x 200 mm, 12 kg                    | 53 |
| BS50400             | dibond hanger set ø 90, 3,5 kg                           | 53 |
| MB10080             | selfadhesive distance caps round 13 mm<br>(per 4 pieces) | 53 |

|                   |                     |    |
|-------------------|---------------------|----|
| <b>STAS qubic</b> |                     | 54 |
| TCS1000           | qubic hanger        | 54 |
| TCS9002           | qubic end cap black | 54 |
| SJ30200           | screw qubic         | 54 |
| SR50700           | plug                | 54 |

| STAS qubic pro |                     | 55 |
|----------------|---------------------|----|
| TCS1010        | qubic pro hanger    | 55 |
| TCS9002        | qubic end cap black | 55 |
| SJ30100        | screw qubic pro     | 55 |
| SR50700        | plug                | 55 |

| article code                      | product description | page nr. |
|-----------------------------------|---------------------|----------|
| <b>STAS v-tense &amp; h-tense</b> |                     | 56       |
| TSBV150                           | v-tense 150 cm      | 56       |
| TSBV300                           | v-tense 300 cm      | 56       |
| TSBV450                           | v-tense 450 cm      | 56       |
| TSBH150                           | h-tense 150 cm      | 56       |
| TSBH300                           | h-tense 300 cm      | 56       |
| TSBH450                           | h-tense 450 cm      | 56       |

| STAS v-tense & h-tense accessories |                          | 58 |
|------------------------------------|--------------------------|----|
| TCS30001                           | frame clamp (4,5 mm)     | 58 |
| TCS30002                           | frame connector (4,5 mm) | 58 |
| TCS30003                           | frame clamp (8,5 mm)     | 58 |
| TCS30004                           | frame connector (8,5 mm) | 58 |
| TCS30010                           | tense-frame              | 58 |
| TCS30005                           | shelf clamp (8,5 mm)     | 58 |
| TCS30006                           | shelf connector (8,5 mm) | 58 |
| TCS30025                           | shelf 20 x 30 cm         | 58 |
| TCS30007                           | signage clip             | 59 |
| MC10100                            | metal clips              | 59 |
| HA30600                            | security hook            | 59 |
| TCS30009                           | distance clamp           | 59 |
| TCS30015                           | tense LED fame           | 59 |
| VT30600                            | tense 12V power          | 59 |

| STAS suspension sets |  | 62 |
|----------------------|--|----|
| SCS40101             | suspension set with adjustable loop maker              | 62 |
| SCS40102             | suspension set with safety hook                        | 62 |
| SCS40103             | suspension set with panel hanger (4 mm)                | 62 |
| SCS40104             | suspension set with panel hanger (10 mm)               | 62 |
| SCS40105             | suspension set with panel hanger (6 mm)                | 62 |
| SCS40106             | suspension set with 2 safety hooks                     | 62 |
| SCS40107             | suspension set with internal M6 screw thread tilt hook | 62 |
| SCS40108             | suspension set with internal M6 screw thread           | 62 |
| SCS40109             | suspension set with external M6 screw thread tilt hook | 63 |
| SCS40110             | suspension set with external M6 gripper                | 63 |
| SCS40111             | suspension set with eye hook                           | 63 |
| SCS40112             | suspension set with cross anchors                      | 63 |
| SCS40113             | suspension set with external M10 cable grip            | 63 |
| SCS40201             | suspension set with safety hook                        | 63 |
| SCS40202             | suspension set with safety hook                        | 63 |
| SCS40203             | suspension set with panel hanger (4 mm)                | 63 |
| SCS40204             | suspension set with panel hanger (10 mm)               | 63 |
| SCS40205             | suspension set with panel hanger (6 mm)                | 64 |
| SCS40301             | suspension set with cross anchor                       | 64 |
| SCS40302             | suspension set with loop                               | 64 |
| SCS40401             | suspension set with safety hook and eye plate (90°)    | 64 |
| SCS40402             | acoustic coil spring                                   | 64 |
| SCS40403             | drop ceiling clip                                      | 64 |
| SCS40404             | adjustable loop maker                                  | 66 |

| article code          | product description             | page nr. |
|-----------------------|---------------------------------|----------|
| SCS40405              | adjustable ceiling mount        | 66       |
| <b>STAS paperrail</b> |                                 | 65       |
| KN10005               | paperrail white 50 cm           | 65       |
| KN30005               | paperrail alu 50 cm             | 65       |
| KN10010               | paperrail white 100 cm          | 65       |
| KN30010               | paperrail alu 100 cm            | 65       |
| KN10020               | paperrail white 200 cm          | 65       |
| KN30020               | paperrail alu 200 cm            | 65       |
| KN30100               | paperrail connector set         | 65       |
| SR10000               | clipscrew                       | 65       |
| SR50700               | plug 6 x 30 mm hard / soft wall | 65       |

|                                     |                                    |    |
|-------------------------------------|------------------------------------|----|
| <b>STAS poster strips and snaps</b> |                                    | 66 |
| PS50030                             | poster strip set transparant 30 cm | 66 |

| article code             | product description                 | page nr. |
|--------------------------|-------------------------------------|----------|
| PS50042                  | poster strip set transparant 42 cm  | 66       |
| PS50050                  | poster strip set transparant 50 cm  | 66       |
| PS50060                  | poster strip set transparant 60 cm  | 66       |
| PS50070                  | poster strip set transparant 70 cm  | 66       |
| PS50084                  | poster strip set transparant 84 cm  | 66       |
| PS50110                  | poster strip set transparant 100 cm | 66       |
| PS30050                  | poster snap set alu 50 cm           | 66       |
| PS30070                  | poster snap set alu 70 cm           | 66       |
| PS30100                  | poster snap set alu 100 cm          | 66       |
| <b>STAS picture hits</b> |                                     | 67       |
| BM20350                  | picture hits                        | 67       |

| article code                  | product description   | page nr. |
|-------------------------------|-----------------------|----------|
| <b>Complementary products</b> |                       | 68       |
| <b>STAS clocktica</b>         |                       | 69       |
| KH40950W                      | clocktica white 95 cm | 69       |
| KH40430Z                      | clocktica black 95 cm | 69       |

|                    |                    |    |
|--------------------|--------------------|----|
| <b>STAS tunica</b> |                    | 69 |
| KH40095W           | tunica white 95 cm | 69 |
| KH40095Z           | tunica black 95 cm | 69 |

|                       |           |    |
|-----------------------|-----------|----|
| <b>STAS TV hanger</b> |           | 70 |
| TV10150               | TV hanger | 70 |

## Torx T20 screws

We supply a large part of our products with Torx T20 screws for a better grip. These can be easily mounted with a special screwdriver bit or with the STAS screwdriver bit Torx T20.

## Disclaimer STAS dibond hanger

It is the user's responsibility to carry out the mounting of the STAS dibond hanger in strict accordance with the supplied mounting instructions. All technical information and data are provided on the basis of quality tests and our many years of practical experience. These are considered an average value and are not suitable for specification. For this reason, STAS picture hanging systems cannot provide any guarantee, either explicitly or implicitly, with regard to the suitability of the STAS dibond hanger for what the user wants to hang. The user is therefore responsible for determining whether the STAS dibond hanger is suitable for the situation in question. In case of doubt, our employees will be happy to advise you.

## STAS products TÜV certified

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.





### **STAS picture hanging systems**

28 Town Forest Rd | Unit B | Webster | MA 01570 | USA

T 888-827-8349 | [info@stasgroup.com](mailto:info@stasgroup.com)

[\*\*www.picturehangingsystems.com\*\*](http://www.picturehangingsystems.com)

#### **Important note regarding warranty and liability**

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at [www.stasgroup.com](http://www.stasgroup.com). It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.