

perfect gap-free ceiling connection

STAS cliprail max is a hanging system for the perfectionist. An extra rim ensures the rail connects beautifully with the ceiling. With this system, your ceiling, wall and picture hanging system unite as one.

The rail is most attractive when fixed to flat ceilings.

STAS cliprail max owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.

For the best result, you can neatly finish the transition between the STAS cliprail max and the ceiling by adding an (acrylic) sealant.



- dimensions 8,3 x 31,6 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty



Parts

STAS cliprail max RC10215 150 cm white RC10220 200 cm white RC10230 300 cm white

RC30215 150 cm alu RC30220 200 cm alu RC30230 300 cm alu

RC20215 150 cm black RC20220 200 cm black RC20230 300 cm black



STAS cliprail max combicap RY10100 white RY30100 alu RY20300 black (2 x end cap / 1 x corner cap)



STAS railclip RD40100 (metal, 3 per m¹)



SR50700



rail ector)200 STAS screw torx SR30600



After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

Cords



STAS cobra with perion cord CP10110 100 cm CP10115 150 cm CP10120 200 cm CP10125 250 cm CP10130 300 cm CP10140 400 cm



STAS cobra with steel cable SC10110 100 cm SC10115 150 cm SC10120 200 cm SC10125 250 cm SC10130 300 cm SC10140 400 cm



STAS cobra with steel cable white SC10220 200 cm white SC20220 200 cm black 1

Hooks



STAS zipper HA30501



STAS smartspring

HA30900

STAS zipper pro HA30530





Possible combinations



smartspring



perion cord + zipper or zipper pro



steel cable + zipper or zipper pro



steel cable white or black + zipper or zipper pro

Important note regarding warranty and liability

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at www.stasgroup.com. It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.

STAS products TÜV certified

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



