



STAS drop ceiling rail

all-in solution for drop ceilings

The STAS drop ceiling rail is an all-in solution for rooms with a drop ceiling. The STAS drop ceiling rail replaces the wooden ceiling tile support strips and the corner profile for installing drop ceilings, and is equipped with a picture hanging system as well.

Thanks to the innovative profile of the STAS drop ceiling rail, the picture hanging system can be mounted directly on the wall. Corner profile and picture hanging system become one. The suspended ceiling plates can be placed in the profile of the STAS drop ceiling rail. The result is an almost invisible picture hanging system that disappears in the shadow line of the drop ceiling.

The STAS drop ceiling rail can be used with the STAS cords with cobra.

- dimensions 31 x 35 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty

SCAN FOR MANUAL



Parts

STAS drop ceiling rail
GC10020 200 cm
GC10030 300 cm



**STAS drop ceiling rail
inner corner profile**
GC10070
(with corner connector)



**STAS drop ceiling rail
outside corner profile**
GC10080
(with corner connector)



STAS rail connector
RD20400



STAS corner connector
RD20500



STAS hammer fixing plug
(5 per m²)
SR10400



STAS hooks and cords

After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

Cords



**STAS cobra
with perlon cord**
CP10110 100 cm
CP10115 150 cm
CP10120 200 cm
CP10125 250 cm
CP10130 300 cm
CP10140 400 cm



**STAS cobra
with steel cable**
SC10110 100 cm
SC10115 150 cm
SC10120 200 cm
SC10125 250 cm
SC10130 300 cm
SC10140 400 cm



**STAS cobra with
steel cable white**
SC10220 200 cm white
SC20220 200 cm black

Hooks



STAS smartspring
HA30900



STAS zipper
HA30501



STAS zipper pro
HA30530



Possible combinations



max.
4 kg

**perlon cord +
smartspring**



max.
15 kg

**perlon cord +
zipper or zipper pro**



max.
20 kg

**steel cable +
zipper or zipper pro**



max.
10 kg

**steel cable white or black +
zipper or zipper pro**

Important note regarding warranty and liability

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at www.stasgroup.com. It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.

STAS products TÜV certified

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



STAS picture hanging systems

28 Town Forest Rd, Unit B | Webster, MA 01570 | USA
T +(888) 312 69 71 | info@picturehangingsystems.com | www.picturehangingsystems.com